



BÁO CÁO KẾT QUẢ QUAN TRẮC TRUNG BÌNH 5 PHÚT

Tên cơ sở: Xi măng Quang Sơn

Tên trạm: Ống khói chính

Thời gian báo cáo: Từ: 11/04/2023

Tới: 11/04/2023

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	< 700 mg/Nm ³	< 700 mg/Nm ³	< 1400 mg/Nm ³	(-)	< 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
11/04/2023 00:00:00	1.37	0.00	0.55	21.44	20.33	288.40	22.68	99.75
11/04/2023 00:05:00	1.37	0.00	0.00	21.44	20.49	288.40	22.24	99.75
11/04/2023 00:10:00	1.24	0.00	0.55	21.43	20.60	288.40	22.71	99.73
11/04/2023 00:15:00	1.24	0.00	0.00	21.42	20.44	256.35	22.52	99.73
11/04/2023 00:20:00	1.37	0.00	2.20	21.43	20.16	288.40	22.52	99.72
11/04/2023 00:25:00	1.37	0.00	0.55	21.43	20.70	288.40	23.00	99.73
11/04/2023 00:30:00	1.51	0.00	0.00	21.43	19.26	320.44	23.00	99.72
11/04/2023 00:35:00	1.37	0.00	0.00	21.43	19.84	288.40	22.08	99.72
11/04/2023 00:40:00	1.24	0.00	0.00	21.43	19.72	0.00	22.24	99.71
11/04/2023 00:45:00	1.37	0.00	0.55	21.44	21.71	288.40	22.08	99.70
11/04/2023 00:50:00	1.24	0.00	0.00	21.43	20.42	288.40	22.19	99.67
11/04/2023 00:55:00	1.37	0.00	0.27	21.43	19.95	288.40	22.38	99.67
11/04/2023 01:00:00	0.41	0.00	0.00	21.43	19.01	320.44	22.38	99.68
11/04/2023 01:05:00	1.37	0.00	0.27	21.44	18.38	320.44	22.82	99.66
11/04/2023 01:10:00	1.37	0.00	0.00	21.44	19.42	288.40	22.55	99.66
11/04/2023 01:15:00	0.41	0.00	0.55	21.43	18.14	288.40	22.08	99.66
11/04/2023 01:20:00	0.41	0.00	0.55	21.43	18.19	288.40	22.52	99.66
11/04/2023 01:25:00	0.41	0.00	0.00	21.43	20.30	320.44	22.52	99.67

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	< 700 mg/Nm ³	< 700 mg/Nm ³	< 1400 mg/Nm ³	(-)	< 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm3)	SO2 (mg/Nm3)	NOx (mg/Nm3)	O2 (%V)	PM (mg/Nm3)	Flow (m3/h)	Temp (°C)	P (kPa)
11/04/2023 01:30:00	1.37	0.00	0.55	21.43	18.81	320.44	22.55	99.64
11/04/2023 01:35:00	1.37	0.00	0.27	21.44	20.51	288.40	22.84	99.65
11/04/2023 01:40:00	1.37	0.00	0.55	21.43	18.38	320.44	22.55	99.64
11/04/2023 01:45:00	1.37	0.00	0.55	21.43	19.95	288.40	22.22	99.64
11/04/2023 01:50:00	1.37	0.00	0.00	21.43	19.77	320.44	22.22	99.63
11/04/2023 01:55:00	1.37	0.00	0.27	21.43	19.88	288.40	22.24	99.63
11/04/2023 02:00:00	1.37	0.00	0.55	21.43	22.16	288.40	22.55	99.61
11/04/2023 02:05:00	1.37	0.00	0.00	21.43	21.64	288.40	22.38	99.61
11/04/2023 02:10:00	1.37	0.00	0.00	21.42	19.91	288.40	22.06	99.62
11/04/2023 02:15:00	0.41	0.00	0.27	21.42	21.00	288.40	22.08	99.64
11/04/2023 02:20:00	1.24	0.00	0.27	21.43	20.93	320.44	22.52	99.60
11/04/2023 02:25:00	1.51	0.00	0.00	21.43	21.27	0.00	21.94	99.60
11/04/2023 02:30:00	1.37	0.00	0.55	21.43	19.86	288.40	22.38	99.60
11/04/2023 02:35:00	1.37	0.00	0.55	21.43	20.33	288.40	22.10	99.61
11/04/2023 02:40:00	1.65	0.00	0.00	21.43	19.77	288.40	22.08	99.60
11/04/2023 02:45:00	1.37	0.00	0.55	21.43	21.51	288.40	22.68	99.58
11/04/2023 02:50:00	1.51	0.00	0.27	21.42	21.67	288.40	22.38	99.60
11/04/2023 02:55:00	1.51	0.00	0.55	21.43	20.97	320.44	21.81	99.61
11/04/2023 03:00:00	1.24	0.00	0.00	21.42	20.16	288.40	22.22	99.60
11/04/2023 03:05:00	1.51	0.00	0.00	21.42	20.46	288.40	22.57	99.59
11/04/2023 03:10:00	1.37	0.00	0.55	21.43	19.35	352.48	22.24	99.61
11/04/2023 03:15:00	1.51	0.00	0.55	21.42	19.63	288.40	22.38	99.60
11/04/2023 03:20:00	1.24	0.00	0.00	21.43	19.65	288.40	21.94	99.58
11/04/2023 03:25:00	1.24	0.00	0.27	21.43	20.02	320.44	22.06	99.60
11/04/2023 03:30:00	1.24	0.00	0.27	21.43	20.67	320.44	22.55	99.61
11/04/2023 03:35:00	1.37	0.00	0.00	21.42	20.51	320.44	22.24	99.60
11/04/2023 03:40:00	1.37	0.00	0.55	21.43	20.02	320.44	22.10	99.61
11/04/2023 03:45:00	1.24	0.00	0.00	21.43	21.09	288.40	21.61	99.60
11/04/2023 03:50:00	1.37	0.00	0.00	21.43	19.88	288.40	21.64	99.62
11/04/2023 03:55:00	1.37	0.00	0.55	21.42	19.97	288.40	22.38	99.61
11/04/2023 04:00:00	1.51	0.00	0.55	21.42	22.69	288.40	22.22	99.62

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	< 700 mg/Nm ³	< 700 mg/Nm ³	< 1400 mg/Nm ³	(-)	< 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm3)	SO2 (mg/Nm3)	NOx (mg/Nm3)	O2 (%V)	PM (mg/Nm3)	Flow (m3/h)	Temp (°C)	P (kPa)
11/04/2023 04:05:00	1.37	0.00	0.27	21.43	20.65	320.44	22.24	99.62
11/04/2023 04:10:00	1.37	0.00	0.55	21.42	22.20	0.00	21.94	99.61
11/04/2023 04:15:00	1.24	0.00	0.55	21.43	20.58	320.44	21.61	99.63
11/04/2023 04:20:00	1.37	0.00	0.00	21.43	19.86	320.44	22.36	99.63
11/04/2023 04:30:00	0.00	0.00	0.00	0.00	19.14	288.40	22.24	99.61
11/04/2023 04:35:00	0.00	0.00	0.00	0.00	20.33	320.44	22.26	99.64
11/04/2023 04:40:00	0.00	0.00	0.00	0.00	21.11	320.44	22.10	99.64
11/04/2023 04:45:00	0.00	0.00	0.00	0.00	19.12	320.44	22.08	99.66
11/04/2023 04:50:00	0.00	0.00	0.00	0.00	20.46	320.44	22.08	99.66
11/04/2023 04:55:00	0.00	0.00	0.00	0.00	19.79	320.44	22.10	99.67
11/04/2023 05:00:00	0.00	0.00	0.00	0.00	21.16	288.40	22.22	99.66
11/04/2023 05:05:00	0.00	0.00	0.00	0.00	21.13	320.44	22.24	99.67
11/04/2023 05:10:00	0.00	0.00	0.00	0.00	19.58	288.40	22.10	99.67
11/04/2023 05:15:00	0.00	0.00	0.00	0.00	19.44	320.44	21.92	99.66
11/04/2023 05:20:00	0.00	0.00	0.00	0.00	21.46	320.44	22.08	99.70
11/04/2023 05:25:00	0.00	0.00	0.00	0.00	18.70	288.40	21.61	99.71
11/04/2023 05:30:00	0.00	0.00	0.00	0.00	21.11	288.40	21.76	99.72
11/04/2023 05:35:00	0.00	0.00	0.00	0.00	19.33	256.35	21.43	99.70
11/04/2023 05:40:00	0.00	0.00	0.00	0.00	19.54	320.44	22.24	99.70
11/04/2023 05:45:00	0.00	0.00	0.00	0.00	19.79	320.44	21.92	99.72
11/04/2023 05:50:00	0.00	0.00	0.00	0.00	22.20	320.44	21.61	99.72
11/04/2023 05:55:00	0.00	0.00	0.00	0.00	22.22	320.44	22.38	99.73
11/04/2023 06:00:00	0.00	0.00	0.00	0.00	23.54	288.40	21.94	99.75
11/04/2023 06:05:00	0.00	0.00	0.00	0.00	19.72	288.40	21.76	99.73
11/04/2023 06:10:00	0.00	0.00	0.00	0.00	18.75	0.00	22.41	99.75
11/04/2023 06:15:00	0.00	0.00	0.00	0.00	19.93	288.40	22.36	99.76
11/04/2023 06:20:00	0.00	0.00	0.00	0.00	17.69	320.44	22.08	99.78
11/04/2023 06:25:00	0.00	0.00	0.00	0.00	19.33	320.44	21.61	99.78
11/04/2023 06:30:00	0.00	0.00	0.00	0.00	18.21	288.40	22.24	99.80
11/04/2023 06:35:00	0.00	0.00	0.00	0.00	18.45	288.40	21.92	99.80
11/04/2023 06:40:00	0.00	0.00	0.00	0.00	20.02	320.44	21.78	99.78

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	< 700 mg/Nm ³	< 700 mg/Nm ³	< 1400 mg/Nm ³	(-)	< 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm3)	SO2 (mg/Nm3)	NOx (mg/Nm3)	O2 (%V)	PM (mg/Nm3)	Flow (m3/h)	Temp (°C)	P (kPa)
11/04/2023 06:45:00	0.00	0.00	0.00	0.00	19.17	288.40	22.26	99.79
11/04/2023 06:50:00	0.00	0.00	0.00	0.00	18.49	256.35	22.19	99.79
11/04/2023 06:55:00	0.00	0.00	0.00	0.00	18.47	256.35	21.90	99.80
11/04/2023 07:00:00	0.00	0.00	0.00	0.00	18.63	288.40	21.92	99.80
11/04/2023 07:05:00	0.00	0.00	0.00	0.00	17.06	288.40	21.92	99.83
11/04/2023 07:10:00	0.00	0.00	0.00	0.00	19.56	256.35	22.06	99.82
11/04/2023 07:15:00	0.00	0.00	0.00	0.00	18.52	288.40	22.24	99.84
11/04/2023 07:20:00	0.00	0.00	0.00	0.00	18.36	288.40	22.55	99.86
11/04/2023 07:25:00	0.00	0.00	0.00	0.00	17.47	288.40	21.76	99.86
11/04/2023 07:30:00	0.00	0.00	0.00	0.00	18.65	288.40	22.24	99.89
11/04/2023 07:35:00	0.00	0.00	0.00	0.00	25.03	288.40	21.92	99.88
11/04/2023 07:40:00	0.00	0.00	0.00	0.00	20.39	288.40	22.55	99.89
11/04/2023 07:45:00	1.51	0.00	6.32	21.24	19.56	320.44	22.55	99.91
11/04/2023 07:50:00	1.37	0.00	2.20	21.35	19.61	320.44	22.38	99.92
11/04/2023 07:55:00	1.37	0.00	0.55	21.42	18.38	0.00	21.92	99.91
11/04/2023 08:00:00	1.51	0.00	0.00	21.45	18.68	288.40	21.92	99.89
11/04/2023 08:05:00	1.24	0.00	0.00	21.45	19.05	288.40	21.78	99.90
11/04/2023 08:10:00	1.51	0.00	0.00	21.46	18.94	288.40	22.38	99.93
11/04/2023 08:15:00	1.37	0.00	0.27	21.46	18.77	256.35	22.36	99.93
11/04/2023 08:20:00	1.51	0.00	0.55	21.46	18.07	320.44	22.68	99.94
11/04/2023 08:25:00	1.37	0.00	0.00	21.46	18.98	288.40	22.68	99.94
11/04/2023 08:30:00	1.24	0.00	0.27	21.45	17.45	288.40	22.52	99.95
11/04/2023 08:35:00	1.37	0.00	0.55	21.46	18.12	288.40	22.38	99.96
11/04/2023 08:40:00	1.37	0.00	0.55	21.46	18.52	320.44	22.06	99.96
11/04/2023 08:45:00	1.37	0.00	0.55	21.47	18.31	288.40	21.94	99.97
11/04/2023 08:50:00	1.37	0.00	0.00	21.46	19.56	288.40	22.55	99.97
11/04/2023 08:55:00	1.51	0.00	0.55	21.46	18.47	256.35	22.22	99.96
11/04/2023 09:00:00	1.24	0.00	0.27	21.48	18.38	256.35	22.36	99.96
11/04/2023 09:05:00	1.37	0.00	0.00	21.48	16.57	288.40	22.84	99.97
11/04/2023 09:10:00	1.37	0.00	0.00	21.48	17.69	320.44	22.84	99.98
11/04/2023 09:15:00	1.37	0.00	0.00	21.47	18.05	288.40	22.52	99.96

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	< 700 mg/Nm ³	< 700 mg/Nm ³	< 1400 mg/Nm ³	(-)	< 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm3)	SO2 (mg/Nm3)	NOx (mg/Nm3)	O2 (%V)	PM (mg/Nm3)	Flow (m3/h)	Temp (°C)	P (kPa)
11/04/2023 09:20:00	1.24	0.00	0.00	21.48	17.59	224.31	22.19	99.96
11/04/2023 09:25:00	1.37	0.00	0.00	21.48	18.01	288.40	22.98	99.97
11/04/2023 09:30:00	1.24	0.00	0.27	21.48	17.89	288.40	22.82	100.01
11/04/2023 09:35:00	0.41	0.00	0.00	21.48	19.01	288.40	22.36	99.96
11/04/2023 09:40:00	1.37	0.00	0.55	21.48	18.87	0.00	22.52	99.98
11/04/2023 09:45:00	0.41	0.00	0.00	21.48	18.19	256.35	22.22	99.96
11/04/2023 09:50:00	0.96	0.00	0.00	21.47	18.43	288.40	22.52	99.97
11/04/2023 09:55:00	1.51	0.00	0.55	21.47	17.52	288.40	23.00	99.97
11/04/2023 10:00:00	1.24	0.00	0.00	21.48	17.73	288.40	22.66	99.97
11/04/2023 10:05:00	1.37	0.00	0.00	21.47	18.10	288.40	22.96	99.96
11/04/2023 10:10:00	1.24	0.00	0.55	21.48	18.14	256.35	22.98	99.97
11/04/2023 10:15:00	1.37	0.00	0.00	21.47	18.81	288.40	22.52	99.98
11/04/2023 10:20:00	1.37	0.00	0.55	21.47	17.78	256.35	22.55	99.97
11/04/2023 10:25:00	1.24	0.00	0.00	21.48	19.07	320.44	23.13	99.97
11/04/2023 10:30:00	1.37	0.00	0.55	21.48	19.07	256.35	23.13	99.96
11/04/2023 10:35:00	1.24	0.00	0.00	21.46	18.19	288.40	22.66	99.97
11/04/2023 10:40:00	0.41	0.00	0.00	21.46	24.03	256.35	22.66	99.96
11/04/2023 10:45:00	1.24	0.00	0.27	21.47	18.12	256.35	23.10	99.96
11/04/2023 10:50:00	1.51	0.00	0.82	21.47	19.01	288.40	22.36	99.96
11/04/2023 10:55:00	0.27	0.00	0.00	21.46	18.84	224.31	22.80	99.96
11/04/2023 11:00:00	1.24	0.00	0.27	21.46	17.78	288.40	22.82	99.96
11/04/2023 11:05:00	1.37	0.00	0.00	21.46	19.37	288.40	22.80	99.95
11/04/2023 11:10:00	1.24	0.00	0.00	21.46	18.29	256.35	22.52	99.95
11/04/2023 11:15:00	0.41	0.00	0.27	21.47	18.72	256.35	22.80	99.92
11/04/2023 11:20:00	1.37	0.00	0.55	21.47	17.36	256.35	22.52	99.93
11/04/2023 11:25:00	0.55	0.00	0.00	21.46	17.61	0.00	22.19	99.92
11/04/2023 11:30:00	1.37	0.00	0.27	21.46	20.12	224.31	23.13	99.90
11/04/2023 11:35:00	1.37	0.00	0.00	21.47	18.36	256.35	22.36	99.91
11/04/2023 11:40:00	1.37	0.00	0.55	21.48	19.07	224.31	22.66	99.90
11/04/2023 11:45:00	1.24	0.00	0.00	21.47	18.68	224.31	22.93	99.90
11/04/2023 11:50:00	1.37	0.00	0.00	21.47	18.52	256.35	22.64	99.90

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	< 700 mg/Nm ³	< 700 mg/Nm ³	< 1400 mg/Nm ³	(-)	< 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm3)	SO2 (mg/Nm3)	NOx (mg/Nm3)	O2 (%V)	PM (mg/Nm3)	Flow (m3/h)	Temp (°C)	P (kPa)
11/04/2023 11:55:00	1.37	0.00	0.00	21.46	18.36	224.31	22.66	99.89
11/04/2023 12:00:00	0.96	0.00	0.00	21.45	18.72	224.31	22.64	99.87
11/04/2023 12:05:00	1.37	0.00	0.00	21.46	17.17	256.35	22.80	99.88
11/04/2023 12:10:00	1.37	0.00	0.00	21.46	18.89	256.35	23.26	99.86
11/04/2023 12:15:00	0.41	0.00	0.00	21.45	19.63	224.31	22.66	99.84
11/04/2023 12:20:00	1.37	0.00	0.27	21.45	19.33	224.31	22.48	99.84
11/04/2023 12:25:00	0.27	0.00	0.00	21.45	18.45	224.31	23.24	99.82
11/04/2023 12:30:00	1.51	0.00	0.00	21.45	19.07	224.31	23.42	99.83
11/04/2023 12:35:00	1.37	0.00	0.00	21.46	20.23	256.35	23.10	99.81
11/04/2023 12:40:00	0.55	0.00	0.00	21.45	18.49	224.31	23.10	99.78
11/04/2023 12:45:00	1.24	0.00	0.27	21.45	19.68	224.31	23.40	99.78
11/04/2023 12:50:00	0.41	0.00	0.00	21.45	19.19	224.31	23.40	99.77
11/04/2023 12:55:00	1.24	0.00	0.00	21.46	18.21	256.35	23.26	99.75
11/04/2023 13:00:00	1.24	0.00	0.00	21.46	19.07	224.31	23.40	99.77
11/04/2023 13:05:00	0.41	0.00	0.00	21.45	18.87	224.31	23.13	99.75
11/04/2023 13:10:00	1.37	0.00	0.27	21.45	21.00	0.00	23.40	99.75
11/04/2023 13:15:00	1.37	0.00	0.00	21.46	18.14	224.31	23.70	99.74
11/04/2023 13:20:00	1.37	0.00	0.00	21.47	19.23	256.35	23.08	99.70
11/04/2023 13:25:00	1.37	0.00	0.00	21.45	19.93	224.31	22.93	99.68
11/04/2023 13:30:00	1.37	0.00	0.00	21.46	20.42	224.31	23.38	99.69
11/04/2023 13:35:00	1.37	0.00	0.00	21.45	18.31	192.26	22.93	99.66
11/04/2023 13:40:00	1.37	0.00	0.00	21.45	19.72	224.31	23.08	99.66
11/04/2023 13:45:00	1.37	0.00	0.00	21.45	18.77	224.31	23.54	99.66
11/04/2023 13:50:00	2.33	0.00	0.00	21.46	18.72	224.31	22.98	99.66
11/04/2023 13:55:00	2.20	0.00	0.00	21.46	19.79	192.26	23.54	99.64
11/04/2023 14:00:00	2.20	0.00	0.55	21.45	19.28	224.31	23.73	99.66
11/04/2023 14:05:00	2.33	0.00	0.00	21.46	18.59	256.35	23.73	99.63
11/04/2023 14:10:00	2.47	0.00	0.00	21.45	19.95	224.31	23.40	99.64
11/04/2023 14:15:00	2.33	0.00	0.55	21.45	19.21	192.26	24.16	99.61
11/04/2023 14:20:00	2.33	0.00	0.00	21.46	21.04	256.35	23.87	99.61
11/04/2023 14:25:00	2.06	0.00	0.00	21.45	19.95	192.26	24.00	99.61

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	< 700 mg/Nm ³	< 700 mg/Nm ³	< 1400 mg/Nm ³	(-)	< 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm3)	SO2 (mg/Nm3)	NOx (mg/Nm3)	O2 (%V)	PM (mg/Nm3)	Flow (m3/h)	Temp (°C)	P (kPa)
11/04/2023 14:30:00	2.20	0.00	0.00	21.46	18.70	256.35	23.70	99.59
11/04/2023 14:35:00	2.33	0.00	0.55	21.45	19.39	256.35	23.26	99.60
11/04/2023 14:40:00	1.51	0.00	0.00	21.45	19.88	256.35	23.87	99.58
11/04/2023 14:45:00	1.37	0.00	0.55	21.45	19.72	224.31	24.19	99.58
11/04/2023 14:50:00	2.33	0.00	0.00	21.46	19.72	224.31	23.58	99.58
11/04/2023 14:55:00	2.47	0.00	0.00	21.45	19.17	0.00	23.87	99.56
11/04/2023 15:00:00	1.37	0.00	0.00	21.45	20.60	224.31	24.00	99.57
11/04/2023 15:05:00	1.37	0.00	0.00	21.45	19.49	224.31	24.00	99.57
11/04/2023 15:10:00	1.37	0.00	0.00	21.46	19.68	256.35	24.00	99.55
11/04/2023 15:15:00	1.51	0.00	0.00	21.45	20.28	256.35	24.35	99.55
11/04/2023 15:20:00	1.51	0.00	2.47	21.45	17.82	256.35	23.70	99.57
11/04/2023 15:25:00	1.51	0.00	0.00	21.45	19.61	224.31	24.16	99.55
11/04/2023 15:30:00	1.24	0.00	0.00	21.45	18.10	224.31	24.30	99.54
11/04/2023 15:35:00	1.24	0.00	0.00	21.45	18.07	224.31	23.70	99.53
11/04/2023 15:40:00	2.33	0.00	0.55	21.45	19.54	224.31	24.03	99.53
11/04/2023 15:45:00	1.37	0.00	0.00	21.45	18.40	224.31	24.03	99.54
11/04/2023 15:50:00	1.24	0.00	0.00	21.45	17.52	192.26	24.00	99.54
11/04/2023 15:55:00	1.37	0.00	0.00	21.45	20.16	224.31	24.47	99.51
11/04/2023 16:00:00	1.37	0.00	0.00	21.45	18.98	224.31	23.87	99.50
11/04/2023 16:05:00	1.37	0.00	0.00	21.45	18.31	224.31	24.47	99.50
11/04/2023 16:10:00	1.37	0.00	0.00	21.45	19.07	256.35	24.14	99.51
11/04/2023 16:15:00	1.37	0.00	0.00	21.45	17.94	224.31	24.16	99.54
11/04/2023 16:20:00	1.24	0.00	0.00	21.45	19.35	192.26	24.00	99.54
11/04/2023 16:25:00	1.37	0.00	0.00	21.44	18.40	256.35	23.73	99.52
11/04/2023 16:30:00	1.24	0.00	0.00	21.45	19.65	224.31	24.00	99.52
11/04/2023 16:35:00	1.37	0.00	0.27	21.45	17.87	192.26	24.00	99.51
11/04/2023 16:40:00	1.24	0.00	0.00	21.45	19.19	0.00	24.47	99.51
11/04/2023 16:45:00	1.24	0.00	0.00	21.44	17.73	224.31	23.56	99.51
11/04/2023 16:50:00	1.37	0.00	0.00	21.45	18.98	224.31	23.70	99.51
11/04/2023 16:55:00	1.24	0.00	0.00	21.44	19.70	224.31	24.14	99.51
11/04/2023 17:00:00	1.37	0.00	0.00	21.44	18.45	224.31	24.32	99.53

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	< 700 mg/Nm ³	< 700 mg/Nm ³	< 1400 mg/Nm ³	(-)	< 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm3)	SO2 (mg/Nm3)	NOx (mg/Nm3)	O2 (%V)	PM (mg/Nm3)	Flow (m3/h)	Temp (°C)	P (kPa)
11/04/2023 17:05:00	1.37	0.00	0.00	21.44	18.10	256.35	24.32	99.54
11/04/2023 17:10:00	1.37	0.00	0.00	21.45	18.14	224.31	24.16	99.52
11/04/2023 17:15:00	1.37	0.00	0.00	21.45	18.43	256.35	24.19	99.53
11/04/2023 17:20:00	1.37	0.00	0.00	21.44	18.45	224.31	24.32	99.52
11/04/2023 17:25:00	1.37	0.00	0.00	21.45	17.61	256.35	23.70	99.54
11/04/2023 17:30:00	1.24	0.00	0.00	21.44	17.43	224.31	24.00	99.53
11/04/2023 17:35:00	1.37	0.00	0.27	21.44	17.71	224.31	23.70	99.53
11/04/2023 17:40:00	1.37	0.00	0.00	21.44	17.49	224.31	23.87	99.52
11/04/2023 17:45:00	1.37	0.00	0.00	21.45	18.17	256.35	23.56	99.55
11/04/2023 17:50:00	1.37	0.00	0.00	21.45	17.78	224.31	24.32	99.55
11/04/2023 17:55:00	1.24	0.00	0.00	21.45	17.59	256.35	23.56	99.55
11/04/2023 18:00:00	0.55	0.00	0.00	21.45	18.31	256.35	23.87	99.57
11/04/2023 18:05:00	0.41	0.00	0.00	21.44	19.23	256.35	24.30	99.57
11/04/2023 18:10:00	1.37	0.00	0.00	21.45	18.01	224.31	23.87	99.57
11/04/2023 18:15:00	0.82	0.00	0.00	21.44	17.36	256.35	24.16	99.56
11/04/2023 18:20:00	0.41	0.00	0.00	21.44	20.07	224.31	23.89	99.59
11/04/2023 18:25:00	1.24	0.00	0.00	21.45	17.11	0.00	24.03	99.60
11/04/2023 18:30:00	0.55	0.00	0.00	21.44	18.61	256.35	23.73	99.60
11/04/2023 18:35:00	1.37	0.00	0.00	21.45	19.07	224.31	24.16	99.62
11/04/2023 18:40:00	0.41	0.00	0.00	21.45	17.06	256.35	23.70	99.62
11/04/2023 18:45:00	0.41	0.00	0.00	21.45	16.85	256.35	24.35	99.63
11/04/2023 18:50:00	0.41	0.00	0.00	21.44	18.52	256.35	23.58	99.64
11/04/2023 18:55:00	0.27	0.00	0.00	21.44	17.59	192.26	23.56	99.64
11/04/2023 19:00:00	1.24	0.00	0.00	21.45	20.70	224.31	24.00	99.64
11/04/2023 19:05:00	0.41	0.00	0.00	21.44	19.35	224.31	23.70	99.65
11/04/2023 19:10:00	1.24	0.00	0.00	21.43	18.14	224.31	24.30	99.66
11/04/2023 19:15:00	1.24	0.00	0.00	21.44	17.73	224.31	23.70	99.66
11/04/2023 19:20:00	1.24	0.00	0.00	21.44	17.96	256.35	24.19	99.66
11/04/2023 19:25:00	1.24	0.00	0.00	21.45	17.56	256.35	23.56	99.68
11/04/2023 19:30:00	1.24	0.00	0.00	21.44	17.52	256.35	23.84	99.69
11/04/2023 19:35:00	1.24	0.00	0.00	21.44	19.37	224.31	24.03	99.70

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	< 700 mg/Nm ³	< 700 mg/Nm ³	< 1400 mg/Nm ³	(-)	< 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm3)	SO2 (mg/Nm3)	NOx (mg/Nm3)	O2 (%V)	PM (mg/Nm3)	Flow (m3/h)	Temp (°C)	P (kPa)
11/04/2023 19:40:00	1.37	0.00	0.00	21.45	18.61	256.35	23.91	99.71
11/04/2023 19:45:00	1.24	0.00	0.00	21.44	18.84	256.35	23.26	99.72
11/04/2023 19:50:00	1.37	0.00	0.00	21.44	18.75	224.31	24.19	99.72
11/04/2023 19:55:00	1.24	0.00	0.27	21.45	22.41	224.31	23.87	99.72
11/04/2023 20:00:00	1.24	0.00	0.00	21.45	17.61	224.31	23.87	99.72
11/04/2023 20:05:00	1.51	0.00	0.00	21.45	21.76	256.35	23.87	99.74
11/04/2023 20:10:00	1.37	0.00	0.00	21.44	17.80	0.00	24.16	99.75
11/04/2023 20:15:00	1.37	0.00	0.00	21.45	18.33	256.35	23.56	99.76
11/04/2023 20:20:00	1.24	0.00	0.55	21.45	19.10	224.31	23.26	99.76
11/04/2023 20:25:00	1.37	0.00	0.00	21.45	17.29	256.35	23.73	99.78
11/04/2023 20:30:00	1.24	0.00	0.27	21.43	17.49	224.31	23.84	99.77
11/04/2023 20:35:00	1.37	0.00	0.00	21.42	17.59	256.35	23.84	99.78
11/04/2023 20:40:00	1.24	0.00	0.00	21.43	17.59	256.35	24.03	99.78
11/04/2023 20:45:00	1.24	0.00	0.00	21.43	17.04	256.35	23.70	99.78
11/04/2023 20:50:00	1.24	0.00	0.00	21.43	17.61	256.35	23.89	99.79
11/04/2023 20:55:00	1.24	0.00	0.00	21.43	18.07	256.35	24.19	99.79
11/04/2023 21:00:00	1.37	0.00	0.00	21.44	17.49	224.31	23.56	99.80
11/04/2023 21:05:00	1.10	0.00	0.00	21.44	16.69	224.31	23.84	99.81
11/04/2023 21:10:00	1.10	0.00	0.00	21.45	17.91	224.31	23.87	99.81
11/04/2023 21:15:00	1.10	0.00	0.00	21.44	17.36	224.31	23.40	99.81
11/04/2023 21:20:00	1.10	0.00	0.00	21.44	16.62	256.35	23.84	99.82
11/04/2023 21:25:00	1.37	0.00	0.00	21.44	17.33	256.35	23.40	99.83
11/04/2023 21:30:00	1.37	0.00	0.00	21.43	16.94	256.35	23.89	99.84
11/04/2023 21:35:00	1.24	0.00	0.00	21.44	18.29	256.35	23.54	99.85
11/04/2023 21:40:00	1.37	0.00	0.00	21.43	17.96	256.35	24.03	99.85
11/04/2023 21:45:00	1.24	0.00	0.00	21.45	18.72	256.35	23.87	99.85
11/04/2023 21:50:00	1.24	0.00	0.00	21.43	17.61	256.35	23.42	99.85
11/04/2023 21:55:00	1.24	0.00	0.00	21.45	17.31	0.00	24.03	99.85
11/04/2023 22:00:00	1.24	0.00	0.00	21.43	18.21	224.31	23.58	99.85
11/04/2023 22:05:00	1.37	0.00	0.00	21.44	17.49	256.35	24.12	99.86
11/04/2023 22:10:00	1.37	0.00	0.27	21.45	17.61	256.35	23.73	99.86

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	< 700 mg/Nm ³	< 700 mg/Nm ³	< 1400 mg/Nm ³	(-)	< 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm3)	SO2 (mg/Nm3)	NOx (mg/Nm3)	O2 (%V)	PM (mg/Nm3)	Flow (m3/h)	Temp (°C)	P (kPa)
11/04/2023 22:15:00	1.24	0.00	0.00	21.44	16.50	224.31	24.16	99.86
11/04/2023 22:20:00	0.27	0.00	0.00	21.43	21.87	224.31	23.54	99.86
11/04/2023 22:25:00	1.24	0.00	0.00	21.42	20.90	224.31	24.19	99.85
11/04/2023 22:30:00	0.27	0.00	0.00	21.41	18.98	224.31	23.73	99.86
11/04/2023 22:35:00	0.41	0.00	0.00	21.42	18.77	256.35	23.42	99.84
11/04/2023 22:40:00	1.24	0.00	0.00	21.43	17.87	224.31	24.00	99.86
11/04/2023 22:45:00	1.24	0.00	0.00	21.43	24.19	288.40	23.42	99.86
11/04/2023 22:50:00	1.37	0.00	0.00	21.43	18.77	256.35	23.73	99.86
11/04/2023 22:55:00	1.24	0.00	0.00	21.43	18.12	256.35	23.75	99.85
11/04/2023 23:00:00	1.37	0.00	0.00	21.43	18.68	256.35	23.40	99.86
11/04/2023 23:05:00	1.24	0.00	0.00	21.43	16.33	288.40	23.56	99.86
11/04/2023 23:10:00	1.24	0.00	0.00	21.44	17.96	256.35	24.03	99.86
11/04/2023 23:15:00	2.33	0.00	0.55	21.44	17.89	256.35	24.16	99.85
11/04/2023 23:20:00	2.06	0.00	0.00	21.43	18.49	256.35	23.73	99.85
11/04/2023 23:25:00	2.33	0.00	0.00	21.45	18.47	256.35	23.58	99.85
11/04/2023 23:30:00	2.20	0.00	0.00	21.43	19.07	256.35	23.42	99.85
11/04/2023 23:35:00	2.20	0.00	0.00	21.43	19.17	256.35	23.73	99.84
11/04/2023 23:40:00	2.06	0.00	0.00	21.44	17.36	0.00	23.56	99.83
11/04/2023 23:45:00	2.06	0.00	0.00	21.45	17.29	224.31	24.00	99.84
11/04/2023 23:50:00	2.33	0.00	0.00	21.45	18.40	224.31	24.00	99.84
11/04/2023 23:55:00	2.20	0.00	0.00	21.44	16.55	224.31	24.00	99.85