



BÁO CÁO KẾT QUẢ QUAN TRẮC TRUNG BÌNH 5 PHÚT

Tên cơ sở: Xi măng Quang Sơn

Tên trạm: Ống khói chính

Thời gian báo cáo: Từ: 14/04/2023

Tới: 14/04/2023

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
14/04/2023 00:00:00	1.37	0.00	0.00	21.42	16.53	288.40	23.89	99.66
14/04/2023 00:05:00	1.37	0.00	0.00	21.42	14.90	256.35	24.49	99.64
14/04/2023 00:10:00	0.41	0.00	0.00	21.42	16.40	256.35	24.19	99.61
14/04/2023 00:15:00	1.37	0.00	0.00	21.42	16.01	288.40	24.65	99.61
14/04/2023 00:20:00	0.41	0.00	0.00	21.42	15.83	288.40	23.87	99.61
14/04/2023 00:25:00	0.55	0.00	0.00	21.42	16.64	288.40	23.75	99.61
14/04/2023 00:30:00	0.41	0.00	0.00	21.42	17.31	288.40	23.87	99.61
14/04/2023 00:35:00	0.41	0.00	0.00	21.42	16.29	256.35	23.70	99.61
14/04/2023 00:40:00	0.27	0.00	0.00	21.42	19.23	0.00	23.70	99.61
14/04/2023 00:45:00	0.41	0.00	0.00	21.41	17.69	256.35	24.19	99.60
14/04/2023 00:50:00	0.27	0.00	0.00	21.42	17.43	256.35	23.89	99.59
14/04/2023 00:55:00	0.41	0.00	0.00	21.42	17.52	256.35	24.05	99.58
14/04/2023 01:00:00	0.27	0.00	0.00	21.43	17.20	256.35	24.03	99.58
14/04/2023 01:05:00	0.41	0.00	0.00	21.42	16.82	256.35	24.49	99.57
14/04/2023 01:10:00	0.41	0.00	0.00	21.42	17.87	256.35	23.87	99.56
14/04/2023 01:15:00	0.41	0.00	0.00	21.42	20.55	256.35	24.49	99.57
14/04/2023 01:20:00	0.27	0.00	0.00	21.43	17.27	256.35	24.32	99.57
14/04/2023 01:25:00	0.41	0.00	0.00	21.42	19.56	256.35	24.16	99.55
14/04/2023 01:30:00	0.41	0.00	0.00	21.41	18.31	256.35	24.47	99.57
14/04/2023 01:35:00	0.41	0.00	0.00	21.42	18.12	256.35	24.05	99.55
14/04/2023 01:40:00	0.41	0.00	0.00	21.42	20.39	256.35	23.87	99.55
14/04/2023 01:45:00	0.41	0.00	0.00	21.42	18.33	224.31	23.89	99.55

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
14/04/2023 01:50:00	0.41	0.00	0.00	21.42	19.93	256.35	24.63	99.55
14/04/2023 01:55:00	0.41	0.00	0.00	21.42	19.68	288.40	24.51	99.55
14/04/2023 02:00:00	0.41	0.00	0.00	21.43	20.12	256.35	24.65	99.54
14/04/2023 02:05:00	0.55	0.00	0.00	21.42	18.81	256.35	24.05	99.56
14/04/2023 02:10:00	0.55	0.00	0.00	21.42	18.77	256.35	24.67	99.54
14/04/2023 02:15:00	0.41	0.00	0.00	21.42	20.62	256.35	23.89	99.52
14/04/2023 02:20:00	0.55	0.00	0.00	21.42	18.77	256.35	23.87	99.53
14/04/2023 02:25:00	0.41	0.00	0.00	21.42	18.72	0.00	24.03	99.52
14/04/2023 02:30:00	0.27	0.00	0.00	21.42	17.87	224.31	24.03	99.51
14/04/2023 02:35:00	0.41	0.00	0.00	21.42	18.79	256.35	24.16	99.51
14/04/2023 02:40:00	0.55	0.00	0.00	21.42	18.38	256.35	23.87	99.50
14/04/2023 02:45:00	0.41	0.00	0.00	21.42	19.21	288.40	23.89	99.49
14/04/2023 02:50:00	0.27	0.00	0.00	21.42	18.31	224.31	24.61	99.49
14/04/2023 02:55:00	0.41	0.00	0.00	21.42	18.12	256.35	23.87	99.50
14/04/2023 03:00:00	0.41	0.00	0.00	21.42	17.73	288.40	24.21	99.51
14/04/2023 03:05:00	0.27	0.00	0.00	21.43	20.58	288.40	24.03	99.50
14/04/2023 03:10:00	0.27	0.00	0.00	21.41	19.35	224.31	24.00	99.50
14/04/2023 03:15:00	0.27	0.00	0.00	21.42	18.47	288.40	24.03	99.50
14/04/2023 03:20:00	0.41	0.00	0.00	21.42	17.15	288.40	24.16	99.49
14/04/2023 03:25:00	0.27	0.00	0.00	21.42	17.04	256.35	23.87	99.49
14/04/2023 03:30:00	0.27	0.00	0.00	21.41	18.12	224.31	24.47	99.48
14/04/2023 03:35:00	0.27	0.00	0.00	21.42	16.96	256.35	24.03	99.49
14/04/2023 03:40:00	0.41	0.00	0.00	21.42	22.06	256.35	24.35	99.49
14/04/2023 03:45:00	0.41	0.00	0.00	21.42	16.57	288.40	24.03	99.52
14/04/2023 03:50:00	0.41	0.00	0.00	21.42	16.43	256.35	24.19	99.52
14/04/2023 03:55:00	0.27	0.00	0.00	21.43	18.10	224.31	24.63	99.52
14/04/2023 04:00:00	0.41	0.00	0.00	21.42	17.17	256.35	24.21	99.53
14/04/2023 04:05:00	0.41	0.00	0.00	21.42	16.31	256.35	24.19	99.54
14/04/2023 04:10:00	0.41	0.00	0.00	21.43	14.81	0.00	24.03	99.55
14/04/2023 04:15:00	0.55	0.00	0.00	21.43	15.85	288.40	23.89	99.55
14/04/2023 04:20:00	0.55	0.00	0.00	21.43	24.59	288.40	23.73	99.55
14/04/2023 04:25:00	0.41	0.00	0.00	21.42	16.73	288.40	24.37	99.56
14/04/2023 04:30:00	0.41	0.00	0.00	21.43	15.99	224.31	24.05	99.56
14/04/2023 04:35:00	0.41	0.00	0.00	21.43	19.35	256.35	24.19	99.57
14/04/2023 04:40:00	0.41	0.00	0.00	21.41	16.80	288.40	24.03	99.57
14/04/2023 04:45:00	0.41	0.00	0.00	21.41	16.50	256.35	24.19	99.58

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
14/04/2023 04:50:00	0.41	0.00	0.00	21.41	14.76	256.35	24.03	99.58
14/04/2023 04:55:00	0.55	0.00	0.00	21.40	20.33	256.35	24.35	99.58
14/04/2023 05:00:00	0.41	0.00	0.00	21.41	17.54	320.44	24.35	99.61
14/04/2023 05:05:00	0.55	0.00	0.00	21.41	16.27	256.35	24.19	99.61
14/04/2023 05:10:00	0.55	0.00	0.00	21.42	16.73	256.35	24.19	99.61
14/04/2023 05:15:00	0.27	0.00	0.00	21.41	15.75	256.35	24.05	99.62
14/04/2023 05:20:00	0.41	0.00	0.00	21.42	19.03	288.40	24.65	99.63
14/04/2023 05:25:00	0.41	0.00	0.00	21.42	18.45	256.35	24.05	99.62
14/04/2023 05:30:00	0.41	0.00	0.00	21.41	15.97	256.35	24.65	99.62
14/04/2023 05:35:00	0.27	0.00	0.00	21.42	15.85	256.35	24.47	99.64
14/04/2023 05:40:00	0.69	0.00	0.00	21.43	15.48	288.40	23.91	99.64
14/04/2023 05:45:00	0.55	0.00	0.00	21.42	15.73	256.35	24.32	99.66
14/04/2023 05:50:00	0.41	0.00	0.00	21.42	15.62	288.40	24.03	99.69
14/04/2023 05:55:00	0.55	0.00	0.00	21.42	15.27	0.00	23.89	99.68
14/04/2023 06:00:00	0.41	0.00	0.00	21.42	15.62	288.40	24.35	99.69
14/04/2023 06:05:00	0.41	0.00	0.00	21.42	15.34	224.31	24.16	99.68
14/04/2023 06:10:00	0.27	0.00	0.00	21.41	16.13	288.40	24.19	99.69
14/04/2023 06:15:00	0.41	0.00	0.00	21.42	16.29	224.31	24.47	99.72
14/04/2023 06:20:00	0.41	0.00	0.00	21.42	15.92	288.40	24.63	99.75
14/04/2023 06:25:00	0.41	0.00	0.00	21.42	14.72	256.35	24.32	99.75
14/04/2023 06:30:00	0.41	0.00	0.00	21.42	14.21	288.40	24.03	99.78
14/04/2023 06:35:00	0.55	0.00	0.00	21.42	14.18	288.40	24.79	99.78
14/04/2023 06:40:00	0.41	0.00	0.00	21.42	15.53	256.35	24.49	99.78
14/04/2023 06:45:00	0.27	0.00	0.00	21.43	15.01	224.31	23.87	99.77
14/04/2023 06:50:00	0.27	0.00	0.00	21.42	15.18	256.35	24.19	99.78
14/04/2023 06:55:00	0.55	0.00	0.00	21.42	14.83	256.35	24.51	99.80
14/04/2023 07:00:00	0.55	0.00	0.00	21.43	15.27	320.44	24.05	99.81
14/04/2023 07:05:00	0.55	0.00	0.00	21.43	14.67	256.35	24.05	99.81
14/04/2023 07:10:00	0.41	0.00	0.00	21.42	15.46	256.35	24.32	99.84
14/04/2023 07:15:00	0.41	0.00	0.00	21.42	18.79	256.35	24.19	99.82
14/04/2023 07:20:00	0.41	0.00	0.00	21.42	20.79	256.35	24.03	99.84
14/04/2023 07:25:00	0.41	0.00	0.00	21.43	21.11	224.31	24.61	99.83
14/04/2023 07:30:00	0.41	0.00	0.00	21.43	21.20	256.35	24.32	99.84
14/04/2023 07:35:00	0.41	0.00	0.00	21.42	21.42	256.35	24.19	99.86
14/04/2023 07:40:00	0.41	0.00	0.00	21.43	20.12	0.00	24.81	99.86
14/04/2023 07:45:00	0.41	0.00	0.00	21.42	20.51	256.35	24.79	99.87

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
14/04/2023 07:50:00	0.41	0.00	0.00	21.43	19.10	256.35	24.03	99.87
14/04/2023 07:55:00	0.41	0.00	0.00	21.42	19.91	288.40	24.32	99.89
14/04/2023 08:00:00	0.27	0.00	0.00	21.43	19.37	256.35	24.19	99.89
14/04/2023 08:05:00	0.41	0.00	0.00	21.43	19.54	256.35	24.65	99.89
14/04/2023 08:10:00	0.41	0.00	0.00	21.43	18.47	256.35	24.63	99.89
14/04/2023 08:15:00	0.27	0.00	0.00	21.42	18.56	256.35	24.47	99.89
14/04/2023 08:20:00	0.41	0.00	0.00	21.44	19.91	256.35	24.19	99.91
14/04/2023 08:25:00	0.55	0.00	0.00	21.44	17.75	224.31	24.77	99.90
14/04/2023 08:30:00	0.55	0.00	0.00	21.44	17.04	256.35	24.05	99.91
14/04/2023 08:35:00	0.27	0.00	0.00	21.44	18.14	224.31	24.00	99.90
14/04/2023 08:40:00	0.55	0.00	0.00	21.44	18.01	256.35	24.79	99.91
14/04/2023 08:45:00	0.41	0.00	0.00	21.44	17.87	256.35	24.95	99.92
14/04/2023 08:50:00	0.41	0.00	0.00	21.43	16.91	288.40	24.49	99.93
14/04/2023 08:55:00	0.41	0.00	0.00	21.43	18.56	256.35	24.16	99.93
14/04/2023 09:00:00	0.55	0.00	0.00	21.44	18.91	288.40	24.21	99.92
14/04/2023 09:05:00	0.41	0.00	0.00	21.42	20.07	224.31	24.35	99.91
14/04/2023 09:10:00	0.41	0.00	0.00	21.43	18.65	256.35	24.65	99.89
14/04/2023 09:15:00	0.55	0.00	0.00	21.43	21.64	256.35	24.77	99.89
14/04/2023 09:20:00	0.41	0.00	0.00	21.43	19.79	256.35	24.79	99.89
14/04/2023 09:25:00	0.41	0.00	0.00	21.43	20.42	0.00	24.63	99.89
14/04/2023 09:30:00	0.41	0.00	0.00	21.42	18.77	256.35	24.63	99.89
14/04/2023 09:35:00	0.55	0.00	0.00	21.43	19.42	256.35	24.51	99.89
14/04/2023 09:40:00	0.41	0.00	0.00	21.43	18.65	288.40	24.19	99.89
14/04/2023 09:45:00	0.27	0.00	0.00	21.44	19.14	224.31	24.16	99.89
14/04/2023 09:50:00	0.41	0.00	0.00	21.43	20.12	256.35	24.16	99.87
14/04/2023 09:55:00	0.41	0.00	0.00	21.43	19.37	256.35	24.19	99.85
14/04/2023 10:00:00	0.41	0.00	0.00	21.43	20.37	256.35	24.79	99.85
14/04/2023 10:05:00	0.27	0.00	0.00	21.43	17.38	224.31	24.32	99.83
14/04/2023 10:10:00	0.27	0.00	0.00	21.44	19.95	224.31	24.30	99.82
14/04/2023 10:15:00	0.27	0.00	0.00	21.44	18.45	224.31	24.30	99.83
14/04/2023 10:20:00	0.27	0.00	0.00	21.44	19.26	256.35	24.49	99.83
14/04/2023 10:25:00	0.41	0.00	0.00	21.44	18.63	224.31	24.63	99.84
14/04/2023 10:30:00	0.27	0.00	0.00	21.44	17.56	224.31	24.47	99.83
14/04/2023 10:35:00	0.41	0.00	0.00	21.44	18.52	256.35	24.81	99.84
14/04/2023 10:40:00	0.41	0.00	0.00	21.43	18.14	256.35	24.32	99.83
14/04/2023 10:45:00	0.55	0.00	0.00	21.43	18.49	256.35	24.63	99.81

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
14/04/2023 10:50:00	0.41	0.00	0.00	21.42	18.63	224.31	24.93	99.81
14/04/2023 10:55:00	0.41	0.00	0.00	21.43	19.21	256.35	24.95	99.81
14/04/2023 11:00:00	0.55	0.00	0.00	21.43	18.45	256.35	24.97	99.80
14/04/2023 11:05:00	0.41	0.00	0.00	21.43	18.84	256.35	24.16	99.77
14/04/2023 11:10:00	0.00	0.00	0.00	21.43	19.17	0.00	24.16	99.78
14/04/2023 11:15:00	0.41	0.00	0.00	21.44	18.17	224.31	24.93	99.77
14/04/2023 11:20:00	0.55	0.00	0.00	21.43	18.77	224.31	24.49	99.78
14/04/2023 11:25:00	0.27	0.00	0.00	21.43	19.10	256.35	24.32	99.76
14/04/2023 11:30:00	0.41	0.00	0.00	21.43	17.33	256.35	24.32	99.75
14/04/2023 11:35:00	0.41	0.00	0.00	21.42	16.59	256.35	24.65	99.76
14/04/2023 11:40:00	1.37	0.00	0.00	21.43	34.97	256.35	24.49	99.73
14/04/2023 11:45:00	0.41	0.00	0.00	21.41	21.18	224.31	24.63	99.72
14/04/2023 11:50:00	0.41	0.00	0.00	21.41	20.51	256.35	25.09	99.73
14/04/2023 11:55:00	0.41	0.00	0.00	21.41	20.23	256.35	25.09	99.71
14/04/2023 12:00:00	0.27	0.00	0.00	21.41	18.52	224.31	25.12	99.69
14/04/2023 12:05:00	0.41	0.00	0.00	21.42	18.31	256.35	25.12	99.69
14/04/2023 12:10:00	0.55	0.00	0.00	21.42	17.56	288.40	25.09	99.69
14/04/2023 12:15:00	0.41	0.00	0.00	21.42	17.08	224.31	24.47	99.68
14/04/2023 12:20:00	0.41	0.00	0.00	21.42	15.66	224.31	24.32	99.69
14/04/2023 12:25:00	0.41	0.00	0.00	21.42	17.85	256.35	24.35	99.66
14/04/2023 12:30:00	0.55	0.00	0.00	21.43	17.04	256.35	24.19	99.66
14/04/2023 12:35:00	0.55	0.00	0.00	21.43	18.40	224.31	24.47	99.66
14/04/2023 12:40:00	0.41	0.00	0.00	21.42	19.07	256.35	24.93	99.66
14/04/2023 12:45:00	0.27	0.00	0.00	21.42	18.29	224.31	25.07	99.64
14/04/2023 12:50:00	0.41	0.00	0.00	21.43	17.17	256.35	24.95	99.63
14/04/2023 12:55:00	0.41	0.00	0.00	21.42	19.39	0.00	24.93	99.62
14/04/2023 13:00:00	0.41	0.00	0.00	21.43	20.84	224.31	24.63	99.61
14/04/2023 13:05:00	0.27	0.00	0.00	21.43	21.51	224.31	24.90	99.60
14/04/2023 13:10:00	0.27	0.00	0.00	21.42	19.75	224.31	24.63	99.58
14/04/2023 13:15:00	1.37	0.00	0.00	21.42	19.63	288.40	24.79	99.57
14/04/2023 13:20:00	0.41	0.00	0.00	21.43	20.19	256.35	24.79	99.56
14/04/2023 13:25:00	1.37	0.00	0.00	21.42	20.60	256.35	24.81	99.55
14/04/2023 13:30:00	1.24	0.00	0.00	21.43	19.23	224.31	24.93	99.54
14/04/2023 13:35:00	0.55	0.00	0.00	21.42	20.88	224.31	25.09	99.52
14/04/2023 13:40:00	1.37	0.00	0.00	21.41	19.79	288.40	24.32	99.51
14/04/2023 13:45:00	1.24	0.00	0.00	21.42	19.93	256.35	24.93	99.52

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
14/04/2023 13:50:00	1.24	0.00	0.00	21.42	20.55	256.35	24.32	99.52
14/04/2023 13:55:00	1.24	0.00	0.00	21.42	16.91	256.35	24.49	99.50
14/04/2023 14:00:00	1.24	0.00	0.00	21.41	19.91	224.31	24.32	99.48
14/04/2023 14:05:00	1.37	0.00	0.00	21.41	18.43	256.35	24.32	99.48
14/04/2023 14:10:00	1.24	0.00	0.00	21.41	17.56	224.31	25.07	99.49
14/04/2023 14:15:00	1.24	0.00	0.00	21.42	19.03	224.31	24.30	99.49
14/04/2023 14:20:00	1.24	0.00	0.00	21.42	18.29	256.35	24.49	99.48
14/04/2023 14:25:00	1.24	0.00	0.00	21.43	17.49	224.31	25.07	99.46
14/04/2023 14:30:00	1.24	0.00	0.00	21.42	19.42	224.31	24.30	99.46
14/04/2023 14:35:00	1.24	0.00	0.00	21.43	20.81	256.35	24.77	99.46
14/04/2023 14:40:00	1.37	0.00	0.00	21.42	18.79	0.00	24.47	99.44
14/04/2023 14:45:00	0.41	0.00	0.00	21.43	73.75	256.35	24.93	99.44
14/04/2023 14:50:00	0.27	0.00	0.00	21.42	26.58	224.31	24.63	99.44
14/04/2023 14:55:00	0.27	0.00	0.00	21.42	21.23	288.40	25.09	99.45
14/04/2023 15:00:00	0.41	0.00	0.00	21.43	19.77	256.35	25.09	99.44
14/04/2023 15:05:00	0.41	0.00	0.00	21.43	18.84	256.35	24.47	99.44
14/04/2023 15:10:00	0.41	0.00	0.00	21.42	18.84	256.35	24.79	99.43
14/04/2023 15:15:00	0.41	0.00	0.00	21.44	18.07	256.35	25.09	99.43
14/04/2023 15:20:00	0.55	0.00	0.00	21.42	19.35	256.35	24.65	99.42
14/04/2023 15:25:00	0.41	0.00	0.00	21.42	18.96	288.40	24.79	99.41
14/04/2023 15:30:00	0.41	0.00	0.00	21.42	20.88	256.35	24.49	99.41
14/04/2023 15:35:00	0.41	0.00	0.00	21.42	18.94	224.31	24.65	99.41
14/04/2023 15:40:00	0.55	0.00	0.00	21.43	18.98	256.35	24.32	99.41
14/04/2023 15:45:00	0.55	0.00	0.00	21.43	18.96	256.35	24.93	99.41
14/04/2023 15:50:00	0.41	0.00	0.00	21.43	18.81	256.35	24.63	99.41
14/04/2023 15:55:00	0.41	0.00	0.00	21.43	19.47	256.35	24.63	99.41
14/04/2023 16:00:00	0.41	0.00	0.00	21.43	18.54	256.35	24.35	99.40
14/04/2023 16:05:00	0.41	0.00	0.00	21.43	17.59	256.35	24.32	99.40
14/04/2023 16:10:00	0.41	0.00	0.00	21.43	18.45	224.31	24.49	99.41
14/04/2023 16:15:00	0.27	0.00	0.00	21.43	20.23	256.35	24.30	99.40
14/04/2023 16:20:00	0.27	0.00	0.00	21.42	19.03	224.31	24.77	99.41
14/04/2023 16:25:00	0.41	0.00	0.00	21.42	17.94	0.00	24.79	99.42
14/04/2023 16:30:00	0.41	0.00	0.00	21.42	18.27	224.31	24.32	99.40
14/04/2023 16:35:00	0.27	0.00	0.00	21.42	17.85	256.35	25.07	99.41
14/04/2023 16:40:00	0.27	0.00	0.00	21.43	16.91	224.31	24.65	99.41
14/04/2023 16:45:00	0.41	0.00	0.00	21.42	17.63	256.35	24.79	99.43

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
14/04/2023 16:50:00	0.41	0.00	0.00	21.42	21.09	224.31	24.47	99.43
14/04/2023 16:55:00	0.27	0.00	0.00	21.42	18.77	256.35	24.30	99.44
14/04/2023 17:00:00	0.41	0.00	0.00	21.41	17.69	256.35	25.12	99.44
14/04/2023 17:05:00	0.27	0.00	0.00	21.43	18.03	224.31	24.90	99.44
14/04/2023 17:10:00	0.41	0.00	0.00	21.42	18.03	256.35	25.09	99.44
14/04/2023 17:15:00	0.41	0.00	0.00	21.42	17.31	224.31	24.30	99.46
14/04/2023 17:20:00	0.55	0.00	0.00	21.43	17.17	256.35	24.65	99.47
14/04/2023 17:25:00	0.41	0.00	0.00	21.43	16.50	224.31	25.12	99.45
14/04/2023 17:30:00	1.24	0.00	0.00	21.42	16.98	224.31	24.81	99.47
14/04/2023 17:35:00	0.27	0.00	0.00	21.42	18.70	256.35	24.63	99.49
14/04/2023 17:40:00	0.41	0.00	0.00	21.42	17.78	256.35	24.65	99.47
14/04/2023 17:45:00	0.27	0.00	0.00	21.43	16.91	256.35	24.93	99.46
14/04/2023 17:50:00	0.55	0.00	0.00	21.43	15.78	224.31	24.63	99.49
14/04/2023 17:55:00	0.41	0.00	0.00	21.43	16.64	224.31	24.63	99.49
14/04/2023 18:00:00	0.55	0.00	0.00	21.43	18.27	288.40	24.79	99.50
14/04/2023 18:05:00	0.41	0.00	0.00	21.42	18.33	288.40	24.63	99.49
14/04/2023 18:10:00	0.41	0.00	0.00	21.42	17.89	0.00	24.93	99.51
14/04/2023 18:15:00	0.41	0.00	0.00	21.42	17.01	224.31	24.65	99.52
14/04/2023 18:20:00	0.41	0.00	0.00	21.42	17.56	288.40	24.49	99.53
14/04/2023 18:25:00	0.27	0.00	0.00	21.42	17.20	224.31	24.49	99.53
14/04/2023 18:30:00	0.41	0.00	0.00	21.42	17.33	288.40	25.09	99.54
14/04/2023 18:35:00	0.41	0.00	0.00	21.41	16.01	288.40	24.49	99.55
14/04/2023 18:40:00	0.27	0.00	0.00	21.42	15.88	288.40	24.77	99.55
14/04/2023 18:45:00	1.37	0.00	0.00	21.41	17.31	256.35	24.95	99.55
14/04/2023 18:50:00	0.55	0.00	0.00	21.41	17.17	224.31	24.88	99.56
14/04/2023 18:55:00	0.41	0.00	0.00	21.42	15.59	224.31	24.47	99.60
14/04/2023 19:00:00	0.41	0.00	0.00	21.41	16.55	256.35	24.47	99.61
14/04/2023 19:05:00	0.27	0.00	0.00	21.41	17.11	256.35	24.49	99.61
14/04/2023 19:10:00	1.24	0.00	0.00	21.41	15.48	224.31	24.47	99.64
14/04/2023 19:15:00	0.41	0.00	0.00	21.41	16.89	224.31	24.93	99.63
14/04/2023 19:20:00	1.24	0.00	0.00	21.41	15.43	224.31	24.63	99.65
14/04/2023 19:25:00	1.24	0.00	0.00	21.42	15.85	224.31	24.95	99.66
14/04/2023 19:30:00	0.27	0.00	0.00	21.42	17.24	224.31	24.93	99.66
14/04/2023 19:35:00	0.55	0.00	0.00	21.42	15.92	224.31	24.93	99.66
14/04/2023 19:40:00	0.55	0.00	0.00	21.42	15.55	288.40	24.63	99.68
14/04/2023 19:45:00	0.41	0.00	0.00	21.42	16.87	224.31	24.65	99.68

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
14/04/2023 19:50:00	0.27	0.00	0.00	21.41	16.27	256.35	24.30	99.69
14/04/2023 19:55:00	0.41	0.00	0.00	21.43	20.49	0.00	24.79	99.70
14/04/2023 20:00:00	0.27	0.00	0.00	21.42	18.33	224.31	24.16	99.71
14/04/2023 20:05:00	0.27	0.00	0.00	21.43	16.38	224.31	24.30	99.72
14/04/2023 20:10:00	0.41	0.00	0.00	21.44	16.11	288.40	24.47	99.70
14/04/2023 20:15:00	0.55	0.00	0.00	21.44	15.88	256.35	24.95	99.72
14/04/2023 20:20:00	0.41	0.00	0.00	21.44	16.48	256.35	24.35	99.75
14/04/2023 20:25:00	0.41	0.00	0.00	21.44	15.85	256.35	24.49	99.75
14/04/2023 20:30:00	0.41	0.00	0.00	21.44	15.92	224.31	24.77	99.75
14/04/2023 20:35:00	0.41	0.00	0.00	21.44	16.04	224.31	24.47	99.78
14/04/2023 20:40:00	0.41	0.00	0.00	21.45	16.66	224.31	24.16	99.77
14/04/2023 20:45:00	1.24	0.00	0.00	21.45	15.39	224.31	24.65	99.78
14/04/2023 20:50:00	0.41	0.00	0.00	21.45	16.04	256.35	24.32	99.80
14/04/2023 20:55:00	0.41	0.00	0.00	21.45	16.15	256.35	24.19	99.81
14/04/2023 21:00:00	0.41	0.00	0.00	21.44	18.05	224.31	24.63	99.80
14/04/2023 21:05:00	0.41	0.00	0.00	21.44	16.69	224.31	24.47	99.80
14/04/2023 21:10:00	0.41	0.00	0.00	21.44	15.32	224.31	24.32	99.81
14/04/2023 21:15:00	0.41	0.00	0.00	21.45	16.13	256.35	24.35	99.82
14/04/2023 21:20:00	0.27	0.00	0.00	21.45	14.90	224.31	24.61	99.84
14/04/2023 21:25:00	0.27	0.00	0.00	21.43	16.22	224.31	24.44	99.84
14/04/2023 21:30:00	0.27	0.00	0.00	21.44	16.71	224.31	24.61	99.84
14/04/2023 21:35:00	0.55	0.00	0.00	21.45	15.41	256.35	24.51	99.85
14/04/2023 21:40:00	0.41	0.00	0.00	21.45	14.85	0.00	24.03	99.86
14/04/2023 21:45:00	0.41	0.00	0.00	21.44	15.75	256.35	24.49	99.86
14/04/2023 21:50:00	0.41	0.00	0.00	21.45	14.83	224.31	24.47	99.87
14/04/2023 21:55:00	0.41	0.00	0.00	21.43	15.75	256.35	23.89	99.89
14/04/2023 22:00:00	0.41	0.00	0.00	21.44	16.15	224.31	24.16	99.88
14/04/2023 22:05:00	0.41	0.00	0.00	21.44	16.48	224.31	24.30	99.89
14/04/2023 22:10:00	0.41	0.00	0.00	21.45	15.90	288.40	24.00	99.89
14/04/2023 22:15:00	0.55	0.00	0.00	21.45	15.06	256.35	24.47	99.89
14/04/2023 22:20:00	0.27	0.00	0.00	21.45	15.75	256.35	23.84	99.89
14/04/2023 22:25:00	0.55	0.00	0.00	21.44	16.71	256.35	23.87	99.89
14/04/2023 22:30:00	0.41	0.00	0.00	21.45	15.48	224.31	23.73	99.90
14/04/2023 22:35:00	0.55	0.00	0.00	21.45	15.80	256.35	24.16	99.91
14/04/2023 22:40:00	0.55	0.00	0.00	21.45	15.78	256.35	24.63	99.89
14/04/2023 22:45:00	0.41	0.00	0.00	21.45	16.73	288.40	24.16	99.90

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
14/04/2023 22:50:00	0.27	0.00	0.00	21.45	15.92	256.35	24.00	99.90
14/04/2023 22:55:00	0.41	0.00	0.00	21.45	14.39	224.31	24.49	99.90
14/04/2023 23:00:00	0.55	0.00	0.00	21.45	15.78	256.35	23.89	99.91
14/04/2023 23:05:00	0.41	0.00	0.00	21.45	15.50	256.35	24.16	99.91
14/04/2023 23:10:00	0.41	0.00	0.00	21.45	15.01	288.40	24.47	99.91
14/04/2023 23:15:00	0.55	0.00	0.00	21.45	14.60	256.35	24.32	99.92
14/04/2023 23:20:00	0.55	0.00	0.00	21.44	14.57	256.35	24.49	99.93
14/04/2023 23:25:00	0.41	0.00	0.00	21.44	15.20	0.00	24.16	99.92
14/04/2023 23:30:00	0.41	0.00	0.00	21.45	14.34	224.31	24.00	99.91
14/04/2023 23:35:00	0.41	0.00	0.00	21.44	14.46	256.35	24.32	99.93
14/04/2023 23:40:00	0.41	0.00	0.00	21.45	14.69	256.35	23.87	99.92
14/04/2023 23:45:00	0.41	0.00	0.00	21.44	14.37	256.35	24.16	99.91
14/04/2023 23:50:00	0.41	0.00	0.00	21.44	14.60	224.31	24.79	99.90
14/04/2023 23:55:00	0.27	0.00	0.00	21.44	14.95	256.35	24.79	99.89