



BÁO CÁO KẾT QUẢ QUAN TRẮC TRUNG BÌNH 5 PHÚT

Tên cơ sở: Xi măng Quang Sơn

Tên trạm: Ống khói chính

Thời gian báo cáo: Từ: 16/04/2023

Tới: 16/04/2023

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
16/04/2023 00:00:00	1.24	0.00	0.00	21.45	30.91	224.31	24.32	99.96
16/04/2023 00:05:00	1.24	0.00	0.00	21.43	16.73	256.35	24.93	99.96
16/04/2023 00:10:00	0.27	0.00	0.00	21.45	16.33	256.35	24.79	99.93
16/04/2023 00:15:00	1.24	0.00	0.00	21.45	16.87	224.31	24.47	99.92
16/04/2023 00:20:00	1.24	0.00	0.00	21.45	15.32	224.31	24.93	99.90
16/04/2023 00:25:00	0.27	0.00	0.00	21.45	15.55	256.35	24.16	99.91
16/04/2023 00:30:00	1.24	0.00	0.00	21.44	13.95	224.31	24.77	99.89
16/04/2023 00:35:00	0.27	0.00	0.00	21.44	14.65	224.31	24.47	99.89
16/04/2023 00:40:00	0.27	0.00	0.00	21.44	13.74	224.31	24.65	99.88
16/04/2023 00:45:00	0.27	0.00	0.00	21.43	15.46	192.26	24.00	99.88
16/04/2023 00:50:00	0.41	0.00	0.00	21.43	14.27	256.35	24.00	99.88
16/04/2023 00:55:00	0.41	0.00	0.00	21.43	15.37	224.31	24.00	99.86
16/04/2023 01:00:00	0.41	0.00	0.00	21.43	14.39	256.35	24.65	99.85
16/04/2023 01:05:00	0.41	0.00	0.00	21.43	14.90	224.31	24.63	99.85
16/04/2023 01:10:00	0.27	0.00	0.00	21.42	14.55	256.35	24.30	99.84
16/04/2023 01:15:00	0.14	0.00	0.00	21.43	13.95	224.31	24.14	99.83
16/04/2023 01:20:00	0.27	0.00	0.00	21.44	14.27	224.31	23.70	99.84
16/04/2023 01:25:00	0.27	0.00	0.00	21.42	15.15	224.31	24.19	99.85
16/04/2023 01:30:00	0.41	0.00	0.00	21.43	15.23	224.31	24.32	99.84
16/04/2023 01:35:00	0.55	0.00	0.00	21.43	14.50	288.40	24.49	99.84

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
16/04/2023 01:40:00	0.27	0.00	0.00	21.43	16.80	0.00	24.00	99.82
16/04/2023 01:45:00	0.41	0.00	0.00	21.43	15.04	224.31	23.73	99.83
16/04/2023 01:50:00	0.41	0.00	0.00	21.43	15.15	256.35	24.19	99.83
16/04/2023 01:55:00	0.41	0.00	0.00	21.43	14.88	256.35	24.16	99.81
16/04/2023 02:00:00	0.41	0.00	0.00	21.42	15.90	288.40	24.03	99.81
16/04/2023 02:05:00	0.27	0.00	0.00	21.43	15.78	256.35	24.35	99.80
16/04/2023 02:10:00	0.27	0.00	0.00	21.43	14.14	256.35	24.03	99.79
16/04/2023 02:15:00	0.41	0.00	0.00	21.42	14.67	256.35	24.19	99.78
16/04/2023 02:20:00	0.27	0.00	0.00	21.42	14.16	256.35	23.87	99.78
16/04/2023 02:25:00	0.41	0.00	0.00	21.43	14.07	224.31	24.32	99.76
16/04/2023 02:30:00	0.27	0.00	0.00	21.43	14.00	224.31	23.89	99.78
16/04/2023 02:35:00	0.55	0.00	0.00	21.43	15.78	256.35	24.21	99.78
16/04/2023 02:40:00	0.27	0.00	0.00	21.43	14.25	256.35	23.89	99.78
16/04/2023 02:45:00	0.41	0.00	0.00	21.43	14.65	224.31	23.73	99.78
16/04/2023 02:50:00	0.27	0.00	0.00	21.43	20.42	256.35	23.42	99.78
16/04/2023 02:55:00	0.27	0.00	0.00	21.43	15.83	256.35	23.89	99.78
16/04/2023 03:00:00	0.41	0.00	0.00	21.43	14.53	224.31	23.70	99.77
16/04/2023 03:05:00	0.41	0.00	0.00	21.44	14.16	256.35	23.73	99.77
16/04/2023 03:10:00	0.41	0.00	0.00	21.43	14.05	256.35	23.58	99.76
16/04/2023 03:15:00	0.27	0.00	0.00	21.43	14.88	256.35	24.32	99.78
16/04/2023 03:20:00	0.14	0.00	0.00	21.44	15.55	224.31	23.54	99.78
16/04/2023 03:25:00	0.41	0.00	0.00	21.43	16.75	0.00	23.75	99.78
16/04/2023 03:30:00	0.41	0.00	0.00	21.44	14.60	256.35	24.03	99.79
16/04/2023 03:35:00	0.55	0.00	0.00	21.44	14.07	256.35	24.05	99.80
16/04/2023 03:40:00	0.55	0.00	0.00	21.44	15.66	256.35	24.05	99.80
16/04/2023 03:45:00	0.27	0.00	0.00	21.43	14.00	224.31	24.03	99.80
16/04/2023 03:50:00	0.41	0.00	0.00	21.44	15.11	256.35	24.32	99.79
16/04/2023 03:55:00	0.41	0.00	0.00	21.44	14.90	256.35	24.19	99.80
16/04/2023 04:00:00	0.27	0.00	0.00	21.43	15.66	288.40	24.03	99.80
16/04/2023 04:05:00	0.27	0.00	0.00	21.42	15.06	256.35	24.32	99.81
16/04/2023 04:10:00	0.41	0.00	0.00	21.43	15.83	288.40	24.19	99.80
16/04/2023 04:15:00	0.27	0.00	0.00	21.43	16.73	256.35	23.73	99.82
16/04/2023 04:20:00	0.55	0.00	0.00	21.43	14.76	288.40	24.35	99.83
16/04/2023 04:25:00	0.41	0.00	0.00	21.43	15.30	256.35	24.19	99.83
16/04/2023 04:30:00	0.41	0.00	0.00	21.44	14.81	288.40	23.89	99.82
16/04/2023 04:35:00	0.41	0.00	0.00	21.43	14.76	256.35	23.87	99.81

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
16/04/2023 04:40:00	0.41	0.00	0.00	21.44	14.34	256.35	23.73	99.81
16/04/2023 04:45:00	0.27	0.00	0.00	21.44	14.90	256.35	24.21	99.80
16/04/2023 04:50:00	0.41	0.00	0.00	21.44	13.81	256.35	23.87	99.82
16/04/2023 04:55:00	0.41	0.00	0.00	21.44	14.46	224.31	23.56	99.79
16/04/2023 05:00:00	0.27	0.00	0.00	21.43	14.95	224.31	24.03	99.82
16/04/2023 05:05:00	0.27	0.00	0.00	21.43	14.88	224.31	23.40	99.82
16/04/2023 05:10:00	0.27	0.00	0.00	21.43	14.05	0.00	24.19	99.81
16/04/2023 05:15:00	0.55	0.00	0.00	21.43	14.53	288.40	23.56	99.81
16/04/2023 05:20:00	0.27	0.00	0.00	21.43	17.85	224.31	24.16	99.82
16/04/2023 05:25:00	0.41	0.00	0.00	21.44	14.85	256.35	23.58	99.81
16/04/2023 05:30:00	0.27	0.00	0.00	21.43	14.00	256.35	23.89	99.81
16/04/2023 05:35:00	0.27	0.00	0.00	21.43	14.79	224.31	23.42	99.82
16/04/2023 05:40:00	0.27	0.00	0.00	21.44	14.81	256.35	24.03	99.83
16/04/2023 05:45:00	0.41	0.00	0.00	21.43	13.18	224.31	23.73	99.83
16/04/2023 05:50:00	0.27	0.00	0.00	21.44	13.88	224.31	24.32	99.83
16/04/2023 05:55:00	0.27	0.00	0.00	21.44	14.57	224.31	23.87	99.84
16/04/2023 06:00:00	0.41	0.00	0.00	21.42	14.48	224.31	23.56	99.83
16/04/2023 06:05:00	0.27	0.00	0.00	21.43	15.20	256.35	24.16	99.84
16/04/2023 06:10:00	0.27	0.00	0.00	21.43	16.62	256.35	23.56	99.85
16/04/2023 06:15:00	0.27	0.00	0.00	21.43	14.99	224.31	23.70	99.86
16/04/2023 06:20:00	0.27	0.00	0.00	21.44	14.57	288.40	24.35	99.86
16/04/2023 06:25:00	0.41	0.00	0.00	21.44	13.81	256.35	24.21	99.86
16/04/2023 06:30:00	0.41	0.00	0.00	21.44	22.41	256.35	23.87	99.86
16/04/2023 06:35:00	0.27	0.00	0.00	21.43	14.72	256.35	23.56	99.89
16/04/2023 06:40:00	0.27	0.00	0.00	21.45	14.95	288.40	23.45	99.89
16/04/2023 06:45:00	0.27	0.00	0.00	21.44	14.97	224.31	23.73	99.89
16/04/2023 06:50:00	0.14	0.00	0.00	21.44	14.90	224.31	23.56	99.86
16/04/2023 06:55:00	0.27	0.00	0.00	21.44	14.92	0.00	23.75	99.89
16/04/2023 07:00:00	0.27	0.00	0.00	21.45	15.57	256.35	24.03	99.89
16/04/2023 07:05:00	0.41	0.00	0.00	21.45	16.98	256.35	24.32	99.90
16/04/2023 07:10:00	0.27	0.00	0.00	21.45	17.15	256.35	24.03	99.92
16/04/2023 07:15:00	0.41	0.00	0.00	21.45	17.73	256.35	23.75	99.96
16/04/2023 07:20:00	0.41	0.00	0.00	21.45	17.08	224.31	24.03	99.96
16/04/2023 07:25:00	0.27	0.00	0.00	21.44	17.63	256.35	23.56	99.96
16/04/2023 07:30:00	0.41	0.00	0.00	21.45	16.27	224.31	24.32	100.00
16/04/2023 07:35:00	0.41	0.00	0.00	21.45	16.85	224.31	24.00	99.99

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
16/04/2023 07:40:00	1.24	0.00	0.00	21.45	17.22	224.31	24.32	100.01
16/04/2023 07:45:00	0.27	0.00	0.00	21.44	16.57	224.31	24.14	100.03
16/04/2023 07:50:00	0.41	0.00	0.00	21.45	16.46	224.31	24.14	100.05
16/04/2023 07:55:00	1.24	0.00	0.00	21.45	16.66	224.31	24.14	100.06
16/04/2023 08:00:00	0.41	0.00	0.00	21.45	16.71	192.26	24.14	100.07
16/04/2023 08:05:00	0.41	0.00	0.00	21.45	16.98	224.31	24.63	100.06
16/04/2023 08:10:00	0.41	0.00	0.00	21.45	17.08	224.31	23.87	100.07
16/04/2023 08:15:00	0.27	0.00	0.00	21.45	18.33	224.31	24.42	100.09
16/04/2023 08:20:00	0.41	0.00	0.00	21.44	19.05	192.26	24.30	100.07
16/04/2023 08:25:00	0.27	0.00	0.00	21.45	18.01	192.26	24.72	100.09
16/04/2023 08:30:00	0.55	0.00	0.00	21.45	17.17	192.26	24.90	100.08
16/04/2023 08:35:00	0.41	0.00	0.00	21.44	16.87	192.26	24.90	100.06
16/04/2023 08:40:00	0.55	0.00	0.00	21.45	16.75	0.00	24.44	100.06
16/04/2023 08:45:00	1.24	0.00	0.00	21.45	16.01	224.31	24.90	100.05
16/04/2023 08:50:00	0.55	0.00	0.00	21.45	16.98	224.31	24.61	100.05
16/04/2023 08:55:00	0.41	0.00	0.00	21.45	16.89	256.35	24.77	100.05
16/04/2023 09:00:00	0.55	0.00	0.00	21.45	18.05	224.31	24.30	100.04
16/04/2023 09:05:00	0.27	0.00	0.00	21.45	18.40	192.26	24.44	100.05
16/04/2023 09:10:00	1.10	0.00	0.00	21.45	17.85	160.22	24.42	100.06
16/04/2023 09:15:00	0.55	0.00	0.00	21.45	21.78	224.31	24.77	100.07
16/04/2023 09:20:00	1.37	0.00	0.00	21.46	18.52	224.31	25.23	100.09
16/04/2023 09:25:00	1.37	0.00	0.00	21.45	18.52	192.26	24.61	100.09
16/04/2023 09:30:00	1.24	0.00	0.00	21.45	17.54	192.26	24.61	100.06
16/04/2023 09:35:00	1.24	0.00	0.00	21.46	18.87	192.26	24.58	100.07
16/04/2023 09:40:00	1.37	0.00	0.00	21.46	18.79	192.26	24.88	100.07
16/04/2023 09:45:00	1.37	0.00	0.00	21.46	18.03	192.26	25.04	100.09
16/04/2023 09:50:00	1.51	0.00	0.00	21.46	18.12	224.31	24.61	100.09
16/04/2023 09:55:00	1.37	0.00	0.00	21.47	20.21	192.26	25.37	100.09
16/04/2023 10:00:00	1.37	0.00	0.00	21.46	19.97	192.26	25.35	100.10
16/04/2023 10:05:00	1.37	0.00	0.00	21.46	22.02	224.31	24.61	100.10
16/04/2023 10:10:00	1.24	0.00	0.00	21.47	23.27	192.26	24.88	100.10
16/04/2023 10:15:00	1.24	0.00	0.00	21.46	24.01	192.26	25.02	100.10
16/04/2023 10:20:00	1.51	0.00	0.00	21.47	23.76	192.26	25.02	100.11
16/04/2023 10:25:00	1.51	0.00	0.00	21.46	22.64	0.00	25.51	100.09
16/04/2023 10:30:00	1.51	0.00	0.00	21.47	24.45	160.22	25.16	100.08
16/04/2023 10:35:00	1.37	0.00	0.00	21.48	25.06	192.26	25.19	100.09

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NOx (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
16/04/2023 10:40:00	1.37	0.00	0.00	21.47	24.36	160.22	25.62	100.09
16/04/2023 10:45:00	1.37	0.00	0.00	21.47	25.59	160.22	25.32	100.07
16/04/2023 10:50:00	0.41	0.00	0.00	21.48	28.23	160.22	25.62	100.07
16/04/2023 10:55:00	1.37	0.00	0.00	21.47	23.22	128.18	25.95	100.09
16/04/2023 11:00:00	1.51	0.00	0.00	21.48	24.84	160.22	25.93	100.07
16/04/2023 11:05:00	1.51	0.00	0.00	21.47	25.19	128.18	25.62	100.07
16/04/2023 11:10:00	1.24	0.00	0.00	21.48	23.99	128.18	25.46	100.06
16/04/2023 11:15:00	1.24	0.00	0.00	21.48	23.54	128.18	25.44	100.07
16/04/2023 11:20:00	1.24	0.00	0.00	21.48	27.74	128.18	25.32	100.07
16/04/2023 11:25:00	1.37	0.00	0.00	21.48	26.02	128.18	25.90	100.05
16/04/2023 11:30:00	1.24	0.00	0.00	21.47	25.59	128.18	26.22	100.04
16/04/2023 11:35:00	1.24	0.00	0.00	21.48	26.84	128.18	25.57	100.02
16/04/2023 11:40:00	1.37	0.00	0.00	21.52	23.38	128.18	25.73	99.99
16/04/2023 11:45:00	1.10	0.00	0.00	21.54	24.28	96.13	26.04	99.98
16/04/2023 11:50:00	1.10	0.00	0.00	21.55	26.51	31,242.85	26.18	99.97
16/04/2023 11:55:00	1.37	0.00	0.00	21.55	26.31	31,050.58	25.60	99.97
16/04/2023 12:00:00	1.37	0.00	0.00	21.55	24.08	31,274.89	26.06	99.96
16/04/2023 12:05:00	1.24	0.00	0.00	21.56	24.17	32,150.76	26.04	99.93
16/04/2023 12:10:00	1.24	0.00	0.00	21.60	23.96	0.00	25.76	99.93
16/04/2023 12:15:00	1.10	0.00	0.00	21.59	24.15	32,310.98	26.04	99.91
16/04/2023 12:20:00	1.24	0.00	0.00	21.54	24.89	35,974.67	26.34	99.88
16/04/2023 12:25:00	1.37	0.00	0.00	21.50	20.81	34,447.24	26.04	99.91
16/04/2023 12:30:00	0.27	0.00	0.00	21.49	22.38	31,467.15	25.55	99.86
16/04/2023 12:35:00	1.24	0.00	0.00	21.49	23.76	32,791.64	25.60	99.88
16/04/2023 12:40:00	0.41	0.00	0.00	21.49	21.64	31,659.42	25.60	99.86
16/04/2023 12:45:00	1.24	0.00	0.00	21.48	21.42	32,962.54	26.04	99.84
16/04/2023 12:50:00	0.41	0.00	0.00	21.48	23.22	32,118.72	25.90	99.81
16/04/2023 12:55:00	0.27	0.00	0.00	21.48	23.61	32,343.02	26.04	99.81
16/04/2023 13:00:00	1.24	0.00	0.00	21.48	22.29	32,214.85	26.20	99.80
16/04/2023 13:05:00	1.24	0.00	0.00	21.48	22.64	30,847.64	25.73	99.78
16/04/2023 13:10:00	0.41	0.00	0.00	21.48	22.80	96.13	25.90	99.75
16/04/2023 13:15:00	1.37	0.00	0.00	21.47	22.09	1,132.22	25.73	99.75
16/04/2023 13:20:00	0.27	0.00	0.00	21.48	21.35	128.18	26.36	99.76
16/04/2023 13:25:00	0.27	0.00	0.00	21.47	22.29	96.13	26.53	99.75
16/04/2023 13:30:00	0.27	0.00	0.00	21.47	23.36	96.13	25.90	99.73
16/04/2023 13:35:00	0.14	0.00	0.00	21.46	22.43	96.13	26.64	99.72

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
16/04/2023 13:40:00	1.24	0.00	0.00	21.47	19.75	96.13	26.67	99.69
16/04/2023 13:45:00	1.10	0.00	0.00	21.46	23.57	128.18	26.06	99.70
16/04/2023 13:50:00	0.41	0.00	0.00	21.46	22.04	128.18	26.83	99.69
16/04/2023 13:55:00	0.55	0.00	0.00	21.46	21.04	0.00	26.06	99.70
16/04/2023 14:00:00	1.10	0.00	0.00	21.45	21.25	128.18	25.93	99.66
16/04/2023 14:05:00	1.10	0.00	0.00	21.46	20.35	128.18	25.90	99.65
16/04/2023 14:10:00	0.41	0.00	0.00	21.45	24.48	160.22	26.55	99.67
16/04/2023 14:15:00	0.41	0.00	0.00	21.46	21.39	128.18	26.53	99.68
16/04/2023 14:20:00	0.27	0.00	0.00	21.46	20.95	128.18	26.67	99.65
16/04/2023 14:25:00	0.41	0.00	0.00	21.45	22.16	128.18	26.09	99.64
16/04/2023 14:30:00	0.41	0.00	0.00	21.45	19.84	128.18	26.36	99.64
16/04/2023 14:35:00	0.27	0.00	0.00	21.45	21.04	160.22	25.93	99.64
16/04/2023 14:40:00	0.41	0.00	0.00	21.46	20.86	128.18	26.36	99.64
16/04/2023 14:45:00	0.27	0.00	0.00	21.45	20.07	128.18	26.38	99.63
16/04/2023 14:50:00	0.41	0.00	0.00	21.45	19.65	128.18	26.09	99.62
16/04/2023 14:55:00	0.27	0.00	0.00	21.45	21.62	160.22	26.53	99.61
16/04/2023 15:00:00	0.41	0.00	0.00	21.45	21.62	160.22	26.69	99.61
16/04/2023 15:05:00	0.27	0.00	0.00	21.45	20.84	128.18	26.69	99.61
16/04/2023 15:10:00	0.41	0.00	0.00	21.45	18.87	128.18	25.93	99.60
16/04/2023 15:15:00	0.27	0.00	0.00	21.45	18.94	128.18	26.69	99.60
16/04/2023 15:20:00	0.41	0.00	0.00	21.45	19.49	160.22	26.11	99.58
16/04/2023 15:25:00	0.27	0.00	0.00	21.45	20.55	160.22	26.85	99.59
16/04/2023 15:30:00	0.41	0.00	0.00	21.45	19.01	160.22	26.09	99.58
16/04/2023 15:35:00	0.27	0.00	0.00	21.45	19.42	160.22	26.09	99.56
16/04/2023 15:40:00	0.41	0.00	0.00	21.45	19.47	0.00	26.11	99.57
16/04/2023 15:45:00	0.41	0.00	0.00	21.45	20.00	160.22	26.25	99.57
16/04/2023 15:50:00	0.41	0.00	0.00	21.45	20.70	128.18	26.71	99.56
16/04/2023 15:55:00	0.27	0.00	0.00	21.45	19.91	160.22	26.69	99.55
16/04/2023 16:00:00	0.41	0.00	0.00	21.45	17.73	160.22	26.09	99.58
16/04/2023 16:05:00	0.41	0.00	0.00	21.45	18.40	160.22	26.11	99.55
16/04/2023 16:10:00	0.41	0.00	0.00	21.45	19.35	128.18	26.38	99.55
16/04/2023 16:15:00	0.41	0.00	0.00	21.45	20.07	160.22	26.09	99.54
16/04/2023 16:20:00	0.27	0.00	0.00	21.45	18.27	160.22	26.41	99.55
16/04/2023 16:25:00	0.27	0.00	0.00	21.44	17.78	160.22	26.55	99.55
16/04/2023 16:30:00	0.41	0.00	0.00	21.45	17.94	160.22	26.09	99.55
16/04/2023 16:35:00	0.41	0.00	0.00	21.45	19.47	160.22	26.11	99.55

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
16/04/2023 16:40:00	0.41	0.00	0.00	21.45	19.12	160.22	25.97	99.56
16/04/2023 16:45:00	0.27	0.00	0.00	21.44	18.91	192.26	25.95	99.57
16/04/2023 16:50:00	0.41	0.00	0.00	21.45	17.69	160.22	25.95	99.56
16/04/2023 16:55:00	0.41	0.00	0.00	21.44	17.63	128.18	25.93	99.55
16/04/2023 17:00:00	0.41	0.00	0.00	21.44	18.63	128.18	26.85	99.55
16/04/2023 17:05:00	0.41	0.00	0.00	21.44	18.49	192.26	26.09	99.57
16/04/2023 17:10:00	1.37	0.00	0.00	21.45	16.46	160.22	25.97	99.55
16/04/2023 17:15:00	0.41	0.00	0.00	21.44	17.56	192.26	26.11	99.57
16/04/2023 17:20:00	0.41	0.00	0.00	21.45	17.38	160.22	26.73	99.56
16/04/2023 17:25:00	0.55	0.00	0.00	21.45	16.48	0.00	26.71	99.57
16/04/2023 17:30:00	0.41	0.00	0.00	21.43	16.48	160.22	26.41	99.57
16/04/2023 17:35:00	0.41	0.00	0.00	21.44	15.55	160.22	26.13	99.58
16/04/2023 17:40:00	1.24	0.00	0.00	21.45	16.11	160.22	26.57	99.54
16/04/2023 17:45:00	0.41	0.00	0.00	21.44	16.22	192.26	26.25	99.56
16/04/2023 17:50:00	0.41	0.00	0.00	21.44	16.75	192.26	26.71	99.55
16/04/2023 17:55:00	0.41	0.00	0.00	21.44	16.71	160.22	26.44	99.56
16/04/2023 18:00:00	0.41	0.00	0.00	21.45	15.78	160.22	26.25	99.55
16/04/2023 18:05:00	0.41	0.00	0.00	21.44	15.97	224.31	25.99	99.56
16/04/2023 18:10:00	0.41	0.00	0.00	21.45	16.78	224.31	26.44	99.57
16/04/2023 18:15:00	0.55	0.00	0.00	21.45	17.22	192.26	25.99	99.55
16/04/2023 18:20:00	0.55	0.00	0.00	21.45	15.37	192.26	26.60	99.58
16/04/2023 18:25:00	0.41	0.00	0.00	21.45	16.22	192.26	26.73	99.55
16/04/2023 18:30:00	0.55	0.00	0.00	21.45	16.53	192.26	25.97	99.58
16/04/2023 18:35:00	0.41	0.00	0.00	21.45	15.64	160.22	26.44	99.58
16/04/2023 18:40:00	0.27	0.00	0.00	21.45	14.85	160.22	26.55	99.58
16/04/2023 18:45:00	0.27	0.00	0.00	21.44	15.75	192.26	26.13	99.57
16/04/2023 18:50:00	0.55	0.00	0.00	21.45	16.27	160.22	26.11	99.58
16/04/2023 18:55:00	0.41	0.00	0.00	21.44	15.90	160.22	25.95	99.55
16/04/2023 19:00:00	0.41	0.00	0.00	21.45	15.97	192.26	25.95	99.56
16/04/2023 19:05:00	0.41	0.00	0.00	21.45	16.82	192.26	26.11	99.57
16/04/2023 19:10:00	0.27	0.00	0.00	21.45	15.18	0.00	26.27	99.58
16/04/2023 19:15:00	0.55	0.00	0.00	21.45	15.90	192.26	26.44	99.59
16/04/2023 19:20:00	0.27	0.00	0.00	21.45	15.92	192.26	25.81	99.59
16/04/2023 19:25:00	0.41	0.00	0.00	21.45	16.71	192.26	25.64	99.60
16/04/2023 19:30:00	0.27	0.00	0.00	21.45	15.41	192.26	25.81	99.61
16/04/2023 19:35:00	0.27	0.00	0.00	21.45	16.22	160.22	25.64	99.61

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
16/04/2023 19:40:00	0.27	0.00	0.00	21.45	16.64	192.26	25.95	99.61
16/04/2023 19:45:00	0.41	0.00	0.00	21.44	15.59	224.31	26.44	99.61
16/04/2023 19:50:00	0.41	0.00	0.00	21.44	16.31	192.26	26.41	99.61
16/04/2023 19:55:00	1.37	0.00	0.00	21.44	14.27	224.31	25.99	99.61
16/04/2023 20:00:00	0.41	0.00	0.00	21.45	13.95	192.26	25.81	99.60
16/04/2023 20:05:00	0.41	0.00	0.00	21.44	16.01	192.26	25.53	99.62
16/04/2023 20:10:00	0.27	0.00	0.00	21.45	14.76	192.26	25.83	99.63
16/04/2023 20:15:00	0.27	0.00	0.00	21.44	14.55	192.26	25.97	99.62
16/04/2023 20:20:00	0.27	0.00	0.00	21.44	15.37	192.26	25.81	99.61
16/04/2023 20:25:00	1.24	0.00	0.00	21.45	15.04	224.31	26.13	99.64
16/04/2023 20:30:00	0.41	0.00	0.00	21.44	15.69	192.26	26.02	99.64
16/04/2023 20:35:00	1.51	0.00	0.00	21.44	14.83	224.31	25.53	99.66
16/04/2023 20:40:00	1.51	0.00	0.00	21.44	15.90	192.26	26.46	99.67
16/04/2023 20:45:00	1.37	0.00	0.00	21.45	15.30	224.31	26.44	99.66
16/04/2023 20:50:00	1.37	0.00	0.00	21.44	15.25	224.31	25.83	99.67
16/04/2023 20:55:00	1.10	0.00	0.00	21.44	15.50	0.00	25.53	99.69
16/04/2023 21:00:00	1.37	0.00	0.00	21.44	16.13	192.26	26.13	99.69
16/04/2023 21:05:00	1.24	0.00	0.00	21.45	18.10	192.26	26.27	99.70
16/04/2023 21:10:00	0.41	0.00	0.00	21.44	15.95	224.31	25.83	99.71
16/04/2023 21:15:00	0.27	0.00	0.00	21.44	15.27	192.26	25.83	99.71
16/04/2023 21:20:00	1.10	0.00	0.00	21.45	14.95	224.31	26.13	99.72
16/04/2023 21:25:00	1.37	0.00	0.00	21.44	15.85	224.31	25.67	99.74
16/04/2023 21:30:00	1.24	0.00	0.00	21.44	15.75	224.31	25.83	99.73
16/04/2023 21:35:00	0.27	0.00	0.00	21.44	14.79	192.26	26.15	99.73
16/04/2023 21:40:00	1.37	0.00	0.00	21.45	18.87	224.31	25.83	99.72
16/04/2023 21:45:00	1.37	0.00	0.00	21.44	16.64	224.31	26.46	99.74
16/04/2023 21:50:00	1.24	0.00	0.00	21.44	15.30	224.31	26.29	99.71
16/04/2023 21:55:00	1.24	0.00	0.00	21.44	15.32	192.26	25.86	99.72
16/04/2023 22:00:00	1.24	0.00	0.00	21.44	16.11	192.26	25.69	99.72
16/04/2023 22:05:00	1.24	0.00	0.00	21.44	15.15	224.31	25.67	99.72
16/04/2023 22:10:00	1.24	0.00	0.00	21.44	14.97	224.31	26.60	99.75
16/04/2023 22:15:00	1.37	0.00	0.00	21.44	15.80	224.31	25.99	99.75
16/04/2023 22:20:00	1.10	0.00	0.00	21.44	16.27	224.31	26.11	99.73
16/04/2023 22:25:00	1.37	0.00	0.00	21.45	14.41	192.26	26.13	99.72
16/04/2023 22:30:00	1.37	0.00	0.00	21.44	16.78	224.31	25.99	99.73
16/04/2023 22:35:00	1.37	0.00	0.00	21.44	15.30	224.31	26.15	99.72

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
16/04/2023 22:40:00	1.37	0.00	0.00	21.44	15.11	0.00	25.99	99.73
16/04/2023 22:45:00	0.41	0.00	0.00	21.44	15.15	224.31	26.02	99.72
16/04/2023 22:50:00	1.37	0.00	0.00	21.44	15.59	224.31	25.83	99.72
16/04/2023 22:55:00	1.24	0.00	0.00	21.44	15.48	256.35	26.46	99.69
16/04/2023 23:00:00	1.24	0.00	0.00	21.45	16.06	256.35	26.15	99.71
16/04/2023 23:05:00	1.24	0.00	0.00	21.44	14.50	224.31	26.29	99.69
16/04/2023 23:10:00	0.41	0.00	0.00	21.45	15.99	224.31	26.31	99.67
16/04/2023 23:15:00	0.27	0.00	0.00	21.45	14.74	224.31	25.86	99.66
16/04/2023 23:20:00	0.55	0.00	0.00	21.44	15.27	256.35	25.99	99.67
16/04/2023 23:25:00	1.37	0.00	0.00	21.44	15.43	256.35	25.55	99.67
16/04/2023 23:30:00	0.41	0.00	0.00	21.45	14.92	256.35	25.57	99.68
16/04/2023 23:35:00	0.55	0.00	0.00	21.45	14.60	224.31	26.02	99.69
16/04/2023 23:40:00	0.41	0.00	0.00	21.44	14.69	256.35	26.02	99.68
16/04/2023 23:45:00	0.27	0.00	0.00	21.44	15.46	224.31	25.83	99.66
16/04/2023 23:50:00	1.24	0.00	0.00	21.44	14.57	224.31	25.71	99.64
16/04/2023 23:55:00	0.41	0.00	0.00	21.45	13.88	224.31	26.15	99.65