



## BÁO CÁO KẾT QUẢ QUAN TRẮC TRUNG BÌNH 5 PHÚT

Tên cơ sở: Xi măng Quang Sơn

Tên trạm: Ống khói chính

Thời gian báo cáo: Từ: 17/04/2023

Tới: 17/04/2023

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
17/04/2023 00:00:00	0.55	0.00	0.00	21.45	13.58	256.35	26.04	99.63
17/04/2023 00:05:00	0.14	0.00	0.00	21.44	15.18	224.31	25.53	99.62
17/04/2023 00:10:00	0.27	0.00	0.00	21.44	14.55	224.31	25.23	99.62
17/04/2023 00:15:00	0.41	0.00	0.00	21.43	14.88	256.35	25.71	99.61
17/04/2023 00:20:00	0.27	0.00	0.00	21.44	14.85	224.31	25.41	99.61
17/04/2023 00:25:00	0.41	0.00	0.00	21.45	14.50	0.00	25.39	99.61
17/04/2023 00:30:00	0.41	0.00	0.00	21.44	14.48	256.35	25.12	99.61
17/04/2023 00:35:00	0.55	0.00	0.00	21.45	16.11	256.35	25.69	99.61
17/04/2023 00:40:00	0.27	0.00	0.00	21.44	14.00	192.26	25.53	99.58
17/04/2023 00:45:00	0.55	0.00	0.00	21.44	14.69	256.35	25.55	99.60
17/04/2023 00:50:00	0.55	0.00	0.00	21.44	14.85	288.40	24.95	99.60
17/04/2023 00:55:00	0.41	0.00	0.00	21.44	13.92	256.35	24.93	99.59
17/04/2023 01:00:00	0.41	0.00	0.00	21.44	15.46	256.35	25.09	99.59
17/04/2023 01:05:00	0.27	0.00	0.00	21.44	16.22	224.31	25.09	99.57
17/04/2023 01:10:00	0.41	0.00	0.00	21.43	14.21	224.31	25.55	99.58
17/04/2023 01:15:00	0.27	0.00	0.00	21.44	14.74	256.35	25.09	99.58
17/04/2023 01:20:00	0.27	0.00	0.00	21.45	16.50	256.35	24.93	99.57
17/04/2023 01:25:00	0.41	0.00	0.00	21.45	15.46	256.35	25.23	99.58
17/04/2023 01:30:00	0.41	0.00	0.00	21.45	14.02	256.35	25.55	99.58
17/04/2023 01:35:00	0.41	0.00	0.00	21.45	14.53	256.35	24.79	99.56
17/04/2023 01:40:00	0.41	0.00	0.00	21.43	15.34	224.31	25.23	99.55
17/04/2023 01:45:00	0.55	0.00	0.00	21.43	15.11	224.31	24.97	99.53
17/04/2023 01:50:00	1.24	0.00	0.00	21.44	14.00	224.31	24.77	99.53
17/04/2023 01:55:00	0.41	0.00	0.00	21.44	14.74	224.31	24.65	99.52
17/04/2023 02:00:00	0.41	0.00	0.00	21.43	14.30	256.35	25.07	99.52

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
17/04/2023 02:05:00	0.41	0.00	0.00	21.44	14.79	224.31	24.77	99.52
17/04/2023 02:10:00	1.24	0.00	0.00	21.43	14.72	0.00	24.61	99.51
17/04/2023 02:15:00	1.24	0.00	0.00	21.43	21.48	224.31	24.77	99.51
17/04/2023 02:20:00	1.51	0.00	0.00	21.43	18.87	288.40	25.25	99.50
17/04/2023 02:25:00	1.24	0.00	0.00	21.44	16.55	256.35	25.41	99.51
17/04/2023 02:30:00	1.10	0.00	0.00	21.43	14.76	224.31	25.09	99.49
17/04/2023 02:35:00	1.24	0.00	0.00	21.43	15.08	224.31	25.39	99.51
17/04/2023 02:40:00	1.24	0.00	0.00	21.43	14.46	224.31	25.23	99.49
17/04/2023 02:45:00	1.24	0.00	0.00	21.44	14.88	256.35	24.79	99.49
17/04/2023 02:50:00	1.24	0.00	0.00	21.43	14.83	224.31	24.95	99.47
17/04/2023 02:55:00	1.24	0.00	0.00	21.43	14.88	224.31	25.25	99.48
17/04/2023 03:00:00	1.37	0.00	0.00	21.44	14.25	224.31	24.79	99.46
17/04/2023 03:05:00	1.24	0.00	0.00	21.44	14.32	256.35	24.93	99.47
17/04/2023 03:10:00	1.37	0.00	0.00	21.43	14.23	256.35	24.95	99.51
17/04/2023 03:15:00	1.24	0.00	0.00	21.44	15.69	224.31	25.55	99.48
17/04/2023 03:20:00	1.24	0.00	0.00	21.43	14.85	256.35	24.93	99.48
17/04/2023 03:25:00	1.24	0.00	0.00	21.43	14.76	256.35	25.23	99.49
17/04/2023 03:30:00	1.24	0.00	0.00	21.44	14.99	224.31	25.55	99.49
17/04/2023 03:35:00	1.24	0.00	0.00	21.44	15.85	224.31	25.39	99.49
17/04/2023 03:40:00	1.24	0.00	0.00	21.43	14.46	256.35	25.37	99.49
17/04/2023 03:45:00	1.24	0.00	0.00	21.43	14.34	224.31	25.09	99.50
17/04/2023 03:50:00	1.24	0.00	0.00	21.44	14.46	256.35	24.93	99.50
17/04/2023 03:55:00	1.24	0.00	0.00	21.43	13.65	0.00	24.93	99.49
17/04/2023 04:00:00	1.24	0.00	0.00	21.43	14.46	256.35	24.93	99.49
17/04/2023 04:05:00	1.24	0.00	0.00	21.44	14.44	256.35	25.09	99.52
17/04/2023 04:10:00	1.37	0.00	0.00	21.43	14.16	256.35	24.93	99.51
17/04/2023 04:15:00	1.24	0.00	0.00	21.43	15.59	224.31	25.53	99.50
17/04/2023 04:20:00	1.24	0.00	0.00	21.44	14.83	256.35	25.12	99.54
17/04/2023 04:25:00	0.41	0.00	0.00	21.43	20.77	256.35	25.88	99.52
17/04/2023 04:30:00	0.41	0.00	0.00	21.43	16.75	256.35	25.55	99.53
17/04/2023 04:35:00	0.55	0.00	0.00	21.44	16.53	288.40	25.57	99.53
17/04/2023 04:40:00	1.10	0.00	0.00	21.44	16.73	224.31	25.07	99.55
17/04/2023 04:45:00	0.27	0.00	0.00	21.44	15.18	224.31	25.23	99.55
17/04/2023 04:50:00	1.10	0.00	0.00	21.43	14.18	224.31	25.83	99.55
17/04/2023 04:55:00	1.51	0.00	0.00	21.44	14.18	256.35	25.12	99.56
17/04/2023 05:00:00	0.41	0.00	0.00	21.44	15.66	224.31	24.93	99.58
17/04/2023 05:05:00	0.41	0.00	0.00	21.44	13.95	224.31	25.09	99.57
17/04/2023 05:10:00	0.27	0.00	0.00	21.44	15.37	224.31	25.23	99.57
17/04/2023 05:15:00	0.27	0.00	0.00	21.44	16.66	224.31	25.39	99.56

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
17/04/2023 05:20:00	1.37	0.00	0.00	21.44	15.04	256.35	25.39	99.56
17/04/2023 05:25:00	0.41	0.00	0.00	21.44	14.16	224.31	25.39	99.57
17/04/2023 05:30:00	0.27	0.00	0.00	21.44	14.02	224.31	25.37	99.57
17/04/2023 05:35:00	0.41	0.00	0.00	21.44	15.59	256.35	25.09	99.58
17/04/2023 05:40:00	0.27	0.00	0.00	21.44	14.21	0.00	25.39	99.59
17/04/2023 05:45:00	0.41	0.00	0.00	21.43	15.20	224.31	25.53	99.61
17/04/2023 05:50:00	0.41	0.00	0.00	21.44	14.46	256.35	24.93	99.61
17/04/2023 05:55:00	0.27	0.00	0.00	21.44	15.30	192.26	25.39	99.60
17/04/2023 06:00:00	0.27	0.00	0.00	21.44	14.46	224.31	25.07	99.62
17/04/2023 06:05:00	0.41	0.00	0.00	21.43	14.99	256.35	24.81	99.62
17/04/2023 06:10:00	0.41	0.00	0.00	21.44	14.92	256.35	25.09	99.63
17/04/2023 06:15:00	0.27	0.00	0.00	21.44	14.34	224.31	25.25	99.62
17/04/2023 06:20:00	1.10	0.00	0.00	21.44	14.41	224.31	25.09	99.64
17/04/2023 06:25:00	1.37	0.00	0.00	21.43	14.83	224.31	25.71	99.65
17/04/2023 06:30:00	1.24	0.00	0.00	21.44	14.63	256.35	24.95	99.66
17/04/2023 06:35:00	0.27	0.00	0.00	21.44	15.27	224.31	25.53	99.66
17/04/2023 06:40:00	0.41	0.00	0.00	21.44	14.74	224.31	25.53	99.68
17/04/2023 06:45:00	1.37	0.00	0.00	21.44	14.23	224.31	24.93	99.69
17/04/2023 06:50:00	0.27	0.00	0.00	21.44	14.76	256.35	25.25	99.69
17/04/2023 06:55:00	0.27	0.00	0.00	21.44	14.00	224.31	24.93	99.72
17/04/2023 07:00:00	1.24	0.00	0.00	21.45	14.95	224.31	25.07	99.70
17/04/2023 07:05:00	0.41	0.00	0.00	21.44	14.50	256.35	25.25	99.71
17/04/2023 07:10:00	1.24	0.00	0.00	21.44	14.72	256.35	25.39	99.71
17/04/2023 07:15:00	0.41	0.00	0.00	21.44	14.72	256.35	25.69	99.70
17/04/2023 07:20:00	1.37	0.00	0.00	21.45	14.57	224.31	24.95	99.72
17/04/2023 07:25:00	0.41	0.00	0.00	21.45	13.83	0.00	24.93	99.73
17/04/2023 07:30:00	0.41	0.00	0.00	21.43	15.20	224.31	25.25	99.74
17/04/2023 07:35:00	0.41	0.00	0.00	21.45	15.34	256.35	25.39	99.75
17/04/2023 07:40:00	0.55	0.00	0.00	21.45	17.01	256.35	24.95	99.75
17/04/2023 07:45:00	0.41	0.00	0.00	21.45	17.20	256.35	25.69	99.75
17/04/2023 07:50:00	0.27	0.00	0.00	21.44	16.78	224.31	25.41	99.76
17/04/2023 07:55:00	0.69	0.00	0.00	21.44	16.06	256.35	25.71	99.78
17/04/2023 08:00:00	0.41	0.00	0.00	21.45	17.75	224.31	25.57	99.78
17/04/2023 08:05:00	0.41	0.00	0.00	21.44	16.85	288.40	25.09	99.81
17/04/2023 08:10:00	1.24	0.00	0.00	21.44	17.52	224.31	25.83	99.80
17/04/2023 08:15:00	0.27	0.00	0.00	21.44	16.50	224.31	25.97	99.79
17/04/2023 08:20:00	1.37	0.00	0.00	21.44	15.62	256.35	25.71	99.80
17/04/2023 08:25:00	1.37	0.00	0.00	21.44	17.66	224.31	25.09	99.80
17/04/2023 08:30:00	1.24	0.00	0.00	21.45	16.71	224.31	25.23	99.81

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
17/04/2023 08:35:00	0.55	0.00	0.00	21.43	15.90	256.35	25.41	99.80
17/04/2023 08:40:00	0.27	0.00	0.00	21.44	14.92	224.31	25.23	99.81
17/04/2023 08:45:00	0.55	0.00	0.00	21.45	15.37	224.31	25.39	99.84
17/04/2023 08:50:00	1.51	0.00	0.00	21.45	16.69	224.31	25.55	99.82
17/04/2023 08:55:00	1.37	0.00	0.00	21.44	16.33	256.35	25.55	99.84
17/04/2023 09:00:00	1.24	0.00	0.00	21.45	15.01	224.31	25.69	99.84
17/04/2023 09:05:00	1.24	0.00	0.00	21.45	15.55	224.31	25.12	99.84
17/04/2023 09:10:00	0.55	0.00	0.00	21.44	15.69	0.00	25.88	99.84
17/04/2023 09:15:00	1.37	0.00	0.00	21.45	19.84	224.31	25.53	99.82
17/04/2023 09:20:00	1.37	0.00	0.00	21.44	16.66	256.35	25.57	99.84
17/04/2023 09:25:00	0.41	0.00	0.00	21.44	24.08	224.31	26.02	99.81
17/04/2023 09:30:00	0.41	0.00	0.00	21.44	16.13	224.31	25.88	99.84
17/04/2023 09:35:00	0.41	0.00	0.00	21.45	15.85	224.31	25.25	99.83
17/04/2023 09:40:00	1.37	0.00	0.00	21.45	15.55	256.35	25.55	99.84
17/04/2023 09:45:00	0.41	0.00	0.00	21.45	15.64	224.31	25.53	99.81
17/04/2023 09:50:00	1.37	0.00	0.00	21.45	16.04	288.40	25.86	99.81
17/04/2023 09:55:00	1.24	0.00	0.00	21.45	15.20	256.35	26.11	99.82
17/04/2023 10:00:00	0.27	0.00	0.00	21.44	15.30	256.35	25.23	99.81
17/04/2023 10:05:00	0.41	0.00	0.00	21.45	16.43	256.35	25.39	99.81
17/04/2023 10:10:00	0.41	0.00	0.00	21.45	15.69	224.31	26.02	99.81
17/04/2023 10:15:00	0.41	0.00	0.00	21.45	15.11	256.35	25.41	99.80
17/04/2023 10:20:00	0.41	0.00	0.00	21.45	15.15	256.35	25.41	99.80
17/04/2023 10:25:00	0.27	0.00	0.00	21.45	16.46	224.31	25.46	99.80
17/04/2023 10:30:00	0.41	0.00	0.00	21.44	14.95	256.35	25.39	99.80
17/04/2023 10:35:00	0.27	0.00	0.00	21.45	15.15	224.31	25.97	99.78
17/04/2023 10:40:00	0.41	0.00	0.00	21.45	15.50	256.35	25.39	99.77
17/04/2023 10:45:00	1.24	0.00	0.00	21.44	14.53	192.26	25.67	99.77
17/04/2023 10:50:00	1.24	0.00	0.00	21.45	15.41	224.31	25.69	99.76
17/04/2023 10:55:00	0.41	0.00	0.00	21.44	14.25	0.00	26.18	99.75
17/04/2023 11:00:00	0.41	0.00	0.00	21.44	15.27	256.35	25.39	99.75
17/04/2023 11:05:00	0.41	0.00	0.00	21.44	15.43	256.35	25.53	99.74
17/04/2023 11:10:00	0.55	0.00	0.00	21.45	16.13	224.31	25.99	99.74
17/04/2023 11:15:00	0.41	0.00	0.00	21.45	17.91	224.31	25.53	99.72
17/04/2023 11:20:00	0.41	0.00	0.00	21.45	17.82	192.26	25.67	99.70
17/04/2023 11:25:00	0.41	0.00	0.00	21.44	17.13	224.31	25.86	99.69
17/04/2023 11:30:00	0.41	0.00	0.00	21.45	15.75	224.31	25.69	99.69
17/04/2023 11:35:00	0.41	0.00	0.00	21.44	14.37	256.35	25.99	99.69
17/04/2023 11:40:00	0.55	0.00	0.00	21.44	15.97	224.31	25.99	99.69
17/04/2023 11:45:00	0.41	0.00	0.00	21.45	15.75	192.26	25.37	99.66

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
17/04/2023 11:50:00	0.27	0.00	0.00	21.45	15.04	224.31	25.81	99.66
17/04/2023 11:55:00	0.27	0.00	0.00	21.45	16.17	224.31	25.83	99.66
17/04/2023 12:00:00	0.27	0.00	0.00	21.45	15.34	224.31	26.31	99.64
17/04/2023 12:05:00	0.27	0.00	0.00	21.45	14.55	192.26	26.13	99.66
17/04/2023 12:10:00	0.27	0.00	0.00	21.44	15.66	192.26	25.51	99.63
17/04/2023 12:15:00	0.41	0.00	0.00	21.44	15.25	224.31	25.83	99.63
17/04/2023 12:20:00	0.41	0.00	0.00	21.45	16.59	224.31	25.83	99.61
17/04/2023 12:25:00	0.41	0.00	0.00	21.44	14.67	192.26	25.53	99.61
17/04/2023 12:30:00	0.27	0.00	0.00	21.44	15.64	224.31	26.29	99.59
17/04/2023 12:35:00	0.41	0.00	0.00	21.44	15.04	224.31	25.99	99.56
17/04/2023 12:40:00	0.41	0.00	0.00	21.44	15.25	0.00	26.13	99.56
17/04/2023 12:45:00	0.41	0.00	0.00	21.45	15.71	224.31	25.53	99.56
17/04/2023 12:50:00	0.41	0.00	0.00	21.44	35.09	192.26	25.67	99.55
17/04/2023 12:55:00	1.24	0.00	0.00	21.44	21.18	256.35	25.88	99.55
17/04/2023 13:00:00	0.55	0.00	0.00	21.45	21.39	256.35	26.13	99.55
17/04/2023 13:05:00	0.41	0.00	0.00	21.45	19.28	224.31	25.55	99.55
17/04/2023 13:10:00	0.41	0.00	0.00	21.44	16.91	224.31	26.02	99.52
17/04/2023 13:15:00	0.27	0.00	0.00	21.45	15.46	224.31	26.46	99.50
17/04/2023 13:20:00	0.55	0.00	0.00	21.45	16.57	224.31	26.29	99.51
17/04/2023 13:25:00	0.55	0.00	0.00	21.45	15.83	224.31	25.57	99.50
17/04/2023 13:30:00	0.41	0.00	0.00	21.44	16.50	256.35	25.69	99.48
17/04/2023 13:35:00	0.41	0.00	0.00	21.44	15.83	224.31	25.55	99.47
17/04/2023 13:40:00	0.41	0.00	0.00	21.45	15.66	256.35	26.29	99.47
17/04/2023 13:45:00	0.41	0.00	0.00	21.44	16.04	256.35	26.02	99.46
17/04/2023 13:50:00	0.41	0.00	0.00	21.44	15.53	256.35	25.69	99.46
17/04/2023 13:55:00	0.55	0.00	0.00	21.45	17.04	224.31	25.86	99.43
17/04/2023 14:00:00	0.41	0.00	0.00	21.45	16.71	224.31	25.79	99.43
17/04/2023 14:05:00	0.41	0.00	0.00	21.44	15.04	224.31	26.48	99.42
17/04/2023 14:10:00	0.41	0.00	0.00	21.45	15.46	224.31	25.83	99.41
17/04/2023 14:15:00	0.41	0.00	0.00	21.45	17.27	224.31	25.99	99.39
17/04/2023 14:20:00	0.41	0.00	0.00	21.44	16.33	192.26	26.44	99.42
17/04/2023 14:25:00	0.41	0.00	0.00	21.44	15.34	0.00	26.27	99.38
17/04/2023 14:30:00	0.27	0.00	0.00	21.45	15.37	224.31	26.29	99.41
17/04/2023 14:35:00	0.41	0.00	0.00	21.44	15.88	224.31	25.83	99.39
17/04/2023 14:40:00	0.27	0.00	0.00	21.44	17.94	224.31	25.86	99.35
17/04/2023 14:45:00	0.55	0.00	0.00	21.44	16.62	256.35	25.71	99.37
17/04/2023 14:50:00	0.41	0.00	0.00	21.44	16.46	224.31	26.44	99.36
17/04/2023 14:55:00	0.27	0.00	0.00	21.44	17.98	224.31	25.97	99.35
17/04/2023 15:00:00	0.41	0.00	0.00	21.45	15.71	224.31	26.02	99.33

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
17/04/2023 15:05:00	0.41	0.00	0.00	21.44	18.68	224.31	25.86	99.32
17/04/2023 15:10:00	0.41	0.00	0.00	21.44	14.79	224.31	25.83	99.32
17/04/2023 15:15:00	0.27	0.00	0.00	21.44	16.75	224.31	25.83	99.32
17/04/2023 15:20:00	0.41	0.00	0.00	21.45	17.78	224.31	25.99	99.32
17/04/2023 15:25:00	0.41	0.00	0.00	21.44	17.13	224.31	25.67	99.31
17/04/2023 15:30:00	0.41	0.00	0.00	21.45	16.64	192.26	25.86	99.31
17/04/2023 15:35:00	0.41	0.00	0.00	21.44	15.92	224.31	26.29	99.32
17/04/2023 15:40:00	0.41	0.00	0.00	21.44	15.62	224.31	26.62	99.30
17/04/2023 15:45:00	0.27	0.00	0.00	21.44	16.33	192.26	26.60	99.30
17/04/2023 15:50:00	0.41	0.00	0.00	21.44	15.55	224.31	25.71	99.30
17/04/2023 15:55:00	0.55	0.00	0.00	21.44	16.06	224.31	25.83	99.30
17/04/2023 16:00:00	0.55	0.00	0.00	21.44	15.59	256.35	25.69	99.29
17/04/2023 16:05:00	0.27	0.00	0.00	21.43	15.34	192.26	25.83	99.26
17/04/2023 16:10:00	0.41	0.00	0.00	21.43	18.29	0.00	26.13	99.29
17/04/2023 16:15:00	0.41	0.00	0.00	21.43	16.27	224.31	25.69	99.26
17/04/2023 16:20:00	0.27	0.00	0.00	21.44	17.24	256.35	26.60	99.26
17/04/2023 16:25:00	0.41	0.00	0.00	21.43	15.62	224.31	26.11	99.26
17/04/2023 16:30:00	0.41	0.00	0.00	21.43	16.59	224.31	25.86	99.26
17/04/2023 16:35:00	0.41	0.00	0.00	21.43	15.64	224.31	25.83	99.25
17/04/2023 16:40:00	0.27	0.00	0.00	21.45	15.78	192.26	26.60	99.26
17/04/2023 16:45:00	0.41	0.00	0.00	21.44	16.53	224.31	26.02	99.24
17/04/2023 16:50:00	0.41	0.00	0.00	21.44	14.39	256.35	26.76	99.26
17/04/2023 16:55:00	0.27	0.00	0.00	21.43	13.67	224.31	26.29	99.25
17/04/2023 17:00:00	0.41	0.00	0.00	21.42	13.81	224.31	26.29	99.26
17/04/2023 17:05:00	0.82	0.00	0.00	21.43	20.00	192.26	26.13	99.26
17/04/2023 17:10:00	0.41	0.00	0.00	21.43	21.95	256.35	25.83	99.26
17/04/2023 17:15:00	0.41	0.00	0.00	21.43	19.17	192.26	26.62	99.26
17/04/2023 17:20:00	0.41	0.00	0.00	21.44	16.94	256.35	26.46	99.30
17/04/2023 17:25:00	0.41	0.00	0.00	21.43	14.95	224.31	26.02	99.30
17/04/2023 17:30:00	0.41	0.00	0.00	21.42	15.59	224.31	26.13	99.30
17/04/2023 17:35:00	0.41	0.00	0.00	21.42	16.27	224.31	25.99	99.29
17/04/2023 17:40:00	0.41	0.00	0.00	21.43	17.31	224.31	26.29	99.31
17/04/2023 17:45:00	0.55	0.00	0.00	21.43	15.23	224.31	26.78	99.30
17/04/2023 17:50:00	0.41	0.00	0.00	21.44	15.59	256.35	25.99	99.31
17/04/2023 17:55:00	0.41	0.00	0.00	21.43	15.23	0.00	26.76	99.30
17/04/2023 18:00:00	0.41	0.00	0.00	21.44	15.20	224.31	26.62	99.32
17/04/2023 18:05:00	0.41	0.00	0.00	21.43	15.78	192.26	25.99	99.32
17/04/2023 18:10:00	0.41	0.00	0.00	21.44	16.87	192.26	25.99	99.32
17/04/2023 18:15:00	0.41	0.00	0.00	21.44	15.41	256.35	26.15	99.33

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
17/04/2023 18:20:00	0.41	0.00	0.00	21.43	14.95	224.31	26.60	99.36
17/04/2023 18:25:00	0.41	0.00	0.00	21.43	14.92	224.31	26.62	99.36
17/04/2023 18:30:00	0.41	0.00	0.00	21.43	15.30	256.35	26.76	99.36
17/04/2023 18:35:00	0.27	0.00	0.00	21.44	14.97	192.26	25.99	99.37
17/04/2023 18:40:00	0.41	0.00	0.00	21.43	15.85	224.31	26.76	99.39
17/04/2023 18:45:00	0.41	0.00	0.00	21.44	13.65	224.31	25.99	99.41
17/04/2023 18:50:00	0.27	0.00	0.00	21.44	14.92	224.31	25.99	99.42
17/04/2023 18:55:00	0.41	0.00	0.00	21.44	13.90	224.31	26.62	99.43
17/04/2023 19:00:00	0.41	0.00	0.00	21.43	16.06	256.35	26.46	99.44
17/04/2023 19:05:00	0.55	0.00	0.00	21.42	14.34	224.31	26.15	99.44
17/04/2023 19:10:00	0.41	0.00	0.00	21.42	18.79	224.31	26.60	99.45
17/04/2023 19:15:00	0.41	0.00	0.00	21.42	29.78	256.35	26.46	99.42
17/04/2023 19:20:00	0.27	0.00	0.00	21.42	26.84	192.26	26.73	99.41
17/04/2023 19:25:00	0.41	0.00	0.00	21.43	20.16	224.31	25.97	99.43
17/04/2023 19:30:00	0.27	0.00	0.00	21.43	17.52	192.26	26.44	99.43
17/04/2023 19:35:00	0.27	0.00	0.00	21.42	15.50	224.31	26.13	99.44
17/04/2023 19:40:00	0.27	0.00	0.00	21.41	16.22	0.00	25.97	99.44
17/04/2023 19:45:00	0.27	0.00	0.00	21.41	14.83	192.26	25.99	99.44
17/04/2023 19:50:00	0.27	0.00	0.00	21.41	14.65	224.31	26.46	99.43
17/04/2023 19:55:00	0.41	0.00	0.00	21.43	15.41	192.26	26.46	99.46
17/04/2023 20:00:00	0.27	0.00	0.00	21.43	16.46	224.31	26.44	99.46
17/04/2023 20:05:00	0.27	0.00	0.00	21.41	13.97	192.26	26.57	99.46
17/04/2023 20:10:00	0.27	0.00	0.00	21.42	14.99	224.31	25.83	99.48
17/04/2023 20:15:00	0.27	0.00	0.00	21.42	25.98	192.26	26.29	99.49
17/04/2023 20:20:00	0.14	0.00	0.00	21.42	18.40	224.31	26.27	99.50
17/04/2023 20:25:00	0.41	0.00	0.00	21.41	17.82	192.26	25.83	99.50
17/04/2023 20:30:00	0.27	0.00	0.00	21.41	15.41	224.31	26.44	99.52
17/04/2023 20:35:00	0.27	0.00	0.00	21.42	15.64	224.31	26.62	99.52
17/04/2023 20:40:00	0.27	0.00	0.00	21.42	14.74	224.31	26.62	99.52
17/04/2023 20:45:00	0.27	0.00	0.00	21.42	16.06	192.26	26.13	99.52
17/04/2023 20:50:00	0.27	0.00	0.00	21.41	15.59	224.31	26.13	99.54
17/04/2023 20:55:00	0.27	0.00	0.00	21.41	15.46	192.26	26.44	99.54
17/04/2023 21:00:00	0.41	0.00	0.00	21.42	20.37	224.31	25.99	99.55
17/04/2023 21:05:00	0.27	0.00	0.00	21.42	17.49	224.31	25.99	99.55
17/04/2023 21:10:00	0.27	0.00	0.00	21.41	17.49	224.31	26.46	99.55
17/04/2023 21:15:00	0.27	0.00	0.00	21.43	18.70	192.26	26.27	99.55
17/04/2023 21:20:00	0.27	0.00	0.00	21.43	17.38	224.31	25.99	99.57
17/04/2023 21:25:00	0.27	0.00	0.00	21.42	20.70	0.00	25.97	99.56
17/04/2023 21:30:00	0.27	0.00	0.00	21.43	17.82	192.26	26.29	99.57

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
17/04/2023 21:35:00	0.41	0.00	0.00	21.42	17.66	192.26	26.44	99.57
17/04/2023 21:40:00	0.27	0.00	0.00	21.42	19.30	224.31	26.44	99.57
17/04/2023 21:45:00	0.41	0.00	0.00	21.43	15.97	224.31	26.46	99.56
17/04/2023 21:50:00	0.41	0.00	0.00	21.43	16.75	224.31	26.13	99.57
17/04/2023 21:55:00	0.41	0.00	0.00	21.43	15.30	224.31	25.99	99.57
17/04/2023 22:00:00	0.27	0.00	0.00	21.42	14.72	224.31	25.99	99.58
17/04/2023 22:05:00	0.14	0.00	0.00	21.43	15.85	192.26	25.97	99.58
17/04/2023 22:10:00	0.14	0.00	0.00	21.42	16.13	192.26	25.81	99.58
17/04/2023 22:15:00	0.27	0.00	0.00	21.42	15.48	192.26	25.99	99.59
17/04/2023 22:20:00	0.27	0.00	0.00	21.44	18.07	192.26	26.44	99.56
17/04/2023 22:25:00	0.27	0.00	0.00	21.43	16.06	192.26	25.97	99.57
17/04/2023 22:30:00	0.41	0.00	0.00	21.43	17.08	224.31	25.97	99.58
17/04/2023 22:35:00	0.27	0.00	0.00	21.42	17.13	192.26	26.11	99.58
17/04/2023 22:40:00	0.27	0.00	0.00	21.44	19.21	224.31	26.29	99.56
17/04/2023 22:45:00	0.27	0.00	0.00	21.43	18.23	224.31	26.13	99.57
17/04/2023 22:50:00	0.27	0.00	0.00	21.43	17.27	224.31	25.99	99.56
17/04/2023 22:55:00	0.27	0.00	0.00	21.43	17.43	224.31	25.69	99.55
17/04/2023 23:00:00	0.27	0.00	0.00	21.42	15.55	192.26	26.13	99.56
17/04/2023 23:05:00	0.27	0.00	0.00	21.42	16.69	224.31	25.67	99.55
17/04/2023 23:10:00	0.41	0.00	0.00	21.42	19.88	0.00	25.53	99.55
17/04/2023 23:15:00	0.27	0.00	0.00	21.42	20.37	224.31	26.13	99.54
17/04/2023 23:20:00	0.27	0.00	0.00	21.42	16.73	192.26	25.51	99.54
17/04/2023 23:25:00	0.27	0.00	0.00	21.43	18.38	224.31	25.83	99.54
17/04/2023 23:30:00	0.27	0.00	0.00	21.43	18.61	224.31	25.55	99.53
17/04/2023 23:35:00	0.27	0.00	0.00	21.42	18.72	224.31	25.83	99.53
17/04/2023 23:40:00	0.41	0.00	0.00	21.43	18.29	192.26	25.69	99.52
17/04/2023 23:45:00	0.27	0.00	0.00	21.42	17.63	192.26	25.71	99.52
17/04/2023 23:50:00	0.41	0.00	0.00	21.42	14.05	224.31	26.13	99.52
17/04/2023 23:55:00	0.27	0.00	0.00	21.42	17.22	224.31	26.13	99.50