



BÁO CÁO KẾT QUẢ QUAN TRẮC TRUNG BÌNH 5 PHÚT

Tên cơ sở: Xi măng Quang Sơn

Tên trạm: Ống khói chính

Thời gian báo cáo: Từ: 08/04/2023

Tới: 08/04/2023

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
08/04/2023 00:00:00	0.41	0.00	0.00	20.34	18.77	288.40	24.97	100.49
08/04/2023 00:05:00	0.00	0.00	0.00	20.33	21.25	288.40	25.46	100.48
08/04/2023 00:10:00	0.55	0.00	0.00	20.34	19.17	288.40	25.28	100.46
08/04/2023 00:15:00	0.00	0.00	0.00	20.32	18.96	256.35	25.25	100.46
08/04/2023 00:20:00	0.00	0.00	0.00	20.33	19.95	288.40	24.83	100.47
08/04/2023 00:25:00	0.00	0.00	0.00	20.33	18.01	288.40	25.12	100.45
08/04/2023 00:30:00	0.41	0.00	0.00	20.33	18.27	256.35	24.95	100.45
08/04/2023 00:35:00	0.41	0.00	0.00	20.34	19.81	288.40	24.51	100.44
08/04/2023 00:40:00	0.55	0.00	0.00	20.33	18.03	288.40	24.97	100.46
08/04/2023 00:45:00	0.00	0.00	0.00	20.33	19.49	288.40	24.95	100.47
08/04/2023 00:50:00	0.55	0.00	0.00	20.33	17.69	0.00	24.97	100.43
08/04/2023 00:55:00	0.00	0.00	0.00	20.32	17.71	256.35	24.49	100.44
08/04/2023 01:00:00	0.41	0.00	0.00	20.34	17.04	288.40	24.65	100.45
08/04/2023 01:05:00	0.27	0.00	0.00	20.33	19.23	256.35	25.09	100.44
08/04/2023 01:10:00	0.41	0.00	0.00	20.33	17.31	288.40	25.25	100.43
08/04/2023 01:15:00	0.27	0.00	0.00	20.33	18.59	224.31	24.95	100.43
08/04/2023 01:20:00	0.00	0.00	0.00	20.33	19.26	224.31	25.23	100.44
08/04/2023 01:25:00	0.55	0.00	0.00	20.33	19.28	256.35	25.44	100.44
08/04/2023 01:30:00	0.41	0.00	0.00	20.33	19.07	288.40	25.41	100.44
08/04/2023 01:35:00	0.00	0.00	0.00	20.33	18.68	256.35	25.25	100.41
08/04/2023 01:40:00	0.27	0.00	0.00	20.32	18.81	256.35	24.65	100.44
08/04/2023 01:45:00	0.41	0.00	0.00	20.33	20.02	256.35	24.49	100.41

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
08/04/2023 01:50:00	0.00	0.00	0.00	20.33	23.99	256.35	24.65	100.43
08/04/2023 01:55:00	0.41	0.00	0.00	20.33	23.61	256.35	24.65	100.44
08/04/2023 02:00:00	0.00	0.00	0.00	20.32	19.72	256.35	24.51	100.43
08/04/2023 02:05:00	0.00	0.00	0.00	20.32	18.79	288.40	24.65	100.41
08/04/2023 02:10:00	0.00	0.00	0.00	20.33	21.23	256.35	25.28	100.44
08/04/2023 02:15:00	0.00	0.00	0.00	20.33	20.07	320.44	24.81	100.44
08/04/2023 02:20:00	0.00	0.00	0.00	20.33	18.81	256.35	25.14	100.41
08/04/2023 02:25:00	0.00	0.00	0.00	20.32	18.87	288.40	24.67	100.41
08/04/2023 02:30:00	0.00	0.00	0.00	20.33	17.89	288.40	24.35	100.42
08/04/2023 02:35:00	0.00	0.00	0.00	20.33	18.14	0.00	24.79	100.42
08/04/2023 02:40:00	0.00	0.00	0.00	20.32	18.29	288.40	24.65	100.43
08/04/2023 02:45:00	0.00	0.00	0.00	20.32	18.77	256.35	25.25	100.41
08/04/2023 02:50:00	0.00	0.00	0.00	20.32	18.72	256.35	24.65	100.43
08/04/2023 02:55:00	0.41	0.00	0.00	20.32	19.86	288.40	24.99	100.44
08/04/2023 03:00:00	0.00	0.00	0.00	20.32	17.85	320.44	24.81	100.44
08/04/2023 03:05:00	0.69	0.00	0.00	20.33	17.89	320.44	24.51	100.44
08/04/2023 03:10:00	0.55	0.00	0.00	20.32	16.96	288.40	24.51	100.46
08/04/2023 03:15:00	0.00	0.00	0.00	20.32	19.01	256.35	24.51	100.43
08/04/2023 03:20:00	0.00	0.00	0.00	20.32	17.06	288.40	24.67	100.45
08/04/2023 03:25:00	0.00	0.00	0.00	20.32	16.87	224.31	24.47	100.45
08/04/2023 03:30:00	0.00	0.00	0.00	20.33	18.07	256.35	25.28	100.43
08/04/2023 03:35:00	0.00	0.00	0.00	20.32	18.01	256.35	24.95	100.45
08/04/2023 03:40:00	0.00	0.00	0.00	20.32	17.40	256.35	24.65	100.46
08/04/2023 03:45:00	0.00	0.00	0.00	20.32	18.70	288.40	24.65	100.47
08/04/2023 03:50:00	0.00	0.00	0.00	20.32	19.37	256.35	24.65	100.47
08/04/2023 03:55:00	0.00	0.00	0.00	20.32	17.96	288.40	24.65	100.47
08/04/2023 04:00:00	0.00	0.00	0.00	20.32	18.94	320.44	24.51	100.49
08/04/2023 04:05:00	0.00	0.00	0.00	20.32	19.72	256.35	24.49	100.50
08/04/2023 04:10:00	0.00	0.00	0.00	20.32	19.54	256.35	24.95	100.49
08/04/2023 04:15:00	0.41	0.00	0.00	20.32	17.59	256.35	24.81	100.49
08/04/2023 04:20:00	0.00	0.00	0.00	20.33	18.54	0.00	25.12	100.49
08/04/2023 04:25:00	0.00	0.00	0.00	20.33	19.86	288.40	24.35	100.53
08/04/2023 04:30:00	0.00	0.00	0.00	20.32	19.84	256.35	25.09	100.52
08/04/2023 04:35:00	0.00	0.00	0.00	20.32	17.96	256.35	25.09	100.51
08/04/2023 04:40:00	0.55	0.00	0.00	20.32	19.05	288.40	24.81	100.55

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NOx (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
08/04/2023 04:45:00	0.00	0.00	0.00	20.32	17.73	288.40	24.67	100.56
08/04/2023 04:50:00	0.00	0.00	0.00	20.32	18.10	256.35	24.37	100.55
08/04/2023 04:55:00	0.00	0.00	0.00	20.33	19.05	224.31	25.09	100.55
08/04/2023 05:00:00	0.00	0.00	0.00	20.32	18.77	288.40	24.97	100.56
08/04/2023 05:05:00	0.00	0.00	0.00	20.33	18.87	256.35	24.35	100.59
08/04/2023 05:10:00	0.00	0.00	0.00	20.32	17.71	256.35	24.19	100.57
08/04/2023 05:15:00	0.00	0.00	0.00	20.33	18.77	256.35	24.95	100.59
08/04/2023 05:20:00	0.00	0.00	0.00	20.32	18.45	256.35	24.81	100.60
08/04/2023 05:25:00	0.00	0.00	0.00	20.33	18.79	256.35	24.95	100.64
08/04/2023 05:30:00	0.55	0.00	0.00	20.33	19.65	288.40	24.81	100.64
08/04/2023 05:35:00	0.00	0.00	0.00	20.33	17.54	288.40	24.35	100.64
08/04/2023 05:40:00	0.00	0.00	0.00	20.33	20.53	256.35	24.65	100.64
08/04/2023 05:45:00	0.00	0.00	0.00	20.33	18.43	288.40	24.97	100.65
08/04/2023 05:50:00	0.00	0.00	0.00	20.32	19.14	288.40	24.67	100.64
08/04/2023 05:55:00	0.00	0.00	0.00	20.32	19.03	320.44	24.07	100.67
08/04/2023 06:00:00	0.00	0.00	0.00	20.32	19.26	288.40	24.21	100.67
08/04/2023 06:05:00	0.00	0.00	0.00	20.33	17.38	0.00	24.05	100.67
08/04/2023 06:10:00	0.00	0.00	0.00	20.33	19.19	288.40	24.99	100.68
08/04/2023 06:15:00	0.00	0.00	0.00	20.33	20.72	288.40	24.37	100.69
08/04/2023 06:20:00	0.00	0.00	0.00	20.33	18.47	288.40	24.35	100.71
08/04/2023 06:25:00	0.41	0.00	0.00	20.32	19.19	256.35	24.21	100.71
08/04/2023 06:30:00	0.00	0.00	0.00	20.32	19.26	256.35	24.05	100.72
08/04/2023 06:35:00	0.00	0.00	0.00	20.33	17.96	256.35	24.67	100.72
08/04/2023 06:40:00	0.41	0.00	0.00	20.32	19.28	288.40	24.21	100.76
08/04/2023 06:45:00	0.55	0.00	0.00	20.32	18.84	256.35	24.67	100.76
08/04/2023 06:50:00	0.00	0.00	0.00	20.32	18.96	288.40	24.21	100.75
08/04/2023 06:55:00	0.00	0.00	0.00	20.33	19.81	288.40	24.35	100.77
08/04/2023 07:00:00	0.00	0.00	0.00	20.32	18.52	288.40	23.91	100.78
08/04/2023 07:05:00	0.00	0.00	0.00	20.32	20.00	288.40	24.05	100.79
08/04/2023 07:10:00	0.00	0.00	0.00	20.33	19.56	288.40	23.89	100.78
08/04/2023 07:15:00	0.00	0.00	0.00	20.33	19.37	288.40	24.07	100.78
08/04/2023 07:20:00	0.00	0.00	0.00	20.33	19.10	288.40	23.91	100.78
08/04/2023 07:25:00	0.00	0.00	0.00	20.32	18.47	320.44	24.05	100.81
08/04/2023 07:30:00	0.00	0.00	0.00	20.33	17.87	256.35	24.35	100.82
08/04/2023 07:35:00	0.00	0.00	0.00	20.33	17.98	256.35	24.37	100.80

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
08/04/2023 07:40:00	0.00	0.00	0.00	20.32	17.96	288.40	24.54	100.83
08/04/2023 07:45:00	0.00	0.00	0.00	20.33	16.94	320.44	23.91	100.84
08/04/2023 07:50:00	0.00	0.00	0.00	20.33	17.78	0.00	23.91	100.84
08/04/2023 07:55:00	0.00	0.00	0.00	20.32	18.52	256.35	24.37	100.83
08/04/2023 08:00:00	0.00	0.00	0.00	20.34	17.54	256.35	24.35	100.83
08/04/2023 08:05:00	0.00	0.00	0.00	20.33	19.03	320.44	23.91	100.86
08/04/2023 08:10:00	0.41	0.00	0.00	20.33	19.49	288.40	23.75	100.87
08/04/2023 08:15:00	0.00	0.00	0.00	20.33	19.28	320.44	23.75	100.87
08/04/2023 08:20:00	0.00	0.00	0.00	20.32	20.04	256.35	24.37	100.87
08/04/2023 08:25:00	0.00	0.00	0.00	20.33	19.68	288.40	23.58	100.89
08/04/2023 08:30:00	0.00	0.00	0.00	20.33	19.58	288.40	23.75	100.89
08/04/2023 08:35:00	0.00	0.00	0.00	20.33	18.01	256.35	23.73	100.88
08/04/2023 08:40:00	0.00	0.00	0.00	20.33	17.96	288.40	24.05	100.90
08/04/2023 08:45:00	0.00	0.00	0.00	20.33	17.91	256.35	24.05	100.90
08/04/2023 08:50:00	0.41	0.00	0.00	20.33	18.87	288.40	24.23	100.90
08/04/2023 08:55:00	0.00	0.00	0.00	20.33	19.23	288.40	24.37	100.92
08/04/2023 09:00:00	0.41	0.00	0.00	20.33	18.56	320.44	23.75	100.93
08/04/2023 09:05:00	0.00	0.00	0.00	20.33	19.03	288.40	24.23	100.93
08/04/2023 09:10:00	0.00	0.00	0.00	20.33	20.35	288.40	24.21	100.94
08/04/2023 09:15:00	0.41	0.00	0.00	20.33	18.98	288.40	23.91	100.93
08/04/2023 09:20:00	0.00	0.00	0.00	20.33	18.70	288.40	23.61	100.93
08/04/2023 09:25:00	0.00	0.00	0.00	20.33	18.84	288.40	24.07	100.93
08/04/2023 09:30:00	0.41	0.00	0.00	20.32	18.75	320.44	23.63	100.93
08/04/2023 09:35:00	0.00	0.00	0.00	20.32	19.03	0.00	23.58	100.93
08/04/2023 09:40:00	0.00	0.00	0.00	20.33	18.81	256.35	24.05	100.92
08/04/2023 09:45:00	0.00	0.00	0.00	20.32	19.35	256.35	24.03	100.92
08/04/2023 09:50:00	0.00	0.00	0.00	20.32	18.29	256.35	23.58	100.92
08/04/2023 09:55:00	0.41	0.00	0.00	20.32	18.43	288.40	23.75	100.92
08/04/2023 10:00:00	0.00	0.00	0.00	20.33	18.29	320.44	23.61	100.91
08/04/2023 10:05:00	0.00	0.00	0.00	20.33	17.78	288.40	24.07	100.89
08/04/2023 10:10:00	0.55	0.00	0.00	20.33	18.14	288.40	24.05	100.90
08/04/2023 10:15:00	0.00	0.00	0.00	20.32	19.19	256.35	23.75	100.91
08/04/2023 10:20:00	0.00	0.00	0.00	20.33	20.07	256.35	24.05	100.90
08/04/2023 10:25:00	0.41	0.00	0.00	20.33	22.25	256.35	23.42	100.90
08/04/2023 10:30:00	0.55	0.00	0.00	20.32	20.02	288.40	23.45	100.89

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
08/04/2023 10:35:00	0.41	0.00	0.00	20.34	22.02	288.40	24.21	100.89
08/04/2023 10:40:00	0.41	0.00	0.00	20.33	22.38	256.35	23.73	100.89
08/04/2023 10:45:00	0.41	0.00	0.00	20.33	20.90	288.40	23.89	100.89
08/04/2023 10:50:00	0.41	0.00	0.00	20.33	21.97	256.35	23.91	100.88
08/04/2023 10:55:00	0.41	0.00	0.00	20.32	20.84	288.40	24.35	100.87
08/04/2023 11:00:00	0.00	0.00	0.00	20.32	19.23	288.40	24.05	100.87
08/04/2023 11:05:00	0.41	0.00	0.00	20.32	18.89	288.40	24.19	100.87
08/04/2023 11:10:00	0.41	0.00	0.00	20.33	18.19	320.44	24.07	100.87
08/04/2023 11:15:00	0.55	0.00	0.00	20.33	17.98	288.40	24.37	100.88
08/04/2023 11:20:00	0.41	0.00	0.00	20.32	17.75	0.00	23.61	100.84
08/04/2023 11:25:00	0.55	0.00	0.00	20.32	17.73	288.40	23.91	100.83
08/04/2023 11:30:00	0.41	0.00	0.00	20.33	19.10	288.40	23.89	100.83
08/04/2023 11:35:00	0.27	0.00	0.00	20.33	17.89	256.35	24.19	100.81
08/04/2023 11:40:00	0.00	0.00	0.00	20.33	18.07	288.40	24.19	100.81
08/04/2023 11:45:00	0.55	0.00	0.00	20.32	16.53	320.44	24.37	100.83
08/04/2023 11:50:00	0.00	0.00	0.00	20.32	18.03	288.40	24.07	100.80
08/04/2023 11:55:00	0.00	0.00	0.00	20.33	17.89	288.40	23.77	100.79
08/04/2023 12:00:00	0.00	0.00	0.00	20.33	18.56	288.40	23.91	100.79
08/04/2023 12:05:00	0.00	0.00	0.00	20.33	18.33	256.35	24.05	100.79
08/04/2023 12:10:00	0.00	0.00	0.00	20.34	18.40	288.40	23.31	100.79
08/04/2023 12:15:00	0.41	0.00	0.00	20.34	18.40	288.40	23.58	100.79
08/04/2023 12:20:00	0.00	0.00	0.00	20.34	17.78	288.40	24.07	100.78
08/04/2023 12:25:00	0.41	0.00	0.00	20.34	18.07	288.40	23.61	100.79
08/04/2023 12:30:00	0.00	0.00	0.00	20.34	19.10	288.40	24.35	100.76
08/04/2023 12:35:00	0.00	0.00	0.00	20.33	18.79	288.40	23.91	100.76
08/04/2023 13:00:00	0.00	0.00	0.00	0.00	18.77	384.53	23.67	100.70
08/04/2023 13:05:00	0.00	0.00	0.00	0.00	18.54	352.48	24.42	100.72
08/04/2023 13:10:00	0.00	0.00	0.00	0.00	18.70	352.48	23.80	100.73
08/04/2023 13:15:00	0.00	0.00	0.00	0.00	18.33	288.40	23.91	100.71
08/04/2023 13:20:00	0.00	0.00	0.00	0.00	18.59	288.40	23.58	100.69
08/04/2023 13:25:00	0.00	0.00	0.00	0.00	18.96	320.44	23.47	100.69
08/04/2023 13:30:00	0.00	0.00	0.00	0.00	19.05	320.44	23.61	100.71
08/04/2023 13:35:00	0.00	0.00	0.00	0.00	19.10	288.40	24.21	100.69
08/04/2023 13:40:00	0.00	0.00	0.00	0.00	18.43	288.40	23.47	100.69
08/04/2023 13:45:00	0.00	0.00	0.00	0.00	18.40	288.40	24.21	100.67

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
08/04/2023 13:50:00	0.00	0.00	0.00	0.00	19.95	320.44	24.09	100.67
08/04/2023 13:55:00	0.00	0.00	0.00	0.00	18.17	288.40	24.21	100.67
08/04/2023 14:00:00	0.00	0.00	0.00	0.00	18.61	288.40	23.89	100.64
08/04/2023 14:05:00	0.00	0.00	0.00	0.00	18.81	288.40	23.91	100.65
08/04/2023 14:10:00	0.00	0.00	0.00	0.00	17.89	288.40	24.23	100.64
08/04/2023 14:15:00	0.00	0.00	0.00	0.00	18.89	320.44	23.63	100.64
08/04/2023 14:20:00	0.00	0.00	0.00	0.00	19.47	320.44	23.61	100.64
08/04/2023 14:25:00	0.00	0.00	0.00	0.00	18.10	288.40	24.09	100.64
08/04/2023 14:30:00	0.00	0.00	0.00	0.00	19.88	320.44	23.45	100.65
08/04/2023 14:35:00	0.00	0.00	0.00	19.11	18.77	288.40	23.91	100.63
08/04/2023 14:40:00	0.00	0.00	0.00	19.45	18.29	288.40	23.91	100.62
08/04/2023 14:45:00	0.00	0.00	0.00	0.00	18.77	288.40	23.77	100.61
08/04/2023 14:50:00	0.00	0.00	0.00	0.00	19.10	288.40	23.61	100.62
08/04/2023 14:55:00	0.00	0.00	0.00	0.00	17.66	0.00	23.29	100.61
08/04/2023 15:00:00	0.00	0.00	0.00	0.00	18.89	256.35	23.58	100.60
08/04/2023 15:05:00	0.00	0.00	0.00	0.00	18.81	256.35	23.61	100.60
08/04/2023 15:10:00	0.00	0.00	0.00	0.00	18.29	288.40	23.58	100.61
08/04/2023 15:15:00	0.00	0.00	0.00	0.00	18.54	256.35	23.58	100.61
08/04/2023 15:20:00	0.00	0.00	0.00	0.00	18.87	256.35	23.42	100.59
08/04/2023 15:25:00	0.00	0.00	0.00	0.00	18.72	288.40	23.15	100.60
08/04/2023 15:30:00	0.00	0.00	0.00	0.00	19.01	320.44	24.07	100.59
08/04/2023 15:35:00	0.00	0.00	0.00	0.00	17.85	288.40	23.29	100.58
08/04/2023 15:40:00	0.00	0.00	0.00	0.00	18.68	288.40	23.61	100.58
08/04/2023 15:45:00	0.00	0.00	0.00	0.00	19.91	256.35	24.03	100.57
08/04/2023 15:50:00	1.10	0.00	5.22	21.51	18.87	288.40	23.29	100.58
08/04/2023 15:55:00	0.96	0.00	3.02	21.51	18.33	288.40	23.91	100.59
08/04/2023 16:00:00	0.96	0.00	4.67	21.51	17.85	256.35	23.77	100.56
08/04/2023 16:05:00	0.82	0.00	4.39	21.52	18.96	256.35	23.58	100.54
08/04/2023 16:10:00	0.82	0.00	4.94	21.53	18.96	288.40	24.05	100.55
08/04/2023 16:15:00	0.69	0.00	4.39	21.55	20.49	288.40	23.15	100.56
08/04/2023 16:20:00	0.55	0.00	4.39	21.55	18.70	288.40	23.89	100.56
08/04/2023 16:25:00	0.82	0.00	4.67	21.57	18.94	320.44	23.77	100.54
08/04/2023 16:30:00	0.69	0.00	4.67	21.58	19.03	288.40	23.45	100.54
08/04/2023 16:35:00	0.55	0.00	4.39	21.58	17.85	288.40	23.31	100.55
08/04/2023 16:40:00	0.55	0.00	3.85	21.58	18.68	0.00	23.31	100.53

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NOx (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
08/04/2023 16:45:00	0.69	0.00	4.39	21.59	18.49	288.40	23.15	100.55
08/04/2023 16:50:00	0.69	0.00	4.12	21.59	18.27	288.40	23.15	100.56
08/04/2023 16:55:00	0.55	0.00	4.12	21.59	18.75	320.44	23.45	100.55
08/04/2023 17:00:00	1.51	0.00	2.47	21.59	19.07	320.44	23.77	100.53
08/04/2023 17:05:00	0.55	0.00	4.12	21.58	18.65	288.40	23.54	100.53
08/04/2023 17:10:00	0.41	0.00	4.12	21.58	18.87	288.40	22.96	100.54
08/04/2023 17:15:00	0.55	0.00	4.39	21.58	19.86	320.44	23.77	100.56
08/04/2023 17:20:00	0.69	0.00	2.20	21.57	18.70	288.40	23.29	100.54
08/04/2023 17:25:00	1.51	0.00	4.12	21.55	17.40	288.40	23.29	100.55
08/04/2023 17:30:00	0.41	0.00	4.12	21.55	19.26	288.40	22.98	100.55
08/04/2023 17:35:00	0.55	0.00	3.85	21.55	18.23	288.40	23.61	100.55
08/04/2023 17:40:00	0.41	0.00	3.85	21.55	18.21	288.40	23.61	100.57
08/04/2023 17:45:00	0.41	0.00	2.47	21.55	19.42	288.40	23.17	100.57
08/04/2023 17:50:00	0.41	0.00	3.85	21.55	18.23	320.44	23.61	100.58
08/04/2023 17:55:00	0.41	0.00	4.12	21.54	17.63	288.40	23.15	100.56
08/04/2023 18:00:00	0.27	0.00	3.85	21.54	18.52	288.40	23.29	100.60
08/04/2023 18:05:00	0.41	0.00	4.12	21.53	17.71	256.35	23.75	100.59
08/04/2023 18:10:00	0.55	0.00	4.12	21.53	18.31	288.40	23.00	100.61
08/04/2023 18:15:00	0.55	0.00	2.20	21.52	19.35	256.35	23.75	100.61
08/04/2023 18:20:00	0.41	0.00	2.20	21.52	18.52	288.40	23.13	100.61
08/04/2023 18:25:00	0.27	0.00	1.92	21.51	19.68	0.00	23.45	100.62
08/04/2023 18:30:00	0.41	0.00	2.20	21.52	18.81	288.40	23.61	100.64
08/04/2023 18:35:00	0.55	0.00	4.12	21.52	19.05	288.40	23.73	100.64
08/04/2023 18:40:00	0.41	0.00	1.92	21.51	17.17	256.35	22.84	100.63
08/04/2023 18:45:00	0.41	0.00	1.92	21.51	18.96	320.44	23.75	100.64
08/04/2023 18:50:00	0.27	0.00	3.85	21.51	19.23	256.35	22.84	100.65
08/04/2023 18:55:00	0.41	0.00	4.12	21.51	18.68	320.44	23.45	100.65
08/04/2023 19:00:00	0.41	0.00	4.12	21.51	17.75	288.40	23.15	100.64
08/04/2023 19:05:00	0.55	0.00	3.85	21.50	20.28	288.40	23.17	100.65
08/04/2023 19:10:00	0.55	0.00	3.85	21.50	19.05	288.40	22.84	100.64
08/04/2023 19:15:00	0.41	0.00	2.20	21.49	18.23	320.44	23.63	100.67
08/04/2023 19:20:00	0.55	0.00	2.75	21.50	17.49	352.48	23.47	100.69
08/04/2023 19:25:00	0.41	0.00	2.20	21.50	17.71	288.40	23.61	100.67
08/04/2023 19:30:00	0.27	0.00	3.85	21.49	18.49	288.40	23.15	100.67
08/04/2023 19:35:00	0.41	0.00	3.85	21.49	19.70	288.40	23.47	100.69

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
08/04/2023 19:40:00	0.41	0.00	2.20	21.49	19.75	320.44	23.31	100.69
08/04/2023 19:45:00	0.55	0.00	3.85	21.49	18.89	288.40	23.15	100.71
08/04/2023 19:50:00	0.41	0.00	4.12	21.49	19.21	288.40	22.82	100.72
08/04/2023 19:55:00	0.27	0.00	1.92	21.49	18.17	256.35	22.98	100.71
08/04/2023 20:00:00	0.41	0.00	3.85	21.49	18.40	288.40	22.82	100.72
08/04/2023 20:05:00	0.55	0.00	2.47	21.49	18.89	320.44	23.00	100.71
08/04/2023 20:10:00	0.41	0.00	0.55	21.48	17.98	0.00	23.45	100.73
08/04/2023 20:15:00	0.41	0.00	4.12	21.48	18.10	320.44	23.47	100.73
08/04/2023 20:20:00	0.27	0.00	1.92	21.49	17.87	256.35	23.29	100.72
08/04/2023 20:25:00	0.41	0.00	2.47	21.49	19.84	288.40	23.61	100.74
08/04/2023 20:30:00	0.41	0.00	4.12	21.49	18.84	288.40	22.98	100.73
08/04/2023 20:35:00	0.41	0.00	2.20	21.48	17.71	288.40	23.15	100.76
08/04/2023 20:40:00	0.55	0.00	1.92	21.49	19.14	288.40	23.45	100.76
08/04/2023 20:45:00	0.41	0.00	2.20	21.49	18.59	256.35	23.61	100.76
08/04/2023 20:50:00	0.41	0.00	2.20	21.49	18.68	288.40	23.31	100.77
08/04/2023 20:55:00	0.41	0.00	0.27	21.49	18.84	288.40	23.61	100.79
08/04/2023 21:00:00	0.41	0.00	2.47	21.49	18.31	320.44	23.17	100.79
08/04/2023 21:05:00	0.41	0.00	2.20	21.49	20.55	320.44	23.15	100.79
08/04/2023 21:10:00	0.41	0.00	2.47	21.48	18.65	288.40	22.84	100.79
08/04/2023 21:15:00	0.41	0.00	3.85	21.48	20.04	288.40	23.31	100.79
08/04/2023 21:20:00	0.55	0.00	2.20	21.49	18.45	320.44	23.17	100.79
08/04/2023 21:25:00	0.55	0.00	2.20	21.48	17.89	352.48	22.71	100.81
08/04/2023 21:30:00	0.41	0.00	2.20	21.48	18.49	320.44	23.15	100.80
08/04/2023 21:35:00	0.55	0.00	2.47	21.49	17.91	320.44	22.84	100.79
08/04/2023 21:40:00	0.41	0.00	2.20	21.48	18.19	320.44	22.87	100.78
08/04/2023 21:45:00	0.41	0.00	2.20	21.49	17.94	352.48	22.87	100.79
08/04/2023 21:50:00	0.41	0.00	2.20	21.49	19.21	352.48	23.47	100.79
08/04/2023 21:55:00	0.27	0.00	2.20	21.49	19.10	0.00	23.33	100.78
08/04/2023 22:00:00	0.41	0.00	2.20	21.49	17.73	320.44	22.73	100.77
08/04/2023 22:05:00	0.55	0.00	3.85	21.49	20.16	320.44	23.17	100.78
08/04/2023 22:10:00	0.41	0.00	2.20	21.49	18.45	320.44	22.68	100.79
08/04/2023 22:15:00	0.41	0.00	2.47	21.48	19.81	288.40	22.87	100.79
08/04/2023 22:20:00	0.41	0.00	2.20	21.48	17.80	288.40	22.68	100.78
08/04/2023 22:25:00	0.55	0.00	3.85	21.48	19.03	288.40	23.31	100.78
08/04/2023 22:30:00	0.41	0.00	0.55	21.48	20.49	288.40	22.68	100.78

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
08/04/2023 22:35:00	0.41	0.00	2.20	21.48	18.84	320.44	23.31	100.78
08/04/2023 22:40:00	0.55	0.00	3.85	21.48	19.75	288.40	22.57	100.76
08/04/2023 22:45:00	0.41	0.00	1.92	21.48	19.44	288.40	23.15	100.76
08/04/2023 22:50:00	0.27	0.00	2.20	21.48	17.91	320.44	22.55	100.75
08/04/2023 22:55:00	0.41	0.00	2.20	21.48	18.49	320.44	22.38	100.75
08/04/2023 23:00:00	0.27	0.00	1.92	21.48	18.89	288.40	22.55	100.75
08/04/2023 23:05:00	0.41	0.00	1.92	21.48	18.75	288.40	23.15	100.76
08/04/2023 23:10:00	0.41	0.00	2.20	21.49	18.40	288.40	23.15	100.76
08/04/2023 23:15:00	1.24	0.00	3.57	21.48	18.65	256.35	23.29	100.75
08/04/2023 23:20:00	0.41	0.00	4.12	21.48	18.47	320.44	23.00	100.76
08/04/2023 23:25:00	0.41	0.00	4.12	21.49	17.20	320.44	22.84	100.76
08/04/2023 23:30:00	0.41	0.00	2.47	21.49	19.49	288.40	22.84	100.73
08/04/2023 23:35:00	0.41	0.00	2.20	21.48	19.75	352.48	22.55	100.73
08/04/2023 23:40:00	0.41	0.00	2.47	21.48	18.27	0.00	23.00	100.72
08/04/2023 23:45:00	0.41	0.00	4.12	21.48	18.47	320.44	23.19	100.70
08/04/2023 23:50:00	0.41	0.00	2.47	21.48	19.05	320.44	22.73	100.68
08/04/2023 23:55:00	0.41	0.00	2.47	21.48	19.91	288.40	22.68	100.69