



BÁO CÁO KẾT QUẢ QUAN TRẮC TRUNG BÌNH 5 PHÚT

Tên cơ sở: Xi măng Quang Sơn

Tên trạm: Ống khói chính

Thời gian báo cáo: Từ: 09/04/2023

Tới: 09/04/2023

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NOx (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
09/04/2023 00:00:00	0.55	0.00	2.20	21.48	19.44	320.44	22.38	100.69
09/04/2023 00:05:00	0.41	0.00	2.20	21.48	18.91	320.44	22.57	100.67
09/04/2023 00:10:00	0.55	0.00	2.20	21.48	20.33	320.44	22.41	100.66
09/04/2023 00:15:00	0.41	0.00	2.20	21.48	18.70	320.44	22.41	100.67
09/04/2023 00:20:00	0.41	0.00	2.47	21.49	18.61	320.44	23.17	100.66
09/04/2023 00:25:00	0.41	0.00	2.20	21.49	20.35	320.44	23.00	100.64
09/04/2023 00:30:00	0.41	0.00	2.47	21.49	18.49	288.40	23.00	100.65
09/04/2023 00:35:00	0.27	0.00	2.20	21.48	19.26	320.44	23.00	100.64
09/04/2023 00:40:00	0.41	0.00	0.55	21.48	17.61	288.40	22.73	100.64
09/04/2023 00:45:00	0.41	0.00	0.27	21.48	18.05	288.40	22.38	100.64
09/04/2023 00:50:00	0.55	0.00	0.55	21.49	19.28	320.44	22.71	100.64
09/04/2023 00:55:00	0.41	0.00	4.12	21.48	22.18	320.44	22.24	100.62
09/04/2023 01:00:00	0.27	0.00	1.92	21.48	23.38	320.44	22.24	100.63
09/04/2023 01:05:00	0.27	0.00	1.92	21.48	21.74	288.40	22.71	100.60
09/04/2023 01:10:00	0.41	0.00	2.20	21.48	22.85	320.44	22.87	100.63
09/04/2023 01:15:00	0.27	0.00	0.27	21.48	20.30	288.40	22.55	100.62
09/04/2023 01:20:00	0.41	0.00	0.27	21.48	20.81	320.44	22.38	100.61
09/04/2023 01:25:00	0.41	0.00	2.20	21.48	19.93	0.00	22.41	100.63
09/04/2023 01:30:00	0.55	0.00	3.85	21.48	20.35	320.44	23.03	100.60
09/04/2023 01:35:00	0.41	0.00	0.55	21.47	22.62	288.40	23.00	100.61
09/04/2023 01:40:00	0.41	0.00	2.47	21.47	20.95	352.48	22.57	100.59
09/04/2023 01:45:00	0.55	0.00	2.20	21.47	21.39	288.40	22.41	100.59

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
09/04/2023 01:50:00	0.41	0.00	2.20	21.48	22.13	352.48	22.41	100.58
09/04/2023 01:55:00	0.41	0.00	4.12	21.47	21.04	320.44	22.24	100.59
09/04/2023 02:00:00	0.41	0.00	2.47	21.48	22.06	320.44	22.41	100.56
09/04/2023 02:05:00	0.41	0.00	0.27	21.48	23.34	320.44	22.57	100.58
09/04/2023 02:10:00	0.41	0.00	2.20	21.48	21.90	352.48	22.43	100.57
09/04/2023 02:15:00	0.55	0.00	2.47	21.48	21.25	352.48	22.59	100.57
09/04/2023 02:20:00	0.55	0.00	2.20	21.48	21.25	352.48	22.73	100.56
09/04/2023 02:25:00	0.55	0.00	2.47	21.48	21.55	320.44	22.89	100.55
09/04/2023 02:30:00	0.41	0.00	0.27	21.48	22.74	320.44	22.24	100.55
09/04/2023 02:35:00	0.41	0.00	2.20	21.49	21.81	320.44	22.89	100.53
09/04/2023 02:40:00	0.41	0.00	2.20	21.48	21.44	352.48	22.71	100.56
09/04/2023 02:45:00	0.55	0.00	1.92	21.48	22.02	320.44	22.24	100.56
09/04/2023 02:50:00	0.27	0.00	1.92	21.48	18.96	320.44	22.22	100.55
09/04/2023 02:55:00	1.37	0.00	3.85	21.48	21.51	288.40	22.57	100.54
09/04/2023 03:00:00	0.41	0.00	0.27	21.48	21.39	352.48	22.26	100.56
09/04/2023 03:05:00	0.41	0.00	0.55	21.48	22.99	320.44	22.26	100.53
09/04/2023 03:10:00	0.41	0.00	2.20	21.48	23.08	0.00	21.99	100.53
09/04/2023 03:15:00	0.55	0.00	0.55	21.48	21.62	320.44	22.26	100.55
09/04/2023 03:20:00	0.41	0.00	0.27	21.48	23.08	352.48	22.73	100.55
09/04/2023 03:25:00	0.41	0.00	2.47	21.48	21.44	352.48	22.10	100.56
09/04/2023 03:30:00	0.41	0.00	0.27	21.48	21.95	352.48	22.43	100.54
09/04/2023 03:35:00	0.41	0.00	1.92	21.48	23.01	352.48	22.10	100.53
09/04/2023 03:40:00	0.41	0.00	0.27	21.49	22.76	320.44	22.10	100.53
09/04/2023 03:45:00	0.41	0.00	2.20	21.48	24.22	320.44	21.81	100.53
09/04/2023 03:50:00	0.41	0.00	2.20	21.48	21.69	320.44	22.10	100.54
09/04/2023 03:55:00	0.41	0.00	0.55	21.48	23.45	352.48	22.10	100.56
09/04/2023 04:00:00	0.41	0.00	2.20	21.48	22.58	320.44	22.41	100.55
09/04/2023 04:05:00	0.55	0.00	2.20	21.48	22.67	352.48	22.26	100.55
09/04/2023 04:10:00	0.27	0.00	2.20	21.48	23.43	320.44	21.81	100.55
09/04/2023 04:15:00	0.41	0.00	0.27	21.48	24.10	320.44	22.24	100.56
09/04/2023 04:20:00	0.55	0.00	2.20	21.48	23.18	320.44	21.99	100.55
09/04/2023 04:25:00	0.55	0.00	2.20	21.48	23.32	352.48	21.66	100.53
09/04/2023 04:30:00	0.41	0.00	2.20	21.48	24.22	352.48	21.97	100.54
09/04/2023 04:35:00	0.41	0.00	2.47	21.48	23.03	352.48	22.10	100.54
09/04/2023 04:40:00	0.41	0.00	0.27	21.48	25.01	320.44	21.66	100.54
09/04/2023 04:45:00	0.41	0.00	1.92	21.48	23.57	352.48	22.26	100.53

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
09/04/2023 04:50:00	0.41	0.00	2.20	21.47	23.90	320.44	21.64	100.53
09/04/2023 04:55:00	0.41	0.00	2.47	21.47	23.90	0.00	21.64	100.53
09/04/2023 05:00:00	0.27	0.00	0.27	21.47	24.91	320.44	22.10	100.53
09/04/2023 05:05:00	0.27	0.00	1.92	21.47	23.94	320.44	21.97	100.53
09/04/2023 05:10:00	0.41	0.00	1.92	21.47	22.96	320.44	21.48	100.53
09/04/2023 05:15:00	0.41	0.00	1.92	21.47	25.42	320.44	22.24	100.53
09/04/2023 05:20:00	0.27	0.00	0.00	21.47	23.18	320.44	22.08	100.52
09/04/2023 05:25:00	0.27	0.00	2.20	21.48	22.99	320.44	21.34	100.53
09/04/2023 05:30:00	0.41	0.00	4.12	21.47	23.78	384.53	21.83	100.55
09/04/2023 05:35:00	0.41	0.00	1.92	21.47	22.74	352.48	21.83	100.53
09/04/2023 05:40:00	0.41	0.00	0.55	21.47	24.73	352.48	22.26	100.55
09/04/2023 05:45:00	0.41	0.00	4.12	21.47	23.29	320.44	21.97	100.56
09/04/2023 05:50:00	0.41	0.00	0.27	21.47	22.11	320.44	21.36	100.56
09/04/2023 05:55:00	0.27	0.00	2.20	21.47	23.13	320.44	21.36	100.56
09/04/2023 06:00:00	0.27	0.00	2.20	21.47	20.81	352.48	21.94	100.59
09/04/2023 06:05:00	0.27	0.00	2.20	21.46	22.90	320.44	21.50	100.58
09/04/2023 06:10:00	0.27	0.00	1.92	21.47	22.99	320.44	21.18	100.58
09/04/2023 06:15:00	0.55	0.00	0.55	21.47	23.83	320.44	21.66	100.58
09/04/2023 06:20:00	0.55	0.00	2.20	21.47	23.27	320.44	21.66	100.59
09/04/2023 06:25:00	0.27	0.00	2.20	21.47	22.51	352.48	22.13	100.59
09/04/2023 06:30:00	0.55	0.00	1.92	21.47	21.37	320.44	21.81	100.60
09/04/2023 06:35:00	0.41	0.00	1.92	21.47	20.93	320.44	21.64	100.60
09/04/2023 06:40:00	0.41	0.00	0.27	21.47	22.34	0.00	21.78	100.60
09/04/2023 06:45:00	0.27	0.00	2.20	21.48	23.13	320.44	21.94	100.61
09/04/2023 06:50:00	0.41	0.00	0.27	21.47	21.67	352.48	21.50	100.61
09/04/2023 06:55:00	0.27	0.00	2.20	21.48	21.37	320.44	21.81	100.59
09/04/2023 07:00:00	0.55	0.00	2.20	21.47	20.55	352.48	21.99	100.61
09/04/2023 07:05:00	0.55	0.00	2.47	21.48	19.81	320.44	21.69	100.61
09/04/2023 07:10:00	0.41	0.00	1.92	21.47	20.16	288.40	21.48	100.63
09/04/2023 07:15:00	0.41	0.00	0.55	21.48	20.51	352.48	21.32	100.64
09/04/2023 07:20:00	0.41	0.00	1.92	21.48	20.12	320.44	21.34	100.65
09/04/2023 07:25:00	0.41	0.00	2.20	21.48	19.68	352.48	21.34	100.67
09/04/2023 07:30:00	0.55	0.00	0.55	21.47	20.04	320.44	21.18	100.66
09/04/2023 07:35:00	0.41	0.00	2.20	21.48	19.54	352.48	21.36	100.65
09/04/2023 07:40:00	0.55	0.00	2.20	21.47	22.43	320.44	22.10	100.67
09/04/2023 07:45:00	0.27	0.00	1.92	21.48	22.87	320.44	21.18	100.67

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
09/04/2023 07:50:00	0.41	0.00	2.20	21.48	21.69	352.48	21.34	100.67
09/04/2023 07:55:00	0.27	0.00	2.20	21.48	23.16	320.44	21.32	100.69
09/04/2023 08:00:00	0.41	0.00	2.47	21.48	22.22	320.44	21.50	100.69
09/04/2023 08:05:00	0.41	0.00	2.20	21.48	21.85	320.44	21.97	100.70
09/04/2023 08:10:00	0.55	0.00	2.47	21.47	21.09	320.44	21.97	100.70
09/04/2023 08:15:00	0.41	0.00	0.27	21.48	21.74	352.48	21.66	100.73
09/04/2023 08:20:00	0.41	0.00	2.20	21.49	21.69	320.44	21.50	100.73
09/04/2023 08:25:00	0.41	0.00	1.92	21.48	22.18	0.00	21.66	100.71
09/04/2023 08:30:00	0.55	0.00	0.55	21.48	20.49	352.48	21.50	100.72
09/04/2023 08:35:00	0.55	0.00	0.55	21.48	21.85	352.48	21.34	100.69
09/04/2023 08:40:00	0.55	0.00	2.47	21.48	20.46	352.48	21.64	100.73
09/04/2023 08:45:00	0.41	0.00	2.47	21.48	19.91	320.44	21.50	100.72
09/04/2023 08:50:00	0.41	0.00	2.20	21.48	20.19	352.48	22.10	100.73
09/04/2023 08:55:00	0.55	0.00	2.20	21.48	22.13	352.48	21.52	100.73
09/04/2023 09:00:00	0.55	0.00	0.82	21.48	21.11	352.48	21.36	100.73
09/04/2023 09:05:00	0.41	0.00	2.20	21.48	19.72	352.48	22.10	100.72
09/04/2023 09:10:00	0.41	0.00	2.20	21.48	21.81	352.48	21.81	100.73
09/04/2023 09:15:00	0.41	0.00	0.27	21.48	19.93	352.48	21.97	100.75
09/04/2023 09:20:00	0.41	0.00	2.20	21.49	21.32	320.44	21.97	100.73
09/04/2023 09:25:00	0.55	0.00	0.55	21.48	21.69	320.44	21.64	100.73
09/04/2023 09:30:00	0.27	0.00	1.92	21.48	20.72	320.44	21.64	100.73
09/04/2023 09:35:00	0.41	0.00	0.55	21.48	22.20	352.48	21.83	100.72
09/04/2023 09:40:00	0.27	0.00	2.20	21.48	22.55	352.48	21.81	100.73
09/04/2023 09:45:00	0.41	0.00	2.20	21.48	21.27	320.44	21.64	100.73
09/04/2023 09:50:00	0.41	0.00	2.20	21.48	22.34	320.44	21.34	100.71
09/04/2023 09:55:00	0.41	0.00	2.20	21.48	22.00	320.44	21.20	100.72
09/04/2023 10:00:00	0.41	0.00	0.27	21.48	20.49	320.44	21.18	100.70
09/04/2023 10:05:00	0.41	0.00	0.27	21.48	20.23	320.44	21.94	100.72
09/04/2023 10:10:00	0.27	0.00	0.27	21.48	20.46	0.00	21.34	100.73
09/04/2023 10:15:00	0.27	0.00	2.20	21.48	20.16	320.44	22.13	100.70
09/04/2023 10:20:00	0.41	0.00	0.55	21.47	21.37	320.44	21.50	100.71
09/04/2023 10:25:00	0.55	0.00	2.20	21.47	20.19	352.48	21.94	100.70
09/04/2023 10:30:00	1.37	0.00	2.20	21.47	21.27	352.48	21.97	100.71
09/04/2023 10:35:00	0.41	0.00	0.55	21.47	19.77	320.44	22.08	100.69
09/04/2023 10:40:00	0.55	0.00	0.82	21.46	20.55	320.44	21.81	100.66
09/04/2023 10:45:00	0.55	0.00	2.20	21.46	22.09	352.48	21.34	100.67

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
09/04/2023 10:50:00	0.55	0.00	0.82	21.46	22.32	352.48	21.97	100.67
09/04/2023 10:55:00	0.55	0.00	2.47	21.46	23.18	320.44	21.97	100.68
09/04/2023 11:00:00	0.55	0.00	2.47	21.47	19.54	320.44	21.81	100.66
09/04/2023 11:05:00	0.41	0.00	0.27	21.47	19.12	352.48	21.18	100.65
09/04/2023 11:10:00	0.55	0.00	2.20	21.47	20.49	320.44	21.97	100.65
09/04/2023 11:15:00	0.41	0.00	0.55	21.47	20.44	320.44	21.36	100.65
09/04/2023 11:20:00	0.27	0.00	0.27	21.47	21.18	288.40	21.78	100.63
09/04/2023 11:25:00	0.41	0.00	0.27	21.47	21.16	320.44	21.34	100.62
09/04/2023 11:30:00	0.41	0.00	0.55	21.48	23.16	320.44	21.78	100.61
09/04/2023 11:35:00	0.27	0.00	0.27	21.47	22.76	320.44	21.78	100.63
09/04/2023 11:40:00	0.55	0.00	0.82	21.48	20.60	320.44	21.83	100.61
09/04/2023 11:45:00	0.41	0.00	2.20	21.48	19.88	320.44	21.34	100.59
09/04/2023 11:50:00	0.41	0.00	2.20	21.48	21.74	320.44	21.94	100.56
09/04/2023 11:55:00	0.55	0.00	0.55	21.47	19.39	0.00	21.94	100.57
09/04/2023 12:00:00	0.27	0.00	1.92	21.46	20.95	320.44	21.92	100.54
09/04/2023 12:05:00	0.55	0.00	2.47	21.46	21.39	320.44	21.34	100.54
09/04/2023 12:10:00	0.41	0.00	1.92	21.47	19.72	288.40	22.08	100.54
09/04/2023 12:15:00	0.55	0.00	2.75	21.47	19.95	352.48	21.36	100.52
09/04/2023 12:20:00	0.41	0.00	0.27	21.47	20.12	352.48	21.64	100.53
09/04/2023 12:25:00	0.41	0.00	0.27	21.47	20.30	288.40	21.78	100.48
09/04/2023 12:30:00	0.41	0.00	0.55	21.47	20.39	320.44	22.08	100.49
09/04/2023 12:35:00	0.27	0.00	2.20	21.48	21.44	288.40	21.48	100.47
09/04/2023 12:40:00	0.41	0.00	0.55	21.47	19.37	320.44	21.61	100.44
09/04/2023 12:45:00	0.41	0.00	0.55	21.48	21.07	320.44	21.97	100.43
09/04/2023 12:50:00	0.41	0.00	1.92	21.48	19.84	288.40	22.08	100.41
09/04/2023 12:55:00	0.55	0.00	0.55	21.48	19.63	320.44	21.48	100.42
09/04/2023 13:00:00	0.41	0.00	0.55	21.48	19.33	320.44	22.15	100.42
09/04/2023 13:05:00	0.55	0.00	4.12	21.48	18.77	320.44	22.10	100.40
09/04/2023 13:10:00	0.55	0.00	0.55	21.48	19.61	320.44	21.97	100.38
09/04/2023 13:15:00	0.41	0.00	0.55	21.47	19.93	352.48	21.97	100.38
09/04/2023 13:20:00	0.55	0.00	2.20	21.48	19.86	320.44	22.24	100.37
09/04/2023 13:25:00	0.41	0.00	2.20	21.46	19.39	320.44	21.61	100.36
09/04/2023 13:30:00	0.41	0.00	2.20	21.47	20.16	320.44	21.61	100.34
09/04/2023 13:35:00	0.41	0.00	2.20	21.48	18.87	352.48	22.08	100.34
09/04/2023 13:40:00	0.41	0.00	0.55	21.47	18.87	0.00	22.10	100.33
09/04/2023 13:45:00	0.41	0.00	2.20	21.48	19.44	320.44	21.48	100.32

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
09/04/2023 13:50:00	0.55	0.00	0.82	21.48	19.03	320.44	21.81	100.30
09/04/2023 13:55:00	0.55	0.00	0.55	21.48	18.81	320.44	21.94	100.30
09/04/2023 14:00:00	0.41	0.00	0.55	21.47	19.12	320.44	21.81	100.28
09/04/2023 14:05:00	0.41	0.00	0.27	21.47	19.56	320.44	22.38	100.27
09/04/2023 14:10:00	0.41	0.00	0.55	21.47	19.97	288.40	21.48	100.27
09/04/2023 14:15:00	0.27	0.00	0.00	21.47	18.52	256.35	21.61	100.26
09/04/2023 14:20:00	0.27	0.00	0.27	21.47	20.39	256.35	21.45	100.24
09/04/2023 14:25:00	0.41	0.00	2.47	21.47	19.47	288.40	21.92	100.24
09/04/2023 14:30:00	0.55	0.00	0.55	21.47	18.89	320.44	22.41	100.23
09/04/2023 14:35:00	0.55	0.00	0.55	21.47	17.63	288.40	22.08	100.21
09/04/2023 14:40:00	0.41	0.00	2.20	21.47	19.10	288.40	22.08	100.18
09/04/2023 14:45:00	0.41	0.00	0.55	21.47	19.30	288.40	21.78	100.20
09/04/2023 14:50:00	0.41	0.00	2.47	21.47	19.72	288.40	21.76	100.21
09/04/2023 14:55:00	0.55	0.00	2.20	21.46	18.01	288.40	22.10	100.18
09/04/2023 15:00:00	0.41	0.00	0.27	21.47	19.28	320.44	22.08	100.17
09/04/2023 15:05:00	0.55	0.00	2.47	21.47	18.77	288.40	21.94	100.16
09/04/2023 15:10:00	0.41	0.00	0.55	21.47	19.54	320.44	22.08	100.15
09/04/2023 15:15:00	0.55	0.00	0.55	21.48	20.72	288.40	22.24	100.16
09/04/2023 15:20:00	0.41	0.00	2.20	21.46	19.21	288.40	21.76	100.16
09/04/2023 15:25:00	0.55	0.00	2.20	21.48	20.33	0.00	21.92	100.14
09/04/2023 15:30:00	0.41	0.00	0.27	21.48	20.58	288.40	22.38	100.14
09/04/2023 15:35:00	0.55	0.00	0.55	21.47	20.77	288.40	22.22	100.13
09/04/2023 15:40:00	0.27	0.00	0.27	21.48	20.60	288.40	22.08	100.11
09/04/2023 15:45:00	0.41	0.00	0.00	21.47	19.88	256.35	22.19	100.09
09/04/2023 15:50:00	0.55	0.00	0.27	21.47	20.95	320.44	22.24	100.09
09/04/2023 15:55:00	0.41	0.00	0.55	21.46	19.39	320.44	21.92	100.08
09/04/2023 16:00:00	0.27	0.00	0.27	21.47	19.30	288.40	21.92	100.08
09/04/2023 16:05:00	0.55	0.00	0.55	21.46	19.72	288.40	22.08	100.09
09/04/2023 16:10:00	0.41	0.00	0.00	21.47	18.47	288.40	21.94	100.07
09/04/2023 16:15:00	0.41	0.00	0.27	21.47	20.37	320.44	22.08	100.07
09/04/2023 16:20:00	0.27	0.00	0.55	21.47	19.49	256.35	22.06	100.07
09/04/2023 16:25:00	0.41	0.00	0.27	21.47	19.07	288.40	22.08	100.07
09/04/2023 16:30:00	0.41	0.00	2.20	21.48	19.35	288.40	21.92	100.04
09/04/2023 16:35:00	0.41	0.00	0.55	21.47	19.63	320.44	21.61	100.04
09/04/2023 16:40:00	0.41	0.00	0.27	21.47	19.63	320.44	22.08	100.04
09/04/2023 16:45:00	0.41	0.00	0.27	21.47	20.70	288.40	21.78	100.06

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
09/04/2023 16:50:00	0.55	0.00	0.55	21.47	19.05	288.40	21.78	100.04
09/04/2023 16:55:00	1.37	0.00	2.20	21.47	21.60	320.44	21.94	100.03
09/04/2023 17:00:00	0.41	0.00	0.55	21.47	21.69	320.44	21.64	100.03
09/04/2023 17:05:00	0.41	0.00	0.55	21.46	20.19	288.40	22.22	100.04
09/04/2023 17:10:00	0.41	0.00	0.55	21.46	21.11	0.00	21.94	100.03
09/04/2023 17:15:00	1.24	0.00	2.20	21.46	20.60	288.40	21.78	100.04
09/04/2023 17:20:00	0.55	0.00	0.55	21.46	19.21	320.44	21.45	100.04
09/04/2023 17:25:00	0.41	0.00	0.55	21.46	20.60	288.40	21.94	100.04
09/04/2023 17:30:00	0.41	0.00	0.27	21.46	20.49	288.40	21.61	100.06
09/04/2023 17:35:00	0.27	0.00	0.27	21.46	21.42	288.40	22.08	100.04
09/04/2023 17:40:00	0.41	0.00	0.27	21.46	19.23	288.40	21.78	100.05
09/04/2023 17:45:00	0.55	0.00	0.27	21.46	20.02	288.40	21.78	100.04
09/04/2023 17:50:00	0.27	0.00	0.00	21.47	19.84	256.35	21.92	100.04
09/04/2023 17:55:00	0.82	0.00	0.27	21.47	19.70	288.40	21.76	100.04
09/04/2023 18:00:00	0.27	0.00	0.00	21.46	19.72	288.40	21.43	100.05
09/04/2023 18:05:00	1.24	0.00	2.20	21.46	20.00	320.44	22.41	100.08
09/04/2023 18:10:00	0.41	0.00	2.20	21.46	21.78	320.44	21.92	100.08
09/04/2023 18:15:00	0.41	0.00	0.55	21.45	22.32	288.40	21.61	100.07
09/04/2023 18:20:00	0.41	0.00	1.92	21.46	21.02	288.40	21.76	100.07
09/04/2023 18:25:00	0.41	0.00	1.92	21.46	20.26	288.40	22.22	100.08
09/04/2023 18:30:00	1.24	0.00	0.27	21.46	21.23	288.40	21.45	100.09
09/04/2023 18:35:00	0.27	0.00	0.27	21.46	20.81	288.40	22.06	100.07
09/04/2023 18:40:00	0.27	0.00	1.92	21.46	20.39	320.44	21.48	100.09
09/04/2023 18:45:00	0.41	0.00	0.27	21.46	20.65	320.44	22.08	100.09
09/04/2023 18:50:00	1.24	0.00	2.20	21.46	21.27	288.40	21.78	100.09
09/04/2023 18:55:00	0.55	0.00	2.20	21.45	20.97	0.00	22.26	100.09
09/04/2023 19:00:00	0.41	0.00	0.27	21.45	21.90	320.44	21.78	100.09
09/04/2023 19:05:00	1.24	0.00	0.55	21.45	21.64	288.40	21.64	100.09
09/04/2023 19:10:00	0.27	0.00	0.27	21.45	20.65	288.40	21.48	100.09
09/04/2023 19:15:00	0.41	0.00	0.00	21.45	21.85	288.40	22.08	100.09
09/04/2023 19:20:00	0.41	0.00	1.92	21.45	23.64	320.44	21.61	100.09
09/04/2023 19:25:00	1.24	0.00	0.27	21.45	20.86	320.44	21.61	100.10
09/04/2023 19:30:00	0.55	0.00	0.27	21.45	21.39	288.40	22.08	100.11
09/04/2023 19:35:00	0.27	0.00	0.27	21.45	22.00	288.40	21.34	100.11
09/04/2023 19:40:00	0.41	0.00	0.55	21.45	22.13	352.48	21.64	100.13
09/04/2023 19:45:00	0.55	0.00	2.20	21.45	21.53	320.44	21.50	100.13

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
09/04/2023 19:50:00	0.41	0.00	0.55	21.45	20.86	352.48	21.34	100.13
09/04/2023 19:55:00	0.41	0.00	0.00	21.46	20.88	288.40	21.94	100.13
09/04/2023 20:00:00	0.27	0.00	2.20	21.46	21.30	320.44	21.94	100.15
09/04/2023 20:05:00	0.27	0.00	0.00	21.46	20.19	288.40	22.22	100.13
09/04/2023 20:10:00	0.27	0.00	2.20	21.45	21.07	320.44	21.78	100.13
09/04/2023 20:15:00	0.41	0.00	0.55	21.46	21.30	288.40	21.94	100.15
09/04/2023 20:20:00	0.55	0.00	0.55	21.46	20.39	352.48	22.13	100.18
09/04/2023 20:25:00	0.41	0.00	0.55	21.46	19.72	320.44	21.97	100.16
09/04/2023 20:30:00	0.27	0.00	0.27	21.46	20.35	320.44	21.94	100.17
09/04/2023 20:35:00	0.27	0.00	0.55	21.45	19.72	320.44	21.32	100.18
09/04/2023 20:40:00	0.41	0.00	0.00	21.46	20.44	0.00	21.94	100.18
09/04/2023 20:45:00	0.27	0.00	1.92	21.46	20.44	288.40	22.10	100.18
09/04/2023 20:50:00	0.27	0.00	0.00	21.46	19.86	288.40	22.08	100.18
09/04/2023 20:55:00	0.27	0.00	0.55	21.46	18.84	352.48	21.48	100.20
09/04/2023 21:00:00	0.27	0.00	0.27	21.46	20.07	288.40	21.29	100.20
09/04/2023 21:05:00	0.41	0.00	0.27	21.45	21.00	320.44	21.78	100.23
09/04/2023 21:10:00	0.41	0.00	0.27	21.45	21.07	320.44	21.66	100.21
09/04/2023 21:15:00	0.41	0.00	0.27	21.46	21.44	320.44	21.34	100.22
09/04/2023 21:20:00	0.41	0.00	0.55	21.46	20.55	320.44	21.48	100.21
09/04/2023 21:25:00	0.27	0.00	2.20	21.46	20.19	352.48	21.48	100.21
09/04/2023 21:30:00	0.41	0.00	0.27	21.46	20.65	288.40	21.94	100.19
09/04/2023 21:35:00	0.41	0.00	0.27	21.46	19.07	320.44	21.78	100.24
09/04/2023 21:40:00	0.55	0.00	0.27	21.45	21.44	320.44	21.50	100.22
09/04/2023 21:45:00	0.27	0.00	0.00	21.46	20.37	288.40	21.61	100.24
09/04/2023 21:50:00	0.41	0.00	2.20	21.46	20.81	320.44	22.08	100.23
09/04/2023 21:55:00	0.41	0.00	0.27	21.46	20.74	352.48	21.94	100.21
09/04/2023 22:00:00	0.41	0.00	0.27	21.46	21.60	288.40	22.08	100.21
09/04/2023 22:05:00	1.24	0.00	1.92	21.46	20.90	288.40	21.61	100.20
09/04/2023 22:10:00	0.41	0.00	0.27	21.45	20.65	288.40	21.66	100.24
09/04/2023 22:15:00	0.41	0.00	2.20	21.46	21.46	320.44	21.94	100.21
09/04/2023 22:20:00	0.41	0.00	0.55	21.46	20.07	320.44	21.64	100.22
09/04/2023 22:25:00	0.27	0.00	0.27	21.46	19.81	0.00	21.32	100.21
09/04/2023 22:30:00	1.24	0.00	2.20	21.46	19.86	320.44	21.81	100.21
09/04/2023 22:35:00	0.27	0.00	0.27	21.47	18.98	320.44	21.66	100.21
09/04/2023 22:40:00	0.41	0.00	1.92	21.46	23.64	288.40	21.50	100.20
09/04/2023 22:45:00	0.55	0.00	0.27	21.46	20.90	352.48	21.50	100.21

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm ³	≤ 700 mg/Nm ³	≤ 1400 mg/Nm ³	(-)	≤ 140 mg/Nm ³	(-)	(-)	(-)
	CO (mg/Nm ³)	SO ₂ (mg/Nm ³)	NO _x (mg/Nm ³)	O ₂ (%V)	PM (mg/Nm ³)	Flow (m ³ /h)	Temp (°C)	P (kPa)
09/04/2023 22:50:00	0.27	0.00	0.27	21.46	21.00	320.44	22.08	100.21
09/04/2023 22:55:00	0.41	0.00	0.27	21.46	20.55	320.44	21.48	100.21
09/04/2023 23:00:00	0.27	0.00	0.27	21.46	19.88	288.40	21.64	100.21
09/04/2023 23:05:00	0.41	0.00	0.27	21.47	19.91	288.40	21.78	100.19
09/04/2023 23:10:00	1.24	0.00	0.27	21.46	20.21	288.40	21.61	100.18
09/04/2023 23:15:00	0.14	0.00	0.00	21.46	19.91	288.40	21.94	100.18
09/04/2023 23:20:00	0.27	0.00	0.27	21.46	20.77	288.40	22.24	100.18
09/04/2023 23:25:00	0.27	0.00	0.00	21.46	20.33	288.40	21.78	100.18
09/04/2023 23:30:00	0.41	0.00	0.27	21.46	18.61	320.44	22.24	100.18
09/04/2023 23:35:00	0.27	0.00	0.27	21.46	19.81	288.40	21.50	100.15
09/04/2023 23:40:00	0.41	0.00	0.27	21.46	18.59	352.48	21.78	100.15
09/04/2023 23:45:00	0.41	0.00	0.27	21.46	18.84	320.44	21.78	100.15
09/04/2023 23:50:00	0.41	0.00	0.55	21.46	19.91	320.44	21.94	100.15
09/04/2023 23:55:00	0.41	0.00	0.27	21.46	19.63	288.40	21.48	100.13