



## BÁO CÁO KẾT QUẢ QUAN TRẮC TRUNG BÌNH 5 PHÚT

Tên cơ sở: Xi măng Quang Sơn

Tên trạm: Ống khói chính

Thời gian báo cáo: Từ: 10/04/2023

Tới: 10/04/2023

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
10/04/2023 00:00:00	0.41	0.00	0.55	21.46	20.35	320.44	21.97	100.12
10/04/2023 00:05:00	0.27	0.00	0.00	21.46	20.30	320.44	21.94	100.13
10/04/2023 00:10:00	0.41	0.00	0.27	21.46	20.60	0.00	21.34	100.12
10/04/2023 00:15:00	0.41	0.00	0.55	21.46	20.19	320.44	21.81	100.10
10/04/2023 00:20:00	0.41	0.00	0.27	21.46	19.14	352.48	22.13	100.10
10/04/2023 00:25:00	0.41	0.00	0.55	21.46	20.26	320.44	21.81	100.09
10/04/2023 00:30:00	0.41	0.00	0.27	21.46	20.14	320.44	21.81	100.09
10/04/2023 00:35:00	0.41	0.00	0.27	21.46	20.70	288.40	22.10	100.08
10/04/2023 00:40:00	0.41	0.00	0.27	21.46	20.35	352.48	22.10	100.07
10/04/2023 00:45:00	0.41	0.00	0.27	21.45	20.65	352.48	21.78	100.09
10/04/2023 00:50:00	0.27	0.00	0.27	21.45	20.33	320.44	21.78	100.07
10/04/2023 00:55:00	0.41	0.00	2.47	21.46	21.55	320.44	21.66	100.05
10/04/2023 01:00:00	0.41	0.00	0.55	21.46	20.60	320.44	21.97	100.05
10/04/2023 01:05:00	0.55	0.00	0.55	21.46	18.45	320.44	21.81	100.04
10/04/2023 01:10:00	0.41	0.00	0.27	21.45	19.03	288.40	21.61	100.04
10/04/2023 01:15:00	0.41	0.00	0.27	21.46	20.62	352.48	21.32	100.04
10/04/2023 01:20:00	0.41	0.00	0.27	21.45	20.90	320.44	22.10	100.04
10/04/2023 01:25:00	0.55	0.00	0.55	21.46	21.53	352.48	21.50	100.04
10/04/2023 01:30:00	0.27	0.00	0.27	21.45	23.03	320.44	21.66	100.02
10/04/2023 01:35:00	0.41	0.00	0.00	21.46	19.49	320.44	21.48	100.03
10/04/2023 01:40:00	0.55	0.00	0.27	21.45	19.44	320.44	22.10	100.01
10/04/2023 01:45:00	0.27	0.00	0.27	21.45	21.48	320.44	21.78	100.01
10/04/2023 01:50:00	0.27	0.00	0.27	21.45	20.84	320.44	21.64	99.98
10/04/2023 01:55:00	0.41	0.00	0.27	21.44	22.92	0.00	21.50	100.01
10/04/2023 02:00:00	0.41	0.00	0.27	21.45	22.41	320.44	21.48	99.96

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
10/04/2023 02:05:00	0.41	0.00	0.55	21.44	21.30	352.48	21.34	99.96
10/04/2023 02:10:00	0.41	0.00	0.27	21.44	22.58	352.48	21.18	99.97
10/04/2023 02:15:00	0.27	0.00	0.27	21.44	20.84	288.40	21.94	99.96
10/04/2023 02:20:00	0.27	0.00	0.27	21.44	20.90	288.40	21.16	99.96
10/04/2023 02:25:00	0.27	0.00	0.27	21.44	21.27	288.40	21.48	99.96
10/04/2023 02:30:00	0.41	0.00	0.27	21.44	21.04	352.48	21.81	99.96
10/04/2023 02:35:00	0.27	0.00	0.00	21.44	20.37	320.44	21.16	99.94
10/04/2023 02:40:00	1.24	0.00	0.27	21.44	21.71	352.48	21.78	99.96
10/04/2023 02:45:00	0.41	0.00	0.27	21.44	21.55	288.40	21.64	99.94
10/04/2023 02:50:00	0.41	0.00	0.27	21.44	22.18	320.44	21.64	99.94
10/04/2023 02:55:00	0.41	0.00	0.00	21.44	22.20	288.40	21.61	99.94
10/04/2023 03:00:00	0.27	0.00	0.00	21.44	22.29	288.40	21.92	99.93
10/04/2023 03:05:00	0.14	0.00	0.00	21.44	21.78	288.40	21.61	99.93
10/04/2023 03:10:00	0.41	0.00	0.00	21.44	20.51	288.40	21.18	99.94
10/04/2023 03:15:00	0.27	0.00	0.27	21.44	20.51	320.44	21.61	99.95
10/04/2023 03:20:00	0.27	0.00	0.27	21.44	21.93	320.44	21.64	99.92
10/04/2023 03:25:00	0.41	0.00	0.00	21.43	21.11	288.40	21.16	99.92
10/04/2023 03:30:00	1.37	0.00	0.00	21.44	19.93	288.40	21.64	99.93
10/04/2023 03:35:00	0.41	0.00	0.55	21.44	21.83	352.48	21.50	99.93
10/04/2023 03:40:00	0.27	0.00	0.55	21.44	21.90	0.00	21.32	99.93
10/04/2023 03:45:00	0.41	0.00	0.27	21.44	22.18	320.44	21.34	99.93
10/04/2023 03:50:00	0.41	0.00	0.00	21.44	21.46	320.44	21.32	99.94
10/04/2023 03:55:00	0.41	0.00	0.00	21.44	22.16	320.44	21.32	99.94
10/04/2023 04:00:00	0.41	0.00	0.27	21.44	21.62	288.40	21.16	99.94
10/04/2023 04:05:00	0.41	0.00	0.27	21.44	21.95	288.40	21.92	99.94
10/04/2023 04:10:00	0.41	0.00	0.27	21.45	20.00	320.44	21.81	99.96
10/04/2023 04:15:00	0.41	0.00	0.27	21.46	23.20	352.48	21.94	99.96
10/04/2023 04:20:00	0.55	0.00	0.55	21.46	22.43	352.48	21.23	99.96
10/04/2023 04:25:00	0.41	0.00	0.55	21.45	22.71	384.53	21.66	99.98
10/04/2023 04:30:00	0.41	0.00	0.55	21.45	23.08	352.48	21.18	99.96
10/04/2023 04:35:00	0.55	0.00	0.27	21.45	26.86	320.44	21.66	99.96
10/04/2023 04:40:00	0.27	0.00	0.55	21.45	24.24	288.40	21.48	99.96
10/04/2023 04:45:00	0.27	0.00	2.20	21.45	24.01	320.44	21.32	99.98
10/04/2023 04:50:00	0.27	0.00	0.00	21.45	22.71	288.40	21.48	99.96
10/04/2023 04:55:00	0.27	0.00	0.00	21.45	22.67	320.44	21.32	99.97
10/04/2023 05:00:00	0.41	0.00	0.27	21.45	24.77	288.40	21.34	99.96
10/04/2023 05:05:00	0.41	0.00	0.55	21.45	24.66	320.44	21.02	99.96
10/04/2023 05:10:00	0.41	0.00	0.55	21.45	21.67	320.44	21.64	99.97
10/04/2023 05:15:00	0.41	0.00	0.00	21.45	23.08	320.44	21.04	99.98

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
10/04/2023 05:20:00	0.41	0.00	0.55	21.46	23.32	352.48	21.18	99.99
10/04/2023 05:25:00	0.27	0.00	1.92	21.45	21.64	0.00	21.64	100.01
10/04/2023 05:30:00	0.27	0.00	0.00	21.45	20.21	288.40	21.32	100.01
10/04/2023 05:35:00	0.27	0.00	0.27	21.45	20.37	288.40	21.34	100.01
10/04/2023 05:40:00	0.27	0.00	0.27	21.45	23.45	288.40	21.94	100.02
10/04/2023 05:45:00	0.27	0.00	0.55	21.45	21.27	320.44	21.61	100.04
10/04/2023 05:50:00	0.41	0.00	0.27	21.45	23.18	320.44	21.48	100.03
10/04/2023 05:55:00	0.41	0.00	0.27	21.45	21.23	320.44	21.18	100.04
10/04/2023 06:00:00	0.27	0.00	0.00	21.45	22.51	288.40	21.45	100.04
10/04/2023 06:05:00	0.41	0.00	0.55	21.45	22.34	352.48	21.64	100.07
10/04/2023 06:10:00	1.24	0.00	0.27	21.45	21.46	352.48	21.64	100.07
10/04/2023 06:15:00	0.41	0.00	0.27	21.45	22.38	320.44	21.20	100.07
10/04/2023 06:20:00	0.55	0.00	0.27	21.45	19.88	352.48	21.97	100.07
10/04/2023 06:25:00	0.27	0.00	0.27	21.45	20.74	352.48	21.78	100.07
10/04/2023 06:30:00	0.41	0.00	0.27	21.45	22.04	320.44	21.32	100.08
10/04/2023 06:35:00	0.27	0.00	0.00	21.45	21.07	288.40	21.48	100.09
10/04/2023 06:40:00	0.41	0.00	0.27	21.45	30.69	320.44	21.34	100.09
10/04/2023 06:45:00	0.41	0.00	0.27	21.45	25.15	320.44	21.32	100.12
10/04/2023 06:50:00	0.41	0.00	0.27	21.45	29.76	320.44	21.34	100.13
10/04/2023 06:55:00	0.27	0.00	0.00	21.45	24.12	288.40	21.16	100.13
10/04/2023 07:00:00	0.55	0.00	0.27	21.45	23.20	320.44	21.66	100.13
10/04/2023 07:05:00	0.41	0.00	0.00	21.45	22.18	320.44	21.94	100.16
10/04/2023 07:10:00	0.55	0.00	0.27	21.45	21.23	0.00	22.10	100.16
10/04/2023 07:15:00	0.41	0.00	0.27	21.45	21.76	320.44	21.18	100.15
10/04/2023 07:20:00	0.41	0.00	0.27	21.45	20.49	352.48	21.52	100.16
10/04/2023 07:25:00	0.41	0.00	0.55	21.45	21.46	352.48	21.64	100.16
10/04/2023 07:30:00	0.41	0.00	0.55	21.45	20.42	320.44	21.34	100.18
10/04/2023 07:35:00	1.37	0.00	0.27	21.45	21.48	288.40	21.78	100.18
10/04/2023 07:40:00	0.41	0.00	0.27	21.45	20.79	352.48	21.81	100.18
10/04/2023 07:45:00	0.27	0.00	0.27	21.45	21.95	320.44	21.48	100.18
10/04/2023 07:50:00	0.27	0.00	0.00	21.45	30.13	288.40	21.61	100.19
10/04/2023 07:55:00	0.27	0.00	0.00	21.44	23.45	256.35	21.59	100.18
10/04/2023 08:00:00	1.37	0.00	0.55	21.45	20.53	320.44	21.94	100.20
10/04/2023 08:05:00	0.41	0.00	0.00	21.44	20.60	352.48	21.18	100.23
10/04/2023 08:10:00	0.41	0.00	0.55	21.44	19.77	320.44	22.10	100.24
10/04/2023 08:15:00	1.51	0.00	0.55	21.44	21.58	320.44	22.13	100.25
10/04/2023 08:20:00	0.55	0.00	0.55	21.43	20.42	320.44	21.66	100.25
10/04/2023 08:25:00	0.55	0.00	0.55	21.44	20.95	352.48	21.94	100.24
10/04/2023 08:30:00	1.37	0.00	0.55	21.44	21.53	352.48	21.97	100.26

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
10/04/2023 08:35:00	0.41	0.00	0.27	21.44	20.21	320.44	21.94	100.26
10/04/2023 08:40:00	0.41	0.00	0.55	21.43	19.86	320.44	21.97	100.26
10/04/2023 08:45:00	1.24	0.00	0.27	21.44	20.44	320.44	21.92	100.25
10/04/2023 08:50:00	0.41	0.00	0.00	21.44	18.54	352.48	21.61	100.27
10/04/2023 08:55:00	1.37	0.00	0.27	21.44	25.42	0.00	21.78	100.27
10/04/2023 09:00:00	0.41	0.00	0.27	21.45	31.66	288.40	22.10	100.26
10/04/2023 09:05:00	0.55	0.00	0.27	21.44	23.90	320.44	21.18	100.24
10/04/2023 09:10:00	0.41	0.00	0.27	21.44	23.50	288.40	21.34	100.25
10/04/2023 09:15:00	0.41	0.00	0.27	21.44	21.67	320.44	21.66	100.26
10/04/2023 09:20:00	0.55	0.00	0.55	21.45	21.18	352.48	21.81	100.25
10/04/2023 09:25:00	0.41	0.00	0.27	21.43	21.39	288.40	21.97	100.24
10/04/2023 09:30:00	0.41	0.00	0.55	21.44	19.21	320.44	21.48	100.26
10/04/2023 09:35:00	0.41	0.00	0.00	21.44	18.01	288.40	21.48	100.25
10/04/2023 09:40:00	0.41	0.00	0.00	21.43	19.42	320.44	21.94	100.24
10/04/2023 09:45:00	0.55	0.00	0.00	21.44	18.81	352.48	21.48	100.24
10/04/2023 09:50:00	0.27	0.00	0.27	21.45	19.95	320.44	21.45	100.23
10/04/2023 09:55:00	0.27	0.00	0.27	21.45	20.19	288.40	21.45	100.22
10/04/2023 10:00:00	0.41	0.00	0.27	21.45	18.59	288.40	22.10	100.21
10/04/2023 10:05:00	0.55	0.00	0.55	21.45	18.27	320.44	21.92	100.22
10/04/2023 10:10:00	0.41	0.00	0.27	21.46	18.98	288.40	21.45	100.21
10/04/2023 10:15:00	0.41	0.00	0.00	21.46	18.81	320.44	22.24	100.23
10/04/2023 10:20:00	0.41	0.00	0.27	21.47	17.17	320.44	22.24	100.23
10/04/2023 10:25:00	0.55	0.00	0.00	21.47	17.98	320.44	21.97	100.24
10/04/2023 10:30:00	0.41	0.00	0.00	21.47	18.70	288.40	21.45	100.21
10/04/2023 10:35:00	0.41	0.00	0.27	21.47	23.29	288.40	21.92	100.21
10/04/2023 10:40:00	0.55	0.00	0.27	21.47	20.49	0.00	22.24	100.20
10/04/2023 10:45:00	0.41	0.00	0.27	21.46	18.45	320.44	21.94	100.18
10/04/2023 10:50:00	0.41	0.00	0.27	21.47	19.33	320.44	22.08	100.20
10/04/2023 10:55:00	1.24	0.00	0.27	21.47	19.77	288.40	22.38	100.20
10/04/2023 11:00:00	0.55	0.00	0.00	21.48	19.23	288.40	22.38	100.19
10/04/2023 11:05:00	0.69	0.00	0.55	21.47	20.04	320.44	21.78	100.18
10/04/2023 11:10:00	0.41	0.00	0.00	21.48	18.84	320.44	21.92	100.19
10/04/2023 11:15:00	1.37	0.00	0.55	21.47	18.05	288.40	22.26	100.17
10/04/2023 11:20:00	0.55	0.00	0.82	21.47	19.23	320.44	21.78	100.17
10/04/2023 11:25:00	1.37	0.00	0.55	21.47	18.91	320.44	21.61	100.15
10/04/2023 11:30:00	0.55	0.00	0.00	21.47	21.02	288.40	22.22	100.16
10/04/2023 11:35:00	0.41	0.00	0.27	21.47	18.45	288.40	22.24	100.13
10/04/2023 11:40:00	0.41	0.00	0.27	21.48	18.91	288.40	21.90	100.13
10/04/2023 11:45:00	1.24	0.00	0.27	21.47	18.52	288.40	21.94	100.09

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
10/04/2023 11:50:00	0.41	0.00	0.00	21.47	17.29	320.44	22.55	100.10
10/04/2023 11:55:00	0.55	0.00	0.55	21.47	17.73	288.40	22.68	100.09
10/04/2023 12:00:00	0.55	0.00	0.82	21.47	19.37	320.44	22.41	100.08
10/04/2023 12:05:00	1.37	0.00	0.55	21.46	17.40	288.40	21.76	100.07
10/04/2023 12:10:00	0.41	0.00	0.27	21.47	18.87	288.40	22.22	100.05
10/04/2023 12:15:00	0.41	0.00	0.55	21.48	18.43	288.40	22.38	100.04
10/04/2023 12:20:00	0.41	0.00	0.55	21.48	18.47	288.40	22.41	100.05
10/04/2023 12:25:00	1.37	0.00	0.27	21.48	16.78	0.00	22.06	100.04
10/04/2023 12:30:00	1.37	0.00	0.27	21.48	17.22	320.44	22.06	100.03
10/04/2023 12:35:00	1.37	0.00	0.55	21.47	18.12	288.40	21.78	100.02
10/04/2023 12:40:00	0.55	0.00	0.00	21.47	17.82	256.35	22.68	100.01
10/04/2023 12:45:00	1.51	0.00	0.27	21.48	17.96	288.40	22.38	99.99
10/04/2023 12:50:00	1.24	0.00	0.27	21.48	17.29	256.35	22.19	99.97
10/04/2023 12:55:00	1.37	0.00	0.00	21.48	18.59	288.40	22.06	99.97
10/04/2023 13:00:00	0.41	0.00	0.55	21.48	18.27	288.40	22.36	99.96
10/04/2023 13:05:00	0.41	0.00	1.92	21.46	17.87	256.35	22.68	99.94
10/04/2023 13:10:00	1.24	0.00	0.27	21.46	18.38	288.40	22.55	99.91
10/04/2023 13:15:00	1.37	0.00	0.55	21.47	17.20	256.35	22.50	99.90
10/04/2023 13:20:00	1.37	0.00	0.55	21.47	16.87	288.40	22.66	99.90
10/04/2023 13:25:00	1.24	0.00	0.55	21.45	17.52	256.35	22.55	99.88
10/04/2023 13:30:00	0.41	0.00	0.00	21.46	17.24	256.35	22.19	99.89
10/04/2023 13:35:00	0.41	0.00	0.27	21.46	19.49	288.40	22.82	99.86
10/04/2023 13:40:00	1.24	0.00	0.00	21.47	19.37	256.35	22.98	99.86
10/04/2023 13:45:00	0.27	0.00	0.00	21.47	18.89	288.40	22.50	99.85
10/04/2023 13:50:00	0.55	0.00	0.27	21.47	18.03	256.35	22.96	99.83
10/04/2023 13:55:00	1.24	0.00	0.55	21.47	19.95	256.35	23.15	99.81
10/04/2023 14:00:00	0.55	0.00	0.55	21.47	18.77	288.40	22.24	99.80
10/04/2023 14:05:00	1.24	0.00	0.55	21.46	18.36	256.35	22.50	99.79
10/04/2023 14:10:00	0.27	0.00	0.00	21.46	18.81	0.00	22.96	99.77
10/04/2023 14:15:00	0.41	0.00	0.55	21.46	17.47	288.40	22.66	99.77
10/04/2023 14:20:00	1.37	0.00	0.27	21.46	17.87	320.44	22.84	99.74
10/04/2023 14:25:00	1.24	0.00	0.00	21.46	17.49	256.35	22.66	99.73
10/04/2023 14:30:00	0.41	0.00	0.00	21.45	18.10	288.40	22.66	99.74
10/04/2023 14:35:00	1.37	0.00	0.82	21.45	23.94	256.35	22.66	99.72
10/04/2023 14:40:00	1.37	0.00	0.00	21.46	21.30	256.35	22.38	99.73
10/04/2023 14:45:00	0.41	0.00	0.55	21.45	20.93	256.35	23.13	99.72
10/04/2023 14:50:00	0.27	0.00	0.00	21.46	19.28	256.35	22.80	99.71
10/04/2023 14:55:00	0.41	0.00	0.00	21.46	18.29	256.35	22.98	99.72
10/04/2023 15:00:00	0.55	0.00	0.00	21.46	17.24	256.35	22.50	99.71

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
10/04/2023 15:05:00	1.37	0.00	0.00	21.45	18.61	288.40	23.15	99.69
10/04/2023 15:10:00	0.55	0.00	0.55	21.46	17.59	256.35	23.26	99.69
10/04/2023 15:15:00	1.24	0.00	0.00	21.46	17.89	256.35	23.13	99.68
10/04/2023 15:20:00	0.41	0.00	0.27	21.45	17.56	256.35	22.52	99.67
10/04/2023 15:25:00	0.41	0.00	0.27	21.45	18.33	256.35	22.52	99.66
10/04/2023 15:30:00	1.24	0.00	0.55	21.47	16.89	256.35	23.13	99.66
10/04/2023 15:35:00	0.41	0.00	0.27	21.45	17.61	288.40	22.36	99.66
10/04/2023 15:40:00	0.41	0.00	0.00	21.45	18.29	224.31	22.66	99.65
10/04/2023 15:45:00	0.27	0.00	0.27	21.46	18.45	288.40	22.96	99.64
10/04/2023 15:50:00	1.24	0.00	0.00	21.46	17.13	256.35	23.10	99.62
10/04/2023 15:55:00	1.37	0.00	0.00	21.45	18.91	0.00	22.52	99.63
10/04/2023 16:00:00	0.41	0.00	0.55	21.45	17.91	256.35	23.29	99.62
10/04/2023 16:05:00	1.37	0.00	0.55	21.46	18.61	320.44	22.55	99.63
10/04/2023 16:10:00	0.55	0.00	0.55	21.45	19.44	256.35	22.50	99.61
10/04/2023 16:15:00	1.37	0.00	0.55	21.45	17.94	256.35	22.52	99.61
10/04/2023 16:20:00	0.41	0.00	0.27	21.45	18.27	288.40	22.96	99.61
10/04/2023 16:25:00	1.37	0.00	0.27	21.45	18.21	256.35	22.98	99.60
10/04/2023 16:30:00	1.24	0.00	0.00	21.45	18.65	288.40	22.66	99.58
10/04/2023 16:35:00	1.24	0.00	0.27	21.45	17.94	256.35	22.52	99.60
10/04/2023 16:40:00	0.41	0.00	0.00	21.46	18.12	256.35	23.13	99.61
10/04/2023 16:45:00	1.24	0.00	0.00	21.45	17.47	256.35	23.26	99.60
10/04/2023 16:50:00	1.37	0.00	0.55	21.45	18.40	320.44	22.66	99.59
10/04/2023 16:55:00	0.41	0.00	0.55	21.44	17.61	256.35	23.10	99.60
10/04/2023 17:00:00	0.41	0.00	0.00	21.45	18.36	256.35	23.13	99.59
10/04/2023 17:05:00	1.24	0.00	0.27	21.45	17.13	224.31	23.10	99.59
10/04/2023 17:10:00	1.24	0.00	0.55	21.45	17.59	288.40	23.13	99.61
10/04/2023 17:15:00	0.55	0.00	0.55	21.45	17.33	288.40	22.68	99.61
10/04/2023 17:20:00	1.37	0.00	0.27	21.45	17.75	288.40	23.15	99.58
10/04/2023 17:25:00	0.41	0.00	0.00	21.45	16.57	288.40	22.82	99.59
10/04/2023 17:30:00	0.41	0.00	0.00	21.44	19.05	256.35	22.50	99.61
10/04/2023 17:35:00	1.37	0.00	0.00	21.45	18.91	288.40	22.82	99.59
10/04/2023 17:40:00	1.37	0.00	0.00	21.44	18.05	0.00	22.50	99.59
10/04/2023 17:45:00	0.55	0.00	0.27	21.43	19.30	288.40	22.98	99.61
10/04/2023 17:50:00	0.55	0.00	0.55	21.44	18.59	256.35	22.52	99.63
10/04/2023 17:55:00	1.24	0.00	0.27	21.44	17.31	256.35	22.66	99.63
10/04/2023 18:00:00	1.37	0.00	0.82	21.44	22.29	288.40	22.71	99.63
10/04/2023 18:05:00	1.37	0.00	0.27	21.43	26.72	320.44	23.00	99.64
10/04/2023 18:10:00	0.41	0.00	0.55	21.44	25.77	256.35	22.68	99.64
10/04/2023 18:15:00	1.37	0.00	0.55	21.45	21.30	288.40	23.06	99.65

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
10/04/2023 18:20:00	1.24	0.00	0.55	21.43	19.93	288.40	22.52	99.66
10/04/2023 18:25:00	1.37	0.00	0.55	21.44	19.68	256.35	22.68	99.65
10/04/2023 18:30:00	1.51	0.00	0.55	21.44	22.09	288.40	22.52	99.66
10/04/2023 18:35:00	1.37	0.00	0.00	21.43	21.11	256.35	22.66	99.64
10/04/2023 18:40:00	1.37	0.00	0.55	21.44	20.12	256.35	22.13	99.65
10/04/2023 18:45:00	1.24	0.00	0.55	21.44	19.61	256.35	22.38	99.67
10/04/2023 18:50:00	1.37	0.00	0.55	21.43	26.65	320.44	22.08	99.67
10/04/2023 18:55:00	1.51	0.00	0.55	21.44	24.08	288.40	22.68	99.66
10/04/2023 19:00:00	1.37	0.00	0.82	21.43	24.59	288.40	22.68	99.66
10/04/2023 19:05:00	1.37	0.00	0.27	21.43	22.83	288.40	21.92	99.68
10/04/2023 19:10:00	1.24	0.00	0.27	21.43	20.53	288.40	22.66	99.68
10/04/2023 19:15:00	1.37	0.00	0.55	21.42	20.21	320.44	22.68	99.69
10/04/2023 19:20:00	1.24	0.00	0.27	21.43	20.10	288.40	22.68	99.69
10/04/2023 19:25:00	1.24	0.00	0.55	21.43	21.58	0.00	22.52	99.71
10/04/2023 19:30:00	1.24	0.00	0.27	21.43	20.28	288.40	22.84	99.71
10/04/2023 19:35:00	1.37	0.00	0.27	21.44	20.33	256.35	22.84	99.71
10/04/2023 19:40:00	1.24	0.00	0.27	21.43	19.58	320.44	22.38	99.73
10/04/2023 19:45:00	1.37	0.00	0.55	21.44	18.91	288.40	22.52	99.73
10/04/2023 19:50:00	1.37	0.00	2.47	21.43	17.94	288.40	22.68	99.75
10/04/2023 19:55:00	1.24	0.00	0.27	21.43	18.27	256.35	22.06	99.74
10/04/2023 20:00:00	1.51	0.00	0.55	21.44	18.81	320.44	22.22	99.74
10/04/2023 20:05:00	1.24	0.00	0.55	21.43	19.14	288.40	22.52	99.75
10/04/2023 20:10:00	1.37	0.00	0.00	21.43	17.61	288.40	22.68	99.78
10/04/2023 20:15:00	1.37	0.00	0.00	21.44	17.52	288.40	22.71	99.78
10/04/2023 20:20:00	1.51	0.00	0.55	21.44	17.49	320.44	22.26	99.78
10/04/2023 20:25:00	1.24	0.00	0.27	21.44	18.47	288.40	22.22	99.79
10/04/2023 20:30:00	1.37	0.00	0.00	21.44	19.49	288.40	22.06	99.80
10/04/2023 20:35:00	1.24	0.00	0.27	21.44	17.94	288.40	22.71	99.80
10/04/2023 20:40:00	1.37	0.00	0.00	21.44	37.99	288.40	22.55	99.79
10/04/2023 20:45:00	1.37	0.00	0.00	21.43	42.97	320.44	22.38	99.81
10/04/2023 20:50:00	1.37	0.00	0.00	21.43	42.67	288.40	22.24	99.80
10/04/2023 20:55:00	1.37	0.00	0.00	21.44	59.56	288.40	22.68	99.80
10/04/2023 21:00:00	1.51	0.00	0.00	21.43	42.81	288.40	22.98	99.80
10/04/2023 21:05:00	1.24	0.00	0.55	21.44	59.27	288.40	22.98	99.81
10/04/2023 21:10:00	1.37	0.00	0.55	21.44	30.57	0.00	22.82	99.82
10/04/2023 21:15:00	0.41	0.00	0.27	21.44	53.64	288.40	22.68	99.82
10/04/2023 21:20:00	1.37	0.00	0.00	21.45	19.93	320.44	22.71	99.84
10/04/2023 21:25:00	1.37	0.00	0.27	21.45	28.25	256.35	22.36	99.81
10/04/2023 21:30:00	1.24	0.00	0.00	21.45	30.98	256.35	22.98	99.83

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
10/04/2023 21:35:00	1.37	0.00	0.00	21.45	28.16	288.40	22.98	99.84
10/04/2023 21:40:00	1.51	0.00	0.27	21.45	20.84	288.40	23.00	99.83
10/04/2023 21:45:00	1.37	0.00	0.55	21.44	19.07	320.44	22.68	99.84
10/04/2023 21:50:00	1.37	0.00	0.55	21.43	55.76	320.44	22.55	99.83
10/04/2023 21:55:00	1.24	0.00	0.00	21.44	30.55	288.40	22.38	99.83
10/04/2023 22:00:00	0.55	0.00	0.00	21.44	27.42	288.40	22.38	99.85
10/04/2023 22:05:00	1.37	0.00	0.82	21.44	36.53	320.44	22.84	99.84
10/04/2023 22:10:00	1.37	0.00	0.00	21.44	17.63	288.40	22.57	99.84
10/04/2023 22:15:00	1.37	0.00	0.27	21.44	76.97	320.44	22.84	99.84
10/04/2023 22:20:00	1.51	0.00	0.82	21.44	34.39	288.40	22.71	99.84
10/04/2023 22:25:00	1.37	0.00	0.55	21.44	21.11	288.40	22.36	99.83
10/04/2023 22:30:00	1.37	0.00	0.27	21.44	18.70	288.40	22.68	99.82
10/04/2023 22:35:00	1.37	0.00	0.55	21.44	18.77	288.40	22.55	99.84
10/04/2023 22:40:00	0.55	0.00	0.55	21.43	38.70	320.44	23.03	99.83
10/04/2023 22:45:00	1.37	0.00	0.27	21.43	19.14	288.40	22.96	99.81
10/04/2023 22:50:00	1.24	0.00	0.27	21.43	19.30	288.40	22.98	99.83
10/04/2023 22:55:00	1.24	0.00	0.00	21.43	19.61	0.00	22.98	99.83
10/04/2023 23:00:00	1.37	0.00	0.55	21.44	35.65	256.35	22.41	99.81
10/04/2023 23:05:00	1.51	0.00	0.00	21.43	58.29	288.40	22.24	99.81
10/04/2023 23:10:00	1.37	0.00	0.00	21.43	20.88	320.44	22.22	99.81
10/04/2023 23:15:00	0.41	0.00	0.00	21.44	20.95	288.40	22.22	99.81
10/04/2023 23:20:00	1.37	0.00	0.82	21.44	21.53	288.40	22.84	99.81
10/04/2023 23:25:00	0.41	0.00	0.00	21.44	22.16	256.35	22.52	99.80
10/04/2023 23:30:00	1.37	0.00	0.27	21.43	21.09	288.40	22.22	99.80
10/04/2023 23:35:00	1.24	0.00	0.27	21.43	19.88	288.40	22.84	99.79
10/04/2023 23:40:00	1.24	0.00	0.00	21.44	19.42	320.44	22.52	99.78
10/04/2023 23:45:00	1.24	0.00	1.92	21.43	21.25	256.35	22.52	99.78
10/04/2023 23:50:00	1.24	0.00	0.27	21.43	20.14	288.40	22.82	99.77
10/04/2023 23:55:00	1.37	0.00	0.55	21.43	20.10	288.40	22.24	99.76