



## BÁO CÁO KẾT QUẢ QUAN TRẮC TRUNG BÌNH 5 PHÚT

Tên cơ sở: Xi măng Quang Sơn

Tên trạm: Ống khói chính

Thời gian báo cáo: Từ: 18/04/2023

Tới: 18/04/2023

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
18/04/2023 00:00:00	0.27	0.00	0.00	21.42	16.06	192.26	25.69	99.49
18/04/2023 00:05:00	0.27	0.00	0.00	21.42	16.15	192.26	25.53	99.49
18/04/2023 00:10:00	0.27	0.00	0.00	21.42	16.87	224.31	25.83	99.49
18/04/2023 00:15:00	0.27	0.00	0.00	21.43	16.40	224.31	26.31	99.49
18/04/2023 00:20:00	0.27	0.00	0.00	21.43	18.27	224.31	26.13	99.48
18/04/2023 00:25:00	0.27	0.00	0.00	21.42	16.40	192.26	25.97	99.47
18/04/2023 00:30:00	0.41	0.00	0.00	21.42	19.17	224.31	26.15	99.47
18/04/2023 00:35:00	0.27	0.00	0.00	21.42	42.32	192.26	26.29	99.46
18/04/2023 00:40:00	0.27	0.00	0.00	21.43	21.83	224.31	25.53	99.48
18/04/2023 00:45:00	0.41	0.00	0.00	21.42	19.23	192.26	25.83	99.44
18/04/2023 00:50:00	0.27	0.00	0.00	21.42	32.56	192.26	26.27	99.44
18/04/2023 00:55:00	0.27	0.00	0.00	21.43	23.96	0.00	25.69	99.43
18/04/2023 01:00:00	0.41	0.00	0.00	21.42	18.68	256.35	25.69	99.44
18/04/2023 01:05:00	0.41	0.00	0.00	21.42	16.24	224.31	25.83	99.42
18/04/2023 01:10:00	0.27	0.00	0.00	21.42	18.54	224.31	25.53	99.43
18/04/2023 01:15:00	0.27	0.00	0.00	21.42	18.75	224.31	25.86	99.42
18/04/2023 01:20:00	0.41	0.00	0.00	21.42	22.60	224.31	26.44	99.41
18/04/2023 01:25:00	0.41	0.00	0.00	21.42	18.94	224.31	26.15	99.41
18/04/2023 01:30:00	0.27	0.00	0.00	21.42	19.88	224.31	25.99	99.38
18/04/2023 01:35:00	0.27	0.00	0.00	21.41	17.66	224.31	25.69	99.37
18/04/2023 01:40:00	0.27	0.00	0.00	21.43	17.85	256.35	25.83	99.38

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NOx (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
18/04/2023 01:45:00	0.41	0.00	0.00	21.42	16.59	224.31	26.02	99.38
18/04/2023 01:50:00	0.41	0.00	0.00	21.42	17.29	256.35	25.83	99.37
18/04/2023 01:55:00	0.41	0.00	0.00	21.42	17.61	224.31	26.31	99.36
18/04/2023 02:00:00	0.27	0.00	0.00	21.41	16.13	224.31	25.69	99.36
18/04/2023 02:05:00	0.41	0.00	0.00	21.42	17.38	224.31	25.39	99.35
18/04/2023 02:10:00	0.27	0.00	0.00	21.41	26.77	224.31	25.51	99.35
18/04/2023 02:15:00	0.27	0.00	0.00	21.42	20.86	224.31	25.67	99.34
18/04/2023 02:20:00	0.27	0.00	0.00	21.41	19.19	224.31	26.13	99.34
18/04/2023 02:25:00	0.27	0.00	0.00	21.41	21.62	192.26	26.27	99.33
18/04/2023 02:30:00	0.27	0.00	0.00	21.42	18.14	224.31	26.29	99.32
18/04/2023 02:35:00	0.27	0.00	0.00	21.42	19.33	224.31	25.55	99.32
18/04/2023 02:40:00	0.27	0.00	0.00	21.42	18.10	0.00	25.53	99.34
18/04/2023 02:45:00	0.27	0.00	0.00	21.42	17.61	192.26	25.53	99.31
18/04/2023 02:50:00	0.41	0.00	0.00	21.42	18.05	224.31	25.69	99.31
18/04/2023 02:55:00	0.41	0.00	0.00	21.42	18.23	224.31	25.37	99.32
18/04/2023 03:00:00	0.41	0.00	0.00	21.42	18.52	224.31	25.99	99.31
18/04/2023 03:05:00	0.14	0.00	0.00	21.42	17.49	224.31	25.51	99.31
18/04/2023 03:10:00	0.27	0.00	0.00	21.41	16.71	224.31	26.13	99.32
18/04/2023 03:15:00	0.27	0.00	0.00	21.41	19.79	224.31	25.97	99.32
18/04/2023 03:20:00	0.41	0.00	0.00	21.42	16.64	224.31	26.29	99.31
18/04/2023 03:25:00	0.41	0.00	0.00	21.42	18.96	224.31	25.37	99.33
18/04/2023 03:30:00	0.27	0.00	0.00	21.42	19.05	192.26	25.53	99.32
18/04/2023 03:35:00	0.27	0.00	0.00	21.41	17.29	224.31	25.37	99.32
18/04/2023 03:40:00	0.27	0.00	0.00	21.41	17.52	192.26	25.99	99.31
18/04/2023 03:45:00	0.41	0.00	0.00	21.41	15.39	224.31	25.67	99.32
18/04/2023 03:50:00	0.27	0.00	0.00	21.41	16.87	192.26	25.67	99.31
18/04/2023 03:55:00	0.27	0.00	0.00	21.42	16.04	256.35	25.67	99.31
18/04/2023 04:00:00	0.41	0.00	0.00	21.41	14.72	192.26	25.97	99.33
18/04/2023 04:05:00	0.27	0.00	0.00	21.42	15.80	224.31	26.13	99.32
18/04/2023 04:10:00	0.41	0.00	0.00	21.41	14.79	224.31	25.53	99.32
18/04/2023 04:15:00	0.41	0.00	0.00	21.41	15.25	224.31	25.99	99.34
18/04/2023 04:20:00	0.27	0.00	0.00	21.41	15.73	224.31	25.53	99.33
18/04/2023 04:25:00	0.14	0.00	0.00	21.41	15.37	0.00	25.99	99.34
18/04/2023 04:30:00	0.27	0.00	0.00	21.42	17.17	192.26	26.13	99.34
18/04/2023 04:35:00	0.27	0.00	0.00	21.41	18.49	256.35	25.67	99.32
18/04/2023 04:40:00	0.27	0.00	0.00	21.42	15.85	192.26	25.81	99.35

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NOx (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
18/04/2023 04:45:00	0.41	0.00	0.00	21.42	14.81	224.31	26.15	99.37
18/04/2023 04:50:00	0.27	0.00	0.00	21.41	17.11	192.26	25.86	99.37
18/04/2023 04:55:00	0.27	0.00	0.00	21.41	14.37	256.35	25.69	99.37
18/04/2023 05:00:00	0.14	0.00	0.00	21.41	15.20	224.31	25.81	99.38
18/04/2023 05:05:00	0.27	0.00	0.00	21.41	14.95	224.31	25.53	99.38
18/04/2023 05:10:00	0.27	0.00	0.00	21.41	16.85	224.31	25.53	99.39
18/04/2023 05:15:00	0.27	0.00	0.00	21.42	20.49	224.31	26.13	99.41
18/04/2023 05:20:00	0.27	0.00	0.00	21.42	15.75	256.35	25.69	99.42
18/04/2023 05:25:00	0.27	0.00	0.00	21.41	14.88	192.26	25.67	99.42
18/04/2023 05:30:00	0.27	0.00	0.00	21.41	15.59	192.26	26.27	99.43
18/04/2023 05:35:00	0.27	0.00	0.00	21.41	14.72	192.26	25.97	99.44
18/04/2023 05:40:00	0.27	0.00	0.00	21.41	15.06	192.26	26.29	99.45
18/04/2023 05:45:00	0.27	0.00	0.00	21.41	13.95	192.26	25.81	99.46
18/04/2023 05:50:00	0.41	0.00	0.00	21.41	14.14	224.31	26.29	99.47
18/04/2023 05:55:00	0.14	0.00	0.00	21.41	14.74	192.26	25.83	99.47
18/04/2023 06:00:00	0.14	0.00	0.00	21.41	14.55	192.26	26.13	99.47
18/04/2023 06:05:00	0.41	0.00	0.00	21.42	15.04	192.26	25.83	99.49
18/04/2023 06:10:00	0.41	0.00	0.00	21.43	13.95	0.00	25.67	99.49
18/04/2023 06:15:00	0.41	0.00	0.00	21.42	21.39	192.26	26.13	99.52
18/04/2023 06:20:00	0.41	0.00	0.00	21.43	17.29	224.31	26.29	99.53
18/04/2023 06:25:00	0.27	0.00	0.00	21.43	15.80	224.31	25.86	99.55
18/04/2023 06:30:00	0.27	0.00	0.00	21.43	15.43	224.31	26.44	99.55
18/04/2023 06:35:00	0.27	0.00	0.00	21.44	15.41	192.26	25.67	99.56
18/04/2023 06:40:00	0.27	0.00	0.00	21.43	14.57	192.26	25.81	99.56
18/04/2023 06:45:00	0.41	0.00	0.00	21.43	14.57	192.26	25.81	99.56
18/04/2023 06:50:00	0.27	0.00	0.00	21.43	14.65	224.31	26.11	99.58
18/04/2023 06:55:00	0.41	0.00	0.00	21.43	14.41	224.31	25.99	99.58
18/04/2023 07:00:00	0.27	0.00	0.00	21.44	14.53	256.35	26.44	99.60
18/04/2023 07:05:00	0.27	0.00	0.00	21.43	14.55	192.26	25.81	99.60
18/04/2023 07:10:00	0.27	0.00	0.00	21.44	14.72	192.26	25.64	99.61
18/04/2023 07:15:00	0.27	0.00	0.00	21.44	15.88	192.26	26.13	99.61
18/04/2023 07:20:00	0.27	0.00	0.00	21.44	15.75	224.31	26.13	99.62
18/04/2023 07:25:00	0.41	0.00	0.00	21.44	44.96	192.26	26.29	99.62
18/04/2023 07:30:00	0.27	0.00	0.00	21.43	36.06	192.26	25.83	99.63
18/04/2023 07:35:00	0.27	0.00	0.00	21.44	28.92	192.26	26.60	99.62
18/04/2023 07:40:00	0.41	0.00	0.00	21.44	23.68	192.26	26.44	99.63

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NOx (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
18/04/2023 07:45:00	0.41	0.00	0.00	21.44	19.91	256.35	26.44	99.66
18/04/2023 07:50:00	0.41	0.00	0.00	21.44	19.12	224.31	25.83	99.65
18/04/2023 07:55:00	0.41	0.00	0.00	21.44	21.13	0.00	25.83	99.66
18/04/2023 08:00:00	0.27	0.00	0.00	21.44	18.54	224.31	25.97	99.66
18/04/2023 08:05:00	0.55	0.00	0.00	21.44	20.19	256.35	26.78	99.66
18/04/2023 08:10:00	0.55	0.00	0.00	21.44	17.82	256.35	25.86	99.68
18/04/2023 08:15:00	0.41	0.00	0.00	21.44	18.23	224.31	26.02	99.67
18/04/2023 08:20:00	0.41	0.00	0.00	21.43	18.89	224.31	26.15	99.67
18/04/2023 08:25:00	0.41	0.00	0.00	21.44	18.61	256.35	26.46	99.67
18/04/2023 08:30:00	0.27	0.00	0.00	21.45	17.82	192.26	26.11	99.66
18/04/2023 08:35:00	0.41	0.00	0.00	21.44	19.07	224.31	26.60	99.69
18/04/2023 08:40:00	0.41	0.00	0.00	21.43	18.84	224.31	26.78	99.69
18/04/2023 08:45:00	0.27	0.00	0.00	21.44	17.66	192.26	25.83	99.69
18/04/2023 08:50:00	0.41	0.00	0.00	21.44	17.78	256.35	26.02	99.69
18/04/2023 08:55:00	0.41	0.00	0.00	21.44	16.06	224.31	25.97	99.69
18/04/2023 09:00:00	0.27	0.00	0.00	21.45	18.33	224.31	25.99	99.69
18/04/2023 09:05:00	0.41	0.00	0.00	21.45	16.17	224.31	26.46	99.70
18/04/2023 09:10:00	0.55	0.00	0.00	21.44	16.78	256.35	26.46	99.71
18/04/2023 09:15:00	0.41	0.00	0.00	21.44	17.04	256.35	26.76	99.70
18/04/2023 09:20:00	0.55	0.00	0.00	21.45	16.73	224.31	26.13	99.69
18/04/2023 09:25:00	0.41	0.00	0.00	21.43	16.87	224.31	26.62	99.69
18/04/2023 09:30:00	0.41	0.00	0.00	21.44	18.38	224.31	25.99	99.69
18/04/2023 09:35:00	0.41	0.00	0.00	21.45	18.05	256.35	26.76	99.69
18/04/2023 09:40:00	0.27	0.00	0.00	21.44	15.34	0.00	26.25	99.67
18/04/2023 09:45:00	0.41	0.00	0.00	21.45	16.89	224.31	26.60	99.69
18/04/2023 09:50:00	0.41	0.00	0.00	21.45	16.69	224.31	25.97	99.69
18/04/2023 09:55:00	0.27	0.00	0.00	21.45	18.03	224.31	26.44	99.68
18/04/2023 10:00:00	0.55	0.00	0.00	21.45	16.06	224.31	26.60	99.68
18/04/2023 10:05:00	0.41	0.00	0.00	21.45	17.22	192.26	26.87	99.69
18/04/2023 10:10:00	0.55	0.00	0.00	21.45	17.54	224.31	26.89	99.67
18/04/2023 10:15:00	0.41	0.00	0.00	21.45	17.29	224.31	26.29	99.67
18/04/2023 10:20:00	0.55	0.00	0.00	21.46	17.11	224.31	26.76	99.65
18/04/2023 10:25:00	0.41	0.00	0.00	21.45	17.15	224.31	26.60	99.66
18/04/2023 10:30:00	0.41	0.00	0.00	21.45	17.78	224.31	26.76	99.64
18/04/2023 10:35:00	0.41	0.00	0.00	21.45	17.80	224.31	25.97	99.65
18/04/2023 10:40:00	0.41	0.00	0.00	21.45	17.75	192.26	26.60	99.66

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
18/04/2023 10:45:00	0.55	0.00	0.00	21.46	16.87	224.31	26.46	99.64
18/04/2023 10:50:00	0.41	0.00	0.00	21.45	17.47	224.31	26.94	99.65
18/04/2023 10:55:00	0.41	0.00	0.00	21.45	16.71	224.31	26.27	99.64
18/04/2023 11:00:00	0.41	0.00	0.00	21.45	27.16	192.26	26.11	99.62
18/04/2023 11:05:00	0.55	0.00	0.00	21.45	19.33	192.26	26.92	99.62
18/04/2023 11:10:00	0.41	0.00	0.00	21.45	18.33	192.26	26.44	99.59
18/04/2023 11:15:00	0.41	0.00	0.00	21.45	17.75	224.31	26.60	99.60
18/04/2023 11:20:00	0.41	0.00	0.00	21.45	16.66	224.31	26.27	99.58
18/04/2023 11:25:00	0.41	0.00	0.00	21.45	17.56	0.00	26.13	99.58
18/04/2023 11:30:00	0.55	0.00	0.00	21.45	18.31	224.31	26.92	99.56
18/04/2023 11:35:00	0.55	0.00	0.00	21.45	16.17	224.31	26.92	99.55
18/04/2023 11:40:00	0.41	0.00	0.00	21.45	17.33	192.26	26.57	99.54
18/04/2023 11:45:00	0.55	0.00	0.00	21.44	17.43	224.31	26.27	99.53
18/04/2023 11:50:00	0.41	0.00	0.00	21.45	16.27	192.26	26.46	99.52
18/04/2023 11:55:00	0.55	0.00	0.00	21.45	16.15	192.26	26.57	99.52
18/04/2023 12:00:00	0.55	0.00	0.00	21.45	17.13	192.26	26.60	99.50
18/04/2023 12:05:00	0.41	0.00	0.00	21.45	18.72	192.26	26.89	99.49
18/04/2023 12:10:00	0.41	0.00	0.00	21.44	16.89	192.26	27.01	99.49
18/04/2023 12:15:00	0.41	0.00	0.00	21.45	18.10	192.26	26.29	99.48
18/04/2023 12:20:00	0.41	0.00	0.00	21.45	17.33	224.31	26.92	99.47
18/04/2023 12:25:00	0.55	0.00	0.00	21.46	18.68	224.31	26.29	99.46
18/04/2023 12:30:00	0.41	0.00	0.00	21.45	18.47	192.26	26.73	99.45
18/04/2023 12:35:00	0.55	0.00	0.00	21.45	19.65	224.31	26.76	99.43
18/04/2023 12:40:00	0.55	0.00	0.00	21.46	17.63	192.26	26.57	99.43
18/04/2023 12:45:00	0.55	0.00	0.00	21.45	18.87	224.31	26.41	99.42
18/04/2023 12:50:00	0.55	0.00	0.00	21.45	17.59	224.31	26.44	99.43
18/04/2023 12:55:00	0.41	0.00	0.00	21.45	17.11	192.26	26.60	99.41
18/04/2023 13:00:00	0.27	0.00	0.00	21.46	16.87	160.22	27.01	99.38
18/04/2023 13:05:00	0.41	0.00	0.00	21.45	16.62	192.26	26.87	99.37
18/04/2023 13:10:00	0.55	0.00	0.00	21.46	18.17	0.00	26.76	99.38
18/04/2023 13:15:00	0.41	0.00	0.00	21.45	19.26	192.26	26.87	99.38
18/04/2023 13:20:00	0.55	0.00	0.00	21.46	17.91	192.26	26.60	99.37
18/04/2023 13:25:00	0.55	0.00	0.00	21.46	18.10	192.26	26.44	99.35
18/04/2023 13:30:00	0.55	0.00	0.00	21.48	20.00	192.26	26.73	99.34
18/04/2023 13:35:00	0.55	0.00	0.00	21.46	19.03	224.31	26.57	99.35
18/04/2023 13:40:00	0.55	0.00	0.00	21.46	17.43	160.22	27.03	99.32

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
18/04/2023 13:45:00	0.41	0.00	0.00	21.47	19.14	224.31	26.29	99.32
18/04/2023 13:50:00	0.55	0.00	0.00	21.46	19.81	224.31	26.60	99.29
18/04/2023 13:55:00	0.41	0.00	0.00	21.47	20.04	224.31	27.03	99.32
18/04/2023 14:00:00	0.41	0.00	0.00	21.47	19.47	192.26	27.34	99.30
18/04/2023 14:05:00	0.41	0.00	0.00	21.46	17.69	192.26	26.44	99.29
18/04/2023 14:10:00	0.41	0.00	0.00	21.45	18.63	192.26	27.20	99.27
18/04/2023 14:15:00	0.41	0.00	0.00	21.46	18.65	192.26	27.18	99.27
18/04/2023 14:20:00	0.55	0.00	0.00	21.47	17.82	224.31	26.73	99.26
18/04/2023 14:25:00	0.41	0.00	0.00	21.46	18.65	192.26	26.60	99.25
18/04/2023 14:30:00	0.27	0.00	0.00	21.46	19.10	192.26	26.87	99.23
18/04/2023 14:35:00	0.27	0.00	0.00	21.46	19.56	160.22	26.71	99.23
18/04/2023 14:40:00	0.41	0.00	0.00	21.46	19.63	160.22	26.55	99.22
18/04/2023 14:45:00	0.27	0.00	0.00	21.45	19.19	160.22	26.69	99.22
18/04/2023 14:50:00	0.27	0.00	0.00	21.45	18.47	160.22	27.03	99.21
18/04/2023 14:55:00	0.27	0.00	0.00	21.46	20.28	0.00	27.31	99.18
18/04/2023 15:00:00	0.41	0.00	0.00	21.45	19.58	160.22	27.01	99.18
18/04/2023 15:05:00	0.27	0.00	0.00	21.45	18.65	160.22	26.99	99.16
18/04/2023 15:10:00	0.27	0.00	0.00	21.45	18.68	160.22	27.03	99.18
18/04/2023 15:15:00	0.27	0.00	0.00	21.45	18.38	160.22	26.57	99.19
18/04/2023 15:20:00	0.41	0.00	0.00	21.45	19.65	192.26	27.18	99.18
18/04/2023 15:25:00	0.41	0.00	0.00	21.45	17.47	160.22	27.01	99.16
18/04/2023 15:30:00	0.41	0.00	0.00	21.45	16.89	192.26	26.83	99.16
18/04/2023 15:35:00	0.14	0.00	0.00	21.45	17.71	160.22	27.18	99.16
18/04/2023 15:40:00	0.41	0.00	0.00	21.44	16.96	192.26	26.87	99.15
18/04/2023 15:45:00	0.27	0.00	0.00	21.45	17.89	160.22	27.18	99.15
18/04/2023 15:50:00	0.55	0.00	0.00	21.44	18.14	192.26	27.03	99.14
18/04/2023 15:55:00	0.41	0.00	0.00	21.44	19.03	192.26	27.01	99.15
18/04/2023 16:00:00	0.27	0.00	0.00	21.43	17.36	160.22	27.34	99.14
18/04/2023 16:05:00	0.27	0.00	0.00	21.43	18.63	192.26	26.89	99.13
18/04/2023 16:10:00	0.27	0.00	0.00	21.44	17.89	160.22	27.50	99.12
18/04/2023 16:15:00	0.27	0.00	0.00	21.43	19.70	192.26	26.87	99.11
18/04/2023 16:20:00	0.27	0.00	0.00	21.42	18.68	160.22	27.31	99.12
18/04/2023 16:25:00	0.41	0.00	0.00	21.42	17.75	192.26	27.18	99.12
18/04/2023 16:30:00	0.27	0.00	0.00	21.42	18.01	160.22	26.57	99.12
18/04/2023 16:35:00	0.41	0.00	0.00	21.42	16.75	224.31	26.87	99.12
18/04/2023 16:40:00	0.41	0.00	0.00	21.42	17.66	0.00	27.18	99.10

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
18/04/2023 16:45:00	0.41	0.00	0.00	21.43	16.36	224.31	27.34	99.11
18/04/2023 16:50:00	0.41	0.00	0.00	21.42	16.66	160.22	26.87	99.10
18/04/2023 16:55:00	0.41	0.00	0.00	21.42	17.13	192.26	27.34	99.10
18/04/2023 17:00:00	0.41	0.00	0.00	21.42	16.06	224.31	27.05	99.11
18/04/2023 17:05:00	0.41	0.00	0.00	21.42	16.17	192.26	27.03	99.12
18/04/2023 17:10:00	0.27	0.00	0.00	21.42	16.85	160.22	27.01	99.10
18/04/2023 17:15:00	0.41	0.00	0.00	21.42	15.78	192.26	27.01	99.11
18/04/2023 17:20:00	0.41	0.00	0.00	21.42	15.71	192.26	27.18	99.13
18/04/2023 17:25:00	0.41	0.00	0.00	21.42	16.53	192.26	26.69	99.14
18/04/2023 17:30:00	0.27	0.00	0.00	21.42	16.01	160.22	26.55	99.13
18/04/2023 17:35:00	0.41	0.00	0.00	21.41	16.66	160.22	27.31	99.13
18/04/2023 17:40:00	0.27	0.00	0.00	21.42	15.27	192.26	26.62	99.14
18/04/2023 17:45:00	0.41	0.00	0.00	21.42	16.78	192.26	27.20	99.15
18/04/2023 17:50:00	0.41	0.00	0.00	21.41	17.15	224.31	27.50	99.12
18/04/2023 17:55:00	0.41	0.00	0.00	21.40	15.50	224.31	26.73	99.10
18/04/2023 18:00:00	0.41	0.00	0.00	21.40	16.38	224.31	27.52	99.12
18/04/2023 18:05:00	0.41	0.00	0.00	21.40	16.50	192.26	27.34	99.15
18/04/2023 18:10:00	0.27	0.00	0.00	21.41	14.90	160.22	27.18	99.14
18/04/2023 18:15:00	0.41	0.00	0.00	21.41	15.50	192.26	27.50	99.15
18/04/2023 18:20:00	0.41	0.00	0.00	21.41	15.73	192.26	26.60	99.15
18/04/2023 18:25:00	0.41	0.00	0.00	21.40	15.53	0.00	27.20	99.18
18/04/2023 18:30:00	0.55	0.00	0.00	21.41	15.43	192.26	26.89	99.20
18/04/2023 18:35:00	0.41	0.00	0.00	21.41	14.90	224.31	27.20	99.20
18/04/2023 18:40:00	0.41	0.00	0.00	21.41	14.44	224.31	26.57	99.19
18/04/2023 18:45:00	0.41	0.00	0.00	21.41	15.23	192.26	27.03	99.20
18/04/2023 18:50:00	0.41	0.00	0.00	21.42	15.55	192.26	26.46	99.21
18/04/2023 18:55:00	0.41	0.00	0.00	21.42	15.04	192.26	26.73	99.21
18/04/2023 19:00:00	0.27	0.00	0.00	21.43	15.53	192.26	26.57	99.22
18/04/2023 19:05:00	0.41	0.00	0.00	21.42	16.46	192.26	26.60	99.24
18/04/2023 19:10:00	0.41	0.00	0.00	21.43	15.97	192.26	27.05	99.26
18/04/2023 19:15:00	0.55	0.00	0.00	21.42	14.72	224.31	27.20	99.26
18/04/2023 19:20:00	0.41	0.00	0.00	21.43	15.06	192.26	27.03	99.26
18/04/2023 19:25:00	0.55	0.00	0.00	21.43	14.72	224.31	27.20	99.27
18/04/2023 19:30:00	0.55	0.00	0.00	21.42	13.92	224.31	27.22	99.28
18/04/2023 19:35:00	0.55	0.00	0.00	21.42	14.79	192.26	27.20	99.27
18/04/2023 19:40:00	0.41	0.00	0.00	21.43	16.01	160.22	26.87	99.27

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NOx (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
18/04/2023 19:45:00	0.41	0.00	0.00	21.43	14.88	224.31	26.57	99.28
18/04/2023 19:50:00	0.41	0.00	0.00	21.43	14.48	192.26	26.89	99.29
18/04/2023 19:55:00	0.41	0.00	0.00	21.43	14.53	224.31	27.20	99.31
18/04/2023 20:00:00	0.41	0.00	0.00	21.43	15.01	192.26	27.03	99.29
18/04/2023 20:05:00	0.41	0.00	0.00	21.43	14.85	256.35	26.60	99.32
18/04/2023 20:10:00	0.55	0.00	0.00	21.44	14.44	0.00	27.05	99.31
18/04/2023 20:15:00	0.55	0.00	0.00	21.44	14.81	192.26	27.22	99.31
18/04/2023 20:20:00	0.69	0.00	0.00	21.43	16.22	224.31	26.92	99.32
18/04/2023 20:25:00	0.41	0.00	0.00	21.43	15.41	224.31	26.92	99.32
18/04/2023 20:30:00	0.55	0.00	0.00	21.44	14.50	192.26	27.03	99.33
18/04/2023 20:35:00	0.41	0.00	0.00	21.43	15.88	192.26	27.05	99.32
18/04/2023 20:40:00	0.55	0.00	0.00	21.44	14.46	224.31	26.76	99.35
18/04/2023 20:45:00	0.41	0.00	0.00	21.44	14.85	192.26	26.27	99.32
18/04/2023 20:50:00	0.41	0.00	0.00	21.44	15.69	192.26	26.44	99.32
18/04/2023 20:55:00	0.55	0.00	0.00	21.44	15.18	192.26	27.22	99.32
18/04/2023 21:00:00	0.41	0.00	0.00	21.44	14.39	224.31	26.60	99.33
18/04/2023 21:05:00	0.41	0.00	0.00	21.43	14.63	192.26	26.89	99.35
18/04/2023 21:10:00	0.41	0.00	0.00	21.42	14.37	192.26	26.57	99.34
18/04/2023 21:15:00	0.27	0.00	0.00	21.42	14.92	160.22	26.41	99.33
18/04/2023 21:20:00	0.41	0.00	0.00	21.42	14.69	192.26	26.60	99.34
18/04/2023 21:25:00	0.55	0.00	0.00	21.43	14.88	256.35	26.76	99.35
18/04/2023 21:30:00	0.55	0.00	0.00	21.43	15.41	256.35	27.22	99.36
18/04/2023 21:35:00	0.41	0.00	0.00	21.44	16.01	224.31	26.60	99.36
18/04/2023 21:40:00	0.41	0.00	0.00	21.43	14.53	192.26	27.03	99.34
18/04/2023 21:45:00	0.55	0.00	0.00	21.43	15.88	224.31	27.36	99.33
18/04/2023 21:50:00	0.55	0.00	0.00	21.43	14.53	224.31	27.22	99.35
18/04/2023 21:55:00	0.41	0.00	0.00	21.43	14.90	0.00	27.03	99.35
18/04/2023 22:00:00	0.41	0.00	0.00	21.43	15.23	192.26	26.44	99.35
18/04/2023 22:05:00	0.55	0.00	0.00	21.43	14.11	256.35	26.46	99.34
18/04/2023 22:10:00	0.41	0.00	0.00	21.44	14.48	192.26	27.20	99.35
18/04/2023 22:15:00	0.69	0.00	0.00	21.43	15.69	256.35	26.60	99.38
18/04/2023 22:20:00	0.55	0.00	0.00	21.43	14.00	224.31	26.44	99.36
18/04/2023 22:25:00	0.55	0.00	0.00	21.43	14.23	224.31	26.89	99.35
18/04/2023 22:30:00	0.41	0.00	0.00	21.44	14.23	192.26	26.89	99.36
18/04/2023 22:35:00	0.41	0.00	0.00	21.44	14.55	224.31	26.87	99.36
18/04/2023 22:40:00	0.55	0.00	0.00	21.44	15.34	224.31	27.05	99.38



Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
18/04/2023 22:45:00	0.55	0.00	0.00	21.44	14.18	224.31	26.60	99.38
18/04/2023 22:50:00	0.55	0.00	0.00	21.44	14.90	192.26	27.05	99.36
18/04/2023 22:55:00	0.55	0.00	0.00	21.43	15.66	224.31	27.05	99.37
18/04/2023 23:00:00	0.55	0.00	0.00	21.43	14.63	224.31	26.92	99.37
18/04/2023 23:05:00	0.55	0.00	0.00	21.42	15.75	224.31	26.92	99.38
18/04/2023 23:10:00	0.55	0.00	0.00	21.44	15.06	224.31	26.76	99.38
18/04/2023 23:15:00	0.55	0.00	0.00	21.44	14.90	224.31	27.22	99.35
18/04/2023 23:20:00	0.55	0.00	0.00	21.43	15.66	256.35	27.05	99.37
18/04/2023 23:25:00	0.55	0.00	0.00	21.43	14.60	256.35	26.92	99.35
18/04/2023 23:30:00	0.41	0.00	0.00	21.43	14.41	224.31	26.76	99.33
18/04/2023 23:35:00	0.55	0.00	0.00	21.42	15.62	224.31	26.44	99.34
18/04/2023 23:40:00	0.69	0.00	0.00	21.43	14.67	0.00	26.62	99.34
18/04/2023 23:45:00	0.55	0.00	0.00	21.43	15.20	224.31	26.27	99.32
18/04/2023 23:50:00	0.55	0.00	0.00	21.43	14.00	224.31	27.05	99.34
18/04/2023 23:55:00	0.55	0.00	0.00	21.42	14.63	224.31	27.20	99.32