



## BÁO CÁO KẾT QUẢ QUAN TRẮC TRUNG BÌNH 5 PHÚT

Tên cơ sở: Xi măng Quang Sơn

Tên trạm: Ống khói chính

Thời gian báo cáo: Từ: 23/04/2023

Tới: 23/04/2023

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
23/04/2023 00:00:00	0.27	0.00	0.00	21.42	14.67	192.26	28.10	99.55
23/04/2023 00:05:00	0.27	0.00	0.00	21.44	14.74	160.22	27.96	99.57
23/04/2023 00:10:00	0.55	0.00	0.00	21.44	14.46	192.26	28.26	99.58
23/04/2023 00:15:00	0.41	0.00	0.00	21.42	14.85	192.26	28.10	99.58
23/04/2023 00:20:00	0.27	0.00	0.00	21.44	14.57	192.26	28.40	99.58
23/04/2023 00:25:00	0.41	0.00	0.00	21.44	15.13	160.22	28.89	99.57
23/04/2023 00:30:00	0.27	0.00	0.00	21.43	15.48	160.22	28.24	99.58
23/04/2023 00:35:00	0.27	0.00	0.00	21.43	15.55	192.26	28.24	99.57
23/04/2023 00:40:00	0.27	0.00	0.00	21.44	15.69	160.22	28.70	99.57
23/04/2023 00:45:00	0.41	0.00	0.00	21.43	14.65	192.26	28.26	99.56
23/04/2023 00:50:00	0.27	0.00	0.00	21.43	13.79	192.26	27.96	99.55
23/04/2023 00:55:00	0.27	0.00	0.00	21.44	15.20	224.31	28.26	99.57
23/04/2023 01:00:00	0.41	0.00	0.00	21.43	14.53	192.26	28.24	99.58
23/04/2023 01:05:00	0.27	0.00	0.00	21.43	14.48	192.26	28.10	99.58
23/04/2023 01:10:00	0.41	0.00	0.00	21.43	15.11	192.26	28.70	99.57
23/04/2023 01:15:00	0.27	0.00	0.00	21.43	17.94	160.22	27.94	99.55
23/04/2023 01:20:00	0.41	0.00	0.00	21.42	25.59	192.26	28.24	99.50
23/04/2023 01:25:00	0.27	0.00	0.00	21.42	19.54	192.26	27.63	99.49
23/04/2023 01:30:00	0.27	0.00	0.00	21.42	19.14	192.26	27.80	99.47
23/04/2023 01:35:00	0.27	0.00	0.00	21.41	16.04	192.26	27.50	99.49
23/04/2023 01:40:00	0.41	0.00	0.00	21.41	15.64	0.00	27.47	99.49
23/04/2023 01:45:00	0.27	0.00	0.00	21.42	13.53	192.26	28.26	99.49
23/04/2023 01:50:00	0.27	0.00	0.00	21.41	15.11	224.31	27.80	99.48
23/04/2023 01:55:00	0.41	0.00	0.00	21.41	13.30	192.26	28.12	99.47
23/04/2023 02:00:00	0.41	0.00	0.00	21.42	16.04	224.31	28.26	99.47

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
23/04/2023 02:05:00	0.00	0.00	0.00	21.42	13.56	224.31	27.82	99.47
23/04/2023 02:10:00	0.41	0.00	0.00	21.41	15.18	192.26	28.12	99.49
23/04/2023 02:15:00	0.41	0.00	0.00	21.43	14.32	256.35	27.82	99.48
23/04/2023 02:20:00	0.41	0.00	0.00	21.42	15.64	224.31	28.31	99.49
23/04/2023 02:25:00	0.41	0.00	0.00	21.42	14.14	256.35	28.59	99.49
23/04/2023 02:30:00	0.41	0.00	0.00	21.41	14.37	192.26	28.26	99.48
23/04/2023 02:35:00	0.41	0.00	0.00	21.43	14.34	224.31	27.82	99.48
23/04/2023 02:40:00	0.55	0.00	0.00	21.42	14.57	224.31	28.15	99.51
23/04/2023 02:45:00	0.41	0.00	0.00	21.43	13.69	224.31	28.59	99.50
23/04/2023 02:50:00	0.27	0.00	0.00	21.42	16.55	192.26	28.26	99.50
23/04/2023 02:55:00	0.41	0.00	0.00	21.42	33.42	224.31	28.15	99.53
23/04/2023 03:00:00	0.27	0.00	0.00	21.41	28.27	192.26	27.80	99.54
23/04/2023 03:05:00	0.27	0.00	0.00	21.42	59.98	192.26	28.61	99.50
23/04/2023 03:10:00	0.27	0.00	0.00	21.42	102.61	192.26	28.10	99.48
23/04/2023 03:15:00	0.55	0.00	0.00	21.42	113.30	224.31	28.15	99.41
23/04/2023 03:20:00	0.41	0.00	0.00	21.44	106.53	224.31	28.42	99.36
23/04/2023 03:25:00	0.41	0.00	0.00	21.44	54.80	0.00	27.99	99.31
23/04/2023 03:30:00	0.00	0.00	0.00	21.43	55.70	224.31	27.52	99.24
23/04/2023 03:35:00	0.00	0.00	0.00	21.43	86.43	256.35	28.42	99.27
23/04/2023 03:40:00	0.00	0.00	0.00	21.43	45.85	224.31	27.96	99.26
23/04/2023 03:45:00	0.41	0.00	0.00	21.43	35.00	224.31	27.66	99.28
23/04/2023 03:50:00	0.41	0.00	0.00	21.42	19.52	224.31	27.54	99.33
23/04/2023 03:55:00	0.41	0.00	0.00	21.42	17.66	256.35	28.12	99.38
23/04/2023 04:00:00	0.27	0.00	0.00	21.43	17.06	192.26	27.63	99.43
23/04/2023 04:05:00	0.00	0.00	0.00	21.41	15.13	192.26	27.50	99.44
23/04/2023 04:10:00	0.41	0.00	0.00	21.41	15.75	192.26	28.42	99.46
23/04/2023 04:15:00	0.41	0.00	0.00	21.41	17.54	192.26	28.10	99.47
23/04/2023 04:20:00	0.41	0.00	0.00	21.41	19.30	256.35	28.42	99.49
23/04/2023 04:25:00	0.27	0.00	0.00	21.41	18.43	224.31	27.96	99.48
23/04/2023 04:30:00	0.27	0.00	0.00	21.41	16.62	192.26	28.10	99.50
23/04/2023 04:35:00	0.27	0.00	0.00	21.41	17.89	192.26	28.12	99.55
23/04/2023 04:40:00	0.41	0.00	0.00	21.42	16.31	224.31	27.96	99.55
23/04/2023 04:45:00	0.41	0.00	0.00	21.42	14.60	192.26	27.82	99.58
23/04/2023 04:50:00	0.41	0.00	0.00	21.42	15.66	224.31	27.99	99.61
23/04/2023 04:55:00	0.55	0.00	0.00	21.42	16.48	224.31	28.12	99.61
23/04/2023 05:00:00	0.41	0.00	0.00	21.42	15.69	192.26	28.26	99.61
23/04/2023 05:05:00	0.27	0.00	0.00	21.42	14.67	224.31	27.96	99.63
23/04/2023 05:10:00	0.27	0.00	0.00	21.41	15.48	0.00	27.99	99.62
23/04/2023 05:15:00	0.41	0.00	0.00	21.42	14.41	192.26	27.96	99.63

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
23/04/2023 05:20:00	0.41	0.00	0.00	21.43	14.90	192.26	27.52	99.66
23/04/2023 05:25:00	0.27	0.00	0.00	21.43	15.11	192.26	27.50	99.66
23/04/2023 05:30:00	0.41	0.00	0.00	21.43	14.69	224.31	27.36	99.66
23/04/2023 05:35:00	0.55	0.00	0.00	21.44	14.18	224.31	27.96	99.66
23/04/2023 05:40:00	0.41	0.00	0.00	21.43	17.04	224.31	27.82	99.67
23/04/2023 05:45:00	0.55	0.00	0.00	21.44	14.99	224.31	27.38	99.67
23/04/2023 05:50:00	0.41	0.00	0.00	21.43	14.63	192.26	28.12	99.67
23/04/2023 05:55:00	0.27	0.00	0.00	21.43	15.34	224.31	27.52	99.69
23/04/2023 06:00:00	0.41	0.00	0.00	21.43	14.55	192.26	27.50	99.69
23/04/2023 06:05:00	0.41	0.00	0.00	21.42	15.27	192.26	27.36	99.69
23/04/2023 06:10:00	0.27	0.00	0.00	21.44	15.69	192.26	27.36	99.71
23/04/2023 06:15:00	0.41	0.00	0.00	21.43	14.88	192.26	28.12	99.72
23/04/2023 06:20:00	0.41	0.00	0.00	21.45	14.88	224.31	27.66	99.75
23/04/2023 06:25:00	0.27	0.00	0.00	21.44	15.13	192.26	27.20	99.78
23/04/2023 06:30:00	0.27	0.00	0.00	21.43	15.69	224.31	27.50	99.78
23/04/2023 06:35:00	0.27	0.00	0.00	21.44	15.66	224.31	27.63	99.78
23/04/2023 06:40:00	0.41	0.00	0.00	21.44	15.53	256.35	27.96	99.79
23/04/2023 06:45:00	0.55	0.00	0.00	21.43	14.88	224.31	27.66	99.80
23/04/2023 06:50:00	0.27	0.00	0.00	21.44	13.92	192.26	28.12	99.80
23/04/2023 06:55:00	0.27	0.00	0.00	21.43	14.97	0.00	27.96	99.81
23/04/2023 07:00:00	0.27	0.00	0.00	21.44	15.39	192.26	27.34	99.80
23/04/2023 07:05:00	0.27	0.00	0.00	21.43	15.50	192.26	27.50	99.78
23/04/2023 07:10:00	0.41	0.00	0.00	21.44	15.71	224.31	27.63	99.81
23/04/2023 07:15:00	0.27	0.00	0.00	21.44	16.69	192.26	28.10	99.84
23/04/2023 07:20:00	0.27	0.00	0.00	21.44	14.23	160.22	27.94	99.84
23/04/2023 07:25:00	0.41	0.00	0.00	21.44	20.44	192.26	27.80	99.85
23/04/2023 07:30:00	0.27	0.00	0.00	21.45	16.66	192.26	27.34	99.84
23/04/2023 07:35:00	0.41	0.00	0.00	21.44	16.11	192.26	27.50	99.86
23/04/2023 07:40:00	0.41	0.00	0.00	21.45	15.32	224.31	27.66	99.87
23/04/2023 07:45:00	0.55	0.00	0.00	21.44	16.50	224.31	28.28	99.86
23/04/2023 07:50:00	0.41	0.00	0.00	21.44	15.34	192.26	27.96	99.86
23/04/2023 07:55:00	0.41	0.00	0.00	21.45	15.23	192.26	27.96	99.88
23/04/2023 08:00:00	0.27	0.00	0.00	21.45	14.48	192.26	28.10	99.91
23/04/2023 08:05:00	0.55	0.00	0.00	21.45	15.92	256.35	27.85	99.93
23/04/2023 08:10:00	0.41	0.00	0.00	21.45	15.83	192.26	27.96	99.93
23/04/2023 08:15:00	0.27	0.00	0.00	21.45	16.69	192.26	27.50	99.95
23/04/2023 08:20:00	0.41	0.00	0.00	21.45	15.37	192.26	27.66	99.96
23/04/2023 08:25:00	0.41	0.00	0.00	21.45	16.06	192.26	28.26	99.97
23/04/2023 08:30:00	0.41	0.00	0.00	21.45	56.37	192.26	27.96	99.97

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
23/04/2023 08:35:00	0.55	0.00	0.00	21.45	27.60	224.31	27.66	100.03
23/04/2023 08:40:00	0.41	0.00	0.00	21.45	18.91	0.00	27.66	100.03
23/04/2023 08:45:00	0.41	0.00	0.00	21.45	16.06	224.31	27.96	100.04
23/04/2023 08:50:00	0.41	0.00	0.00	21.44	16.66	224.31	27.96	100.02
23/04/2023 08:55:00	0.55	0.00	0.00	21.45	15.90	192.26	27.80	100.02
23/04/2023 09:00:00	0.41	0.00	0.00	21.45	15.06	192.26	27.50	100.04
23/04/2023 09:05:00	0.55	0.00	0.00	21.45	15.18	192.26	27.80	100.04
23/04/2023 09:10:00	0.41	0.00	0.00	21.45	14.83	192.26	27.80	100.04
23/04/2023 09:15:00	0.41	0.00	0.00	21.45	15.30	192.26	27.82	100.03
23/04/2023 09:20:00	0.55	0.00	0.00	21.45	15.59	224.31	28.12	100.04
23/04/2023 09:25:00	0.55	0.00	0.00	21.46	19.93	256.35	27.66	100.04
23/04/2023 09:30:00	0.41	0.00	0.00	21.44	15.69	192.26	28.26	100.01
23/04/2023 09:35:00	0.41	0.00	0.00	21.45	15.59	192.26	28.26	100.01
23/04/2023 09:40:00	0.55	0.00	0.00	21.45	15.11	224.31	27.68	100.01
23/04/2023 09:45:00	0.55	0.00	0.00	21.45	19.54	224.31	28.12	100.02
23/04/2023 09:50:00	0.41	0.00	0.00	21.46	17.75	192.26	28.15	100.01
23/04/2023 09:55:00	0.55	0.00	0.00	21.46	15.73	224.31	28.12	99.98
23/04/2023 10:00:00	0.55	0.00	0.00	21.45	16.57	224.31	27.80	99.98
23/04/2023 10:05:00	0.41	0.00	0.00	21.45	15.01	224.31	27.85	100.01
23/04/2023 10:10:00	0.55	0.00	0.00	21.46	19.63	224.31	27.80	99.99
23/04/2023 10:15:00	0.41	0.00	0.00	21.46	17.24	224.31	27.85	99.98
23/04/2023 10:20:00	0.41	0.00	0.00	21.46	17.29	224.31	28.12	99.98
23/04/2023 10:25:00	0.41	0.00	0.00	21.45	15.88	0.00	27.82	99.98
23/04/2023 10:30:00	0.41	0.00	0.00	21.46	15.88	192.26	28.42	99.98
23/04/2023 10:35:00	0.41	0.00	0.00	21.46	16.06	224.31	28.12	99.99
23/04/2023 10:40:00	0.55	0.00	0.00	21.46	15.01	256.35	27.73	100.00
23/04/2023 10:45:00	0.41	0.00	0.00	21.46	15.34	192.26	28.42	99.98
23/04/2023 10:50:00	0.41	0.00	0.00	21.47	15.23	256.35	28.28	99.97
23/04/2023 10:55:00	0.27	0.00	0.00	21.45	15.06	224.31	27.96	99.97
23/04/2023 11:00:00	0.55	0.00	0.00	21.46	15.59	224.31	28.26	99.96
23/04/2023 11:05:00	0.41	0.00	0.00	21.46	16.73	160.22	27.94	99.94
23/04/2023 11:10:00	0.41	0.00	0.00	21.46	16.43	224.31	28.42	99.93
23/04/2023 11:15:00	0.41	0.00	0.00	21.46	15.41	224.31	28.12	99.93
23/04/2023 11:20:00	0.41	0.00	0.00	21.45	15.06	192.26	27.96	99.92
23/04/2023 11:25:00	0.41	0.00	0.00	21.45	16.38	192.26	27.96	99.90
23/04/2023 11:30:00	0.41	0.00	0.00	21.45	16.91	192.26	27.80	99.90
23/04/2023 11:35:00	0.55	0.00	0.00	21.48	15.99	160.22	28.70	99.90
23/04/2023 11:40:00	0.27	0.00	0.00	21.46	14.95	160.22	27.94	99.89
23/04/2023 11:45:00	0.41	0.00	0.00	21.46	16.24	192.26	28.73	99.90

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
23/04/2023 11:50:00	0.41	0.00	0.00	21.45	15.18	192.26	28.10	99.87
23/04/2023 11:55:00	0.41	0.00	0.00	21.46	15.13	224.31	28.40	99.87
23/04/2023 12:00:00	0.41	0.00	0.00	21.45	51.38	192.26	28.26	99.86
23/04/2023 12:05:00	0.41	0.00	0.00	21.45	23.36	192.26	28.40	99.84
23/04/2023 12:10:00	0.27	0.00	0.00	21.45	17.80	0.00	28.40	99.82
23/04/2023 12:15:00	0.27	0.00	0.00	21.45	15.43	192.26	28.68	99.83
23/04/2023 12:20:00	0.41	0.00	0.00	21.45	22.11	192.26	28.75	99.81
23/04/2023 12:25:00	0.41	0.00	0.00	21.46	18.61	224.31	28.75	99.81
23/04/2023 12:30:00	0.41	0.00	0.00	21.45	19.72	192.26	28.56	99.82
23/04/2023 12:35:00	0.27	0.00	0.00	21.46	29.92	192.26	28.12	99.80
23/04/2023 12:40:00	0.41	0.00	0.00	21.46	22.76	192.26	28.28	99.79
23/04/2023 12:45:00	0.41	0.00	0.00	21.45	17.43	192.26	28.75	99.79
23/04/2023 12:50:00	0.41	0.00	0.00	21.46	17.98	224.31	28.73	99.77
23/04/2023 12:55:00	0.27	0.00	0.00	21.45	16.15	160.22	28.12	99.75
23/04/2023 13:00:00	0.41	0.00	0.00	21.45	16.75	192.26	28.59	99.74
23/04/2023 13:05:00	0.41	0.00	0.00	21.45	15.75	224.31	28.40	99.75
23/04/2023 13:10:00	0.55	0.00	0.00	21.45	15.75	224.31	28.73	99.76
23/04/2023 13:15:00	0.41	0.00	0.00	21.45	15.48	224.31	28.12	99.75
23/04/2023 13:20:00	0.41	0.00	0.00	21.45	14.81	224.31	28.44	99.74
23/04/2023 13:25:00	0.41	0.00	0.00	21.45	79.66	192.26	28.70	99.71
23/04/2023 13:30:00	0.27	0.00	0.00	21.44	50.62	192.26	27.94	99.72
23/04/2023 13:35:00	0.41	0.00	0.00	21.45	35.74	192.26	28.10	99.72
23/04/2023 13:40:00	0.41	0.00	0.00	21.45	24.17	192.26	28.40	99.69
23/04/2023 13:45:00	0.41	0.00	0.00	21.45	20.60	192.26	28.10	99.69
23/04/2023 13:50:00	0.41	0.00	0.00	21.45	17.15	192.26	28.10	99.67
23/04/2023 13:55:00	0.41	0.00	0.00	21.44	16.82	0.00	28.28	99.68
23/04/2023 14:00:00	0.41	0.00	0.00	21.44	16.62	192.26	28.26	99.69
23/04/2023 14:05:00	0.55	0.00	0.00	21.45	16.80	224.31	28.28	99.69
23/04/2023 14:10:00	0.27	0.00	0.00	21.44	16.80	192.26	28.08	99.66
23/04/2023 14:15:00	0.41	0.00	0.00	21.44	15.30	192.26	28.12	99.68
23/04/2023 14:20:00	0.41	0.00	0.00	21.44	14.69	192.26	28.56	99.68
23/04/2023 14:25:00	0.27	0.00	0.00	21.45	15.57	192.26	28.10	99.66
23/04/2023 14:30:00	0.41	0.00	0.00	21.44	15.11	192.26	28.73	99.67
23/04/2023 14:35:00	0.41	0.00	0.00	21.45	16.36	224.31	27.99	99.67
23/04/2023 14:40:00	0.41	0.00	0.00	21.46	14.27	192.26	28.26	99.64
23/04/2023 14:45:00	0.41	0.00	0.00	21.46	15.75	192.26	28.86	99.66
23/04/2023 14:50:00	0.55	0.00	0.00	21.45	15.62	192.26	28.73	99.65
23/04/2023 14:55:00	0.41	0.00	0.00	21.45	15.71	192.26	28.89	99.64
23/04/2023 15:00:00	0.41	0.00	0.00	21.45	15.15	192.26	28.86	99.64

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
23/04/2023 15:05:00	0.55	0.00	0.00	21.46	16.24	224.31	28.40	99.62
23/04/2023 15:10:00	0.41	0.00	0.00	21.46	16.50	192.26	28.26	99.62
23/04/2023 15:15:00	0.41	0.00	0.00	21.45	18.84	192.26	28.28	99.62
23/04/2023 15:20:00	0.55	0.00	0.00	21.45	16.38	256.35	28.59	99.61
23/04/2023 15:25:00	0.41	0.00	0.00	21.45	17.49	192.26	28.86	99.61
23/04/2023 15:30:00	0.41	0.00	0.00	21.45	16.75	192.26	28.10	99.60
23/04/2023 15:35:00	0.27	0.00	0.00	21.45	16.73	224.31	28.73	99.59
23/04/2023 15:40:00	0.41	0.00	0.00	21.45	16.66	0.00	28.70	99.59
23/04/2023 15:45:00	0.27	0.00	0.00	21.45	16.69	192.26	28.89	99.59
23/04/2023 15:50:00	0.55	0.00	0.00	21.44	16.01	192.26	28.73	99.59
23/04/2023 15:55:00	0.41	0.00	0.00	21.44	14.63	224.31	28.26	99.60
23/04/2023 16:00:00	0.41	0.00	0.00	21.44	15.99	192.26	28.89	99.58
23/04/2023 16:05:00	0.27	0.00	0.00	21.43	15.50	192.26	28.26	99.57
23/04/2023 16:10:00	0.41	0.00	0.00	21.45	15.78	192.26	28.24	99.56
23/04/2023 16:15:00	0.41	0.00	0.00	21.44	16.22	192.26	28.08	99.55
23/04/2023 16:20:00	0.41	0.00	0.00	21.43	15.78	160.22	28.54	99.55
23/04/2023 16:25:00	0.41	0.00	0.00	21.44	15.92	192.26	28.86	99.56
23/04/2023 16:30:00	0.27	0.00	0.00	21.44	15.43	160.22	28.73	99.55
23/04/2023 16:35:00	0.55	0.00	0.00	21.45	15.80	224.31	28.89	99.55
23/04/2023 16:40:00	0.41	0.00	0.00	21.44	15.50	192.26	28.42	99.55
23/04/2023 16:45:00	0.41	0.00	0.00	21.44	15.43	160.22	28.26	99.55
23/04/2023 16:50:00	0.14	0.00	0.00	21.44	15.13	160.22	28.37	99.54
23/04/2023 16:55:00	0.41	0.00	0.00	21.44	16.98	192.26	28.15	99.55
23/04/2023 17:00:00	0.41	0.00	0.00	21.44	14.88	192.26	28.24	99.56
23/04/2023 17:05:00	0.41	0.00	0.00	21.43	19.37	160.22	28.37	99.55
23/04/2023 17:10:00	0.41	0.00	0.00	21.41	20.02	160.22	28.70	99.54
23/04/2023 17:15:00	0.41	0.00	0.00	21.42	16.59	160.22	28.21	99.54
23/04/2023 17:20:00	0.41	0.00	0.00	21.43	16.59	160.22	28.84	99.55
23/04/2023 17:25:00	0.27	0.00	0.00	21.44	15.88	0.00	28.40	99.55
23/04/2023 17:30:00	0.41	0.00	0.00	21.43	15.99	160.22	28.40	99.54
23/04/2023 17:35:00	0.41	0.00	0.00	21.44	14.92	160.22	28.10	99.55
23/04/2023 17:40:00	0.27	0.00	0.00	21.44	15.80	160.22	28.54	99.54
23/04/2023 17:45:00	0.41	0.00	0.00	21.42	16.24	160.22	28.70	99.55
23/04/2023 17:50:00	0.27	0.00	0.00	21.44	15.37	160.22	28.73	99.55
23/04/2023 17:55:00	0.41	0.00	0.00	21.43	15.66	224.31	28.40	99.55
23/04/2023 18:00:00	0.55	0.00	0.00	21.43	14.76	192.26	28.73	99.57
23/04/2023 18:05:00	0.41	0.00	0.00	21.42	15.27	224.31	28.26	99.57
23/04/2023 18:10:00	0.41	0.00	0.00	21.42	14.27	192.26	28.86	99.57
23/04/2023 18:15:00	0.27	0.00	0.00	21.41	15.83	160.22	28.40	99.55

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
23/04/2023 18:20:00	0.27	0.00	0.00	21.41	15.41	160.22	28.70	99.56
23/04/2023 18:25:00	0.27	0.00	0.00	21.41	14.85	192.26	28.84	99.55
23/04/2023 18:30:00	0.41	0.00	0.00	21.42	14.90	192.26	28.42	99.57
23/04/2023 18:35:00	0.55	0.00	0.00	21.42	14.32	224.31	28.59	99.56
23/04/2023 18:40:00	0.55	0.00	0.00	21.42	16.66	192.26	28.86	99.57
23/04/2023 18:45:00	0.41	0.00	0.00	21.42	16.75	192.26	28.24	99.59
23/04/2023 18:50:00	0.55	0.00	0.00	21.42	16.13	192.26	28.89	99.60
23/04/2023 18:55:00	0.41	0.00	0.00	21.43	15.20	192.26	28.86	99.60
23/04/2023 19:00:00	0.55	0.00	0.00	21.44	14.76	224.31	28.73	99.63
23/04/2023 19:05:00	0.27	0.00	0.00	21.43	15.69	160.22	28.40	99.65
23/04/2023 19:10:00	0.27	0.00	0.00	21.43	14.65	0.00	28.84	99.64
23/04/2023 19:15:00	0.41	0.00	0.00	21.43	15.23	160.22	28.54	99.64
23/04/2023 19:20:00	0.41	0.00	0.00	21.43	14.79	192.26	28.70	99.64
23/04/2023 19:25:00	0.27	0.00	0.00	21.42	15.80	192.26	29.02	99.66
23/04/2023 19:30:00	0.41	0.00	0.00	21.43	15.73	224.31	28.40	99.66
23/04/2023 19:35:00	0.27	0.00	0.00	21.43	16.06	160.22	28.86	99.67
23/04/2023 19:40:00	0.41	0.00	0.00	21.43	15.06	224.31	28.56	99.67
23/04/2023 19:45:00	0.27	0.00	0.00	21.43	15.20	160.22	28.26	99.69
23/04/2023 19:50:00	0.27	0.00	0.00	21.43	15.18	224.31	28.40	99.70
23/04/2023 19:55:00	0.41	0.00	0.00	21.43	15.06	224.31	28.26	99.72
23/04/2023 20:00:00	0.27	0.00	0.00	21.43	14.60	160.22	28.84	99.72
23/04/2023 20:05:00	0.41	0.00	0.00	21.44	15.37	192.26	28.56	99.75
23/04/2023 20:10:00	0.41	0.00	0.00	21.43	14.88	192.26	28.59	99.75
23/04/2023 20:15:00	0.41	0.00	0.00	21.43	15.43	224.31	28.42	99.76
23/04/2023 20:20:00	0.41	0.00	0.00	21.44	16.40	192.26	28.12	99.79
23/04/2023 20:25:00	0.27	0.00	0.00	21.43	14.95	160.22	28.24	99.80
23/04/2023 20:30:00	0.27	0.00	0.00	21.43	15.50	192.26	28.56	99.81
23/04/2023 20:35:00	0.27	0.00	0.00	21.44	14.72	192.26	28.73	99.81
23/04/2023 20:40:00	0.41	0.00	0.00	21.45	14.88	192.26	28.10	99.81
23/04/2023 20:45:00	0.55	0.00	0.00	21.43	14.57	224.31	28.59	99.83
23/04/2023 20:50:00	0.27	0.00	0.00	21.44	15.97	192.26	28.40	99.84
23/04/2023 20:55:00	0.55	0.00	0.00	21.44	15.66	0.00	28.31	99.86
23/04/2023 21:00:00	0.55	0.00	0.00	21.43	15.57	224.31	28.42	99.86
23/04/2023 21:05:00	0.55	0.00	0.00	21.44	14.67	224.31	28.89	99.86
23/04/2023 21:10:00	0.00	0.00	0.00	21.44	14.79	224.31	28.12	99.86
23/04/2023 21:15:00	0.27	0.00	0.00	21.43	15.34	160.22	28.56	99.86
23/04/2023 21:20:00	0.41	0.00	0.00	21.44	14.97	224.31	28.26	99.87
23/04/2023 21:25:00	0.41	0.00	0.00	21.44	14.65	224.31	28.59	99.87
23/04/2023 21:30:00	0.41	0.00	0.00	21.43	14.23	192.26	28.86	99.87

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
23/04/2023 21:35:00	0.00	0.00	0.00	21.44	15.37	192.26	28.73	99.87
23/04/2023 21:40:00	0.55	0.00	0.00	21.45	16.04	192.26	28.42	99.87
23/04/2023 21:45:00	0.55	0.00	0.00	21.45	14.79	192.26	28.42	99.89
23/04/2023 21:50:00	0.41	0.00	0.00	21.44	15.32	192.26	28.12	99.89
23/04/2023 21:55:00	0.41	0.00	0.00	21.44	17.04	192.26	27.96	99.87
23/04/2023 22:00:00	0.55	0.00	0.00	21.44	15.71	192.26	28.12	99.88
23/04/2023 22:05:00	0.00	0.00	0.00	21.43	14.97	224.31	28.26	99.92
23/04/2023 22:10:00	0.41	0.00	0.00	21.44	15.64	192.26	28.42	99.90
23/04/2023 22:15:00	0.41	0.00	0.00	21.44	19.65	224.31	28.42	99.91
23/04/2023 22:20:00	0.41	0.00	0.00	21.44	21.25	192.26	28.59	99.90
23/04/2023 22:25:00	0.00	0.00	0.00	21.44	25.98	192.26	28.26	99.90
23/04/2023 22:30:00	0.55	0.00	0.00	21.44	15.92	192.26	28.10	99.90
23/04/2023 22:35:00	0.41	0.00	0.00	21.44	15.53	192.26	28.12	99.91
23/04/2023 22:40:00	0.00	0.00	0.00	21.43	14.99	0.00	27.96	99.89
23/04/2023 22:45:00	0.55	0.00	0.00	21.44	15.13	224.31	27.96	99.89
23/04/2023 22:50:00	0.41	0.00	0.00	21.45	15.92	192.26	28.56	99.90
23/04/2023 22:55:00	0.41	0.00	0.00	21.43	16.04	192.26	28.56	99.90
23/04/2023 23:00:00	0.27	0.00	0.00	21.43	15.20	192.26	28.40	99.90
23/04/2023 23:05:00	0.00	0.00	0.00	21.44	14.23	192.26	27.99	99.92
23/04/2023 23:10:00	0.41	0.00	0.00	21.43	14.74	192.26	27.80	99.90
23/04/2023 23:15:00	0.00	0.00	0.00	21.44	14.63	192.26	28.56	99.91
23/04/2023 23:20:00	0.41	0.00	0.00	21.44	15.27	192.26	27.96	99.89
23/04/2023 23:25:00	0.41	0.00	0.00	21.44	14.39	224.31	28.70	99.89
23/04/2023 23:30:00	0.41	0.00	0.00	21.43	15.39	224.31	28.70	99.86
23/04/2023 23:35:00	0.41	0.00	0.00	21.44	15.53	192.26	28.73	99.87
23/04/2023 23:40:00	0.41	0.00	0.00	21.44	15.85	192.26	28.44	99.86
23/04/2023 23:45:00	0.69	0.00	0.00	21.43	15.64	224.31	28.73	99.86
23/04/2023 23:50:00	0.55	0.00	0.00	21.44	15.53	224.31	28.26	99.86
23/04/2023 23:55:00	0.00	0.00	0.00	21.44	16.31	192.26	27.82	99.86