



## BÁO CÁO KẾT QUẢ QUAN TRẮC TRUNG BÌNH 5 PHÚT

Tên cơ sở: Xi măng Quang Sơn

Tên trạm: Ống khói chính

Thời gian báo cáo: Từ: 04/04/2023

Tới: 04/04/2023

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
04/04/2023 00:00:00	0.00	0.00	0.00	20.29	23.10	224.31	27.66	99.42
04/04/2023 00:05:00	0.41	0.00	0.00	20.30	22.25	224.31	28.26	99.43
04/04/2023 00:10:00	0.41	0.00	0.00	20.29	23.50	224.31	27.85	99.42
04/04/2023 00:15:00	0.41	0.00	0.00	20.29	24.15	224.31	27.82	99.43
04/04/2023 00:20:00	0.41	0.00	0.00	20.31	23.10	224.31	28.12	99.41
04/04/2023 00:25:00	0.00	0.00	0.00	20.30	21.53	224.31	28.01	99.42
04/04/2023 00:30:00	0.00	0.00	0.00	20.29	26.54	224.31	27.82	99.41
04/04/2023 00:35:00	0.55	0.00	0.00	20.29	30.80	0.00	28.12	99.43
04/04/2023 00:40:00	0.41	0.00	0.00	20.30	44.71	224.31	27.99	99.41
04/04/2023 00:45:00	0.55	0.00	0.00	20.30	39.59	224.31	27.99	99.39
04/04/2023 00:50:00	0.41	0.00	0.00	20.29	33.84	224.31	27.05	99.38
04/04/2023 00:55:00	0.55	0.00	0.00	20.30	26.91	256.35	27.08	99.35
04/04/2023 01:00:00	0.27	0.00	0.00	20.30	27.92	256.35	27.66	99.35
04/04/2023 01:05:00	0.41	0.00	0.00	20.30	25.57	224.31	27.68	99.36
04/04/2023 01:10:00	0.41	0.00	0.00	20.30	22.80	224.31	27.52	99.36
04/04/2023 01:15:00	0.41	0.00	0.00	20.30	25.03	224.31	27.38	99.35
04/04/2023 01:20:00	0.27	0.00	0.00	20.29	22.36	224.31	27.85	99.35
04/04/2023 01:25:00	0.00	0.00	0.00	20.29	24.22	224.31	27.68	99.34
04/04/2023 01:30:00	0.27	0.00	0.00	20.29	23.45	192.26	28.15	99.32

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NOx (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
04/04/2023 01:35:00	0.00	0.00	0.00	20.30	22.94	256.35	27.57	99.34
04/04/2023 01:40:00	0.55	0.00	0.00	20.30	25.26	256.35	27.38	99.32
04/04/2023 01:45:00	0.00	0.00	0.00	20.30	25.10	224.31	28.15	99.30
04/04/2023 01:50:00	0.00	0.00	0.00	20.31	21.62	256.35	27.57	99.35
04/04/2023 01:55:00	0.41	0.00	0.00	20.30	56.18	224.31	27.68	99.32
04/04/2023 02:00:00	0.55	0.00	0.00	20.30	390.73	256.35	27.54	99.29
04/04/2023 02:05:00	0.55	0.00	0.00	20.31	351.14	256.35	27.70	99.27
04/04/2023 02:10:00	0.41	0.00	0.00	20.30	285.17	256.35	27.87	99.29
04/04/2023 02:15:00	0.55	0.00	0.00	20.30	232.20	256.35	27.08	99.28
04/04/2023 02:20:00	0.55	0.00	0.00	20.30	174.93	0.00	27.24	99.27
04/04/2023 02:25:00	0.27	0.00	0.00	20.30	116.45	224.31	27.85	99.24
04/04/2023 02:30:00	0.55	0.00	0.00	20.30	82.73	256.35	27.68	99.27
04/04/2023 02:35:00	0.00	0.00	0.00	20.30	62.07	224.31	27.68	99.25
04/04/2023 02:40:00	0.00	0.00	0.00	20.30	63.20	224.31	27.36	99.26
04/04/2023 02:45:00	0.55	0.00	0.00	20.30	55.83	256.35	27.68	99.26
04/04/2023 02:50:00	0.55	0.00	0.00	20.30	47.97	224.31	27.05	99.25
04/04/2023 02:55:00	0.27	0.00	0.00	20.30	54.65	224.31	27.54	99.24
04/04/2023 03:00:00	0.27	0.00	0.00	20.29	52.36	224.31	27.82	99.25
04/04/2023 03:05:00	0.41	0.00	0.00	20.29	51.48	256.35	27.22	99.24
04/04/2023 03:10:00	0.41	0.00	0.00	20.30	46.61	256.35	27.54	99.26
04/04/2023 03:15:00	0.55	0.00	0.00	20.29	39.49	256.35	28.01	99.26
04/04/2023 03:20:00	0.55	0.00	0.00	20.29	32.98	256.35	28.15	99.26
04/04/2023 03:25:00	0.55	0.00	0.00	20.29	35.76	256.35	27.54	99.26
04/04/2023 03:30:00	0.41	0.00	0.00	20.29	30.57	224.31	27.99	99.26
04/04/2023 03:35:00	0.00	0.00	0.00	20.29	27.07	224.31	27.85	99.25
04/04/2023 03:40:00	0.55	0.00	0.00	20.29	27.23	224.31	27.68	99.24
04/04/2023 03:45:00	0.41	0.00	0.00	20.29	26.58	256.35	27.70	99.26
04/04/2023 03:50:00	0.55	0.00	0.00	20.30	24.86	288.40	28.15	99.26
04/04/2023 03:55:00	0.55	0.00	0.00	20.29	22.87	224.31	27.70	99.24
04/04/2023 04:00:00	0.55	0.00	0.00	20.29	24.61	256.35	27.87	99.23
04/04/2023 04:05:00	0.41	0.00	0.00	20.29	23.57	0.00	28.01	99.25
04/04/2023 04:10:00	0.55	0.00	0.00	20.29	25.82	288.40	28.01	99.26
04/04/2023 04:15:00	0.41	0.00	0.00	20.29	20.88	256.35	27.38	99.24

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NOx (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
04/04/2023 04:20:00	0.55	0.00	0.00	20.29	19.17	256.35	27.38	99.22
04/04/2023 04:25:00	0.41	0.00	0.00	20.29	19.97	224.31	27.82	99.22
04/04/2023 04:30:00	0.55	0.00	0.00	20.30	22.16	256.35	28.01	99.24
04/04/2023 04:35:00	0.55	0.00	0.00	20.30	21.81	256.35	27.54	99.26
04/04/2023 04:40:00	0.69	0.00	0.00	20.29	20.07	256.35	27.70	99.26
04/04/2023 04:45:00	0.55	0.00	0.00	20.29	18.98	256.35	27.70	99.27
04/04/2023 04:50:00	0.00	0.00	0.00	20.29	21.97	256.35	27.70	99.28
04/04/2023 04:55:00	0.00	0.00	0.00	20.29	23.43	256.35	27.70	99.29
04/04/2023 05:00:00	0.00	0.00	0.00	20.30	22.25	256.35	27.70	99.30
04/04/2023 05:05:00	0.00	0.00	0.00	20.31	19.75	256.35	27.54	99.31
04/04/2023 05:10:00	0.55	0.00	0.00	20.31	22.83	224.31	27.82	99.32
04/04/2023 05:15:00	0.00	0.00	0.00	20.31	21.46	224.31	27.68	99.32
04/04/2023 05:20:00	0.41	0.00	0.00	20.30	18.70	256.35	28.15	99.36
04/04/2023 05:25:00	0.41	0.00	0.00	20.30	19.26	256.35	28.15	99.38
04/04/2023 05:30:00	0.55	0.00	0.00	20.30	21.42	224.31	27.82	99.36
04/04/2023 05:35:00	0.00	0.00	0.00	20.30	24.08	256.35	28.01	99.34
04/04/2023 05:40:00	0.55	0.00	0.00	20.29	27.58	256.35	27.82	99.32
04/04/2023 05:45:00	0.41	0.00	0.00	20.30	35.58	256.35	27.85	99.35
04/04/2023 05:50:00	0.41	0.00	0.00	20.31	28.23	0.00	27.54	99.36
04/04/2023 05:55:00	0.55	0.00	0.00	20.30	31.87	224.31	28.01	99.35
04/04/2023 06:00:00	0.41	0.00	0.00	20.30	33.95	224.31	27.82	99.35
04/04/2023 06:05:00	0.41	0.00	0.00	20.31	29.90	224.31	27.54	99.32
04/04/2023 06:10:00	0.41	0.00	0.00	20.31	24.61	256.35	28.17	99.36
04/04/2023 06:15:00	0.41	0.00	0.00	20.30	23.45	256.35	27.38	99.35
04/04/2023 06:20:00	0.41	0.00	0.00	20.30	20.97	224.31	27.68	99.38
04/04/2023 06:25:00	0.41	0.00	0.00	20.30	28.63	256.35	27.38	99.37
04/04/2023 06:30:00	0.55	0.00	0.00	20.30	20.23	256.35	27.54	99.35
04/04/2023 06:35:00	0.41	0.00	0.00	20.30	19.05	224.31	27.38	99.36
04/04/2023 06:40:00	0.41	0.00	0.00	20.31	17.73	256.35	28.01	99.38
04/04/2023 06:45:00	0.27	0.00	0.00	20.30	18.70	256.35	27.85	99.40
04/04/2023 06:50:00	0.55	0.00	0.00	20.30	17.43	224.31	28.05	99.41
04/04/2023 06:55:00	0.55	0.00	0.00	20.30	131.56	256.35	27.70	99.42
04/04/2023 07:00:00	0.41	0.00	0.00	20.31	82.15	192.26	27.82	99.43

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
04/04/2023 07:05:00	0.41	0.00	0.00	20.31	76.12	224.31	27.82	99.44
04/04/2023 07:10:00	0.41	0.00	0.00	20.31	77.00	256.35	27.54	99.45
04/04/2023 07:15:00	0.41	0.00	0.00	20.30	59.91	224.31	27.99	99.45
04/04/2023 07:20:00	0.55	0.00	0.00	20.30	46.38	256.35	27.99	99.48
04/04/2023 07:25:00	0.41	0.00	0.00	20.30	38.68	224.31	28.01	99.49
04/04/2023 07:30:00	0.55	0.00	0.00	20.30	30.17	256.35	28.01	99.47
04/04/2023 07:35:00	0.55	0.00	0.00	20.31	28.79	0.00	28.15	99.49
04/04/2023 07:40:00	0.41	0.00	0.00	20.31	23.27	224.31	28.15	99.52
04/04/2023 07:45:00	0.41	0.00	0.00	20.30	22.74	224.31	28.01	99.53
04/04/2023 07:50:00	0.55	0.00	0.00	20.30	24.94	224.31	27.52	99.53
04/04/2023 07:55:00	0.55	0.00	0.00	20.31	22.16	256.35	27.38	99.50
04/04/2023 08:00:00	0.41	0.00	0.00	20.31	19.52	224.31	28.15	99.48
04/04/2023 08:05:00	0.41	0.00	0.00	20.31	38.77	256.35	27.68	99.49
04/04/2023 08:10:00	0.41	0.00	0.00	20.30	52.38	224.31	27.70	99.49
04/04/2023 08:15:00	0.55	0.00	0.00	20.30	41.92	256.35	27.68	99.49
04/04/2023 08:20:00	0.55	0.00	0.00	20.31	45.17	256.35	27.52	99.48
04/04/2023 08:25:00	0.41	0.00	0.00	20.30	33.28	224.31	28.01	99.50
04/04/2023 08:30:00	0.41	0.00	0.00	20.30	28.50	224.31	27.36	99.48
04/04/2023 08:35:00	0.69	0.00	0.00	20.31	21.53	256.35	28.01	99.48
04/04/2023 08:40:00	0.41	0.00	0.00	20.31	19.05	256.35	27.52	99.49
04/04/2023 08:45:00	0.69	0.00	0.00	20.31	36.22	256.35	27.99	99.48
04/04/2023 08:50:00	0.41	0.00	0.00	20.31	24.06	256.35	27.24	99.47
04/04/2023 08:55:00	0.41	0.00	0.00	20.31	22.22	256.35	27.24	99.49
04/04/2023 09:00:00	0.41	0.00	0.00	20.31	25.68	256.35	27.22	99.50
04/04/2023 09:05:00	0.00	0.00	0.00	20.31	23.83	224.31	27.82	99.49
04/04/2023 09:10:00	0.41	0.00	0.00	20.31	22.34	192.26	27.82	99.49
04/04/2023 09:15:00	0.55	0.00	0.00	20.31	21.39	256.35	27.82	99.49
04/04/2023 09:20:00	0.41	0.00	0.00	20.30	20.14	0.00	27.66	99.50
04/04/2023 09:25:00	0.41	0.00	0.00	20.31	17.78	256.35	27.54	99.50
04/04/2023 09:30:00	0.55	0.00	0.00	20.31	18.40	224.31	27.36	99.49
04/04/2023 09:35:00	0.55	0.00	0.00	20.31	17.85	288.40	27.70	99.51
04/04/2023 09:40:00	0.55	0.00	0.00	20.30	18.96	256.35	27.85	99.50
04/04/2023 09:45:00	0.55	0.00	0.00	20.31	16.55	256.35	27.68	99.49

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NOx (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
04/04/2023 09:50:00	0.55	0.00	0.00	20.31	17.52	192.26	27.82	99.49
04/04/2023 09:55:00	0.55	0.00	0.00	20.30	18.33	224.31	27.20	99.52
04/04/2023 10:00:00	0.41	0.00	0.00	20.30	17.15	224.31	27.36	99.53
04/04/2023 10:05:00	0.41	0.00	0.00	20.31	18.33	224.31	28.15	99.53
04/04/2023 10:10:00	0.69	0.00	0.00	20.31	17.38	224.31	27.38	99.53
04/04/2023 10:15:00	0.41	0.00	0.00	20.30	17.36	224.31	27.36	99.52
04/04/2023 10:20:00	0.55	0.00	0.00	20.31	19.17	224.31	27.54	99.51
04/04/2023 10:25:00	0.55	0.00	0.00	20.31	19.61	224.31	27.66	99.52
04/04/2023 10:30:00	0.69	0.00	0.00	20.30	17.89	256.35	27.85	99.51
04/04/2023 10:35:00	0.41	0.00	0.00	20.31	19.17	192.26	27.38	99.49
04/04/2023 10:40:00	0.55	0.00	0.00	20.31	21.32	224.31	27.38	99.50
04/04/2023 10:45:00	0.41	0.00	0.00	20.30	20.81	224.31	27.80	99.48
04/04/2023 10:50:00	0.55	0.00	0.00	20.30	20.84	192.26	27.96	99.47
04/04/2023 10:55:00	0.55	0.00	0.00	20.30	20.70	224.31	27.82	99.49
04/04/2023 11:00:00	0.41	0.00	0.00	20.31	21.85	224.31	27.82	99.49
04/04/2023 11:05:00	0.41	0.00	0.00	20.30	21.58	0.00	27.96	99.49
04/04/2023 11:10:00	0.55	0.00	0.00	20.30	26.44	224.31	27.99	99.47
04/04/2023 11:15:00	0.41	0.00	0.00	20.30	23.59	192.26	27.96	99.48
04/04/2023 11:20:00	0.55	0.00	0.00	20.31	22.02	224.31	27.36	99.45
04/04/2023 11:25:00	0.41	0.00	0.00	20.31	21.55	192.26	27.50	99.44
04/04/2023 11:30:00	0.41	0.00	0.00	20.31	21.53	192.26	27.50	99.46
04/04/2023 11:35:00	0.55	0.00	0.00	20.31	22.11	224.31	27.20	99.44
04/04/2023 11:40:00	0.55	0.00	0.00	20.30	20.90	192.26	27.96	99.44
04/04/2023 11:45:00	0.41	0.00	0.00	20.31	21.04	192.26	27.66	99.43
04/04/2023 11:50:00	0.55	0.00	0.00	20.31	19.58	224.31	27.52	99.43
04/04/2023 11:55:00	0.55	0.00	0.00	20.30	19.58	192.26	27.36	99.41
04/04/2023 12:00:00	0.55	0.00	0.00	20.31	17.96	192.26	28.12	99.39
04/04/2023 12:05:00	0.55	0.00	0.00	20.31	19.35	192.26	27.96	99.38
04/04/2023 12:10:00	0.55	0.00	0.00	20.31	19.63	224.31	27.63	99.36
04/04/2023 12:15:00	0.55	0.00	0.00	20.31	19.01	192.26	27.96	99.36
04/04/2023 12:20:00	0.55	0.00	0.00	20.31	28.88	192.26	27.52	99.33
04/04/2023 12:25:00	0.69	0.00	0.00	20.31	21.90	224.31	27.50	99.33
04/04/2023 12:30:00	0.55	0.00	0.00	20.31	20.93	192.26	27.96	99.33

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NOx (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
04/04/2023 12:35:00	0.41	0.00	0.00	20.32	20.42	160.22	27.80	99.32
04/04/2023 12:40:00	0.55	0.00	0.00	20.32	20.51	192.26	27.96	99.32
04/04/2023 12:45:00	0.41	0.00	0.00	20.32	20.53	192.26	27.94	99.32
04/04/2023 12:50:00	0.55	0.00	0.00	20.32	19.21	0.00	27.50	99.28
04/04/2023 12:55:00	0.41	0.00	0.00	20.32	19.75	160.22	27.80	99.27
04/04/2023 13:00:00	0.55	0.00	0.00	20.32	20.62	224.31	27.96	99.27
04/04/2023 13:05:00	0.55	0.00	0.00	20.33	21.51	192.26	27.78	99.26
04/04/2023 13:10:00	0.27	0.00	0.00	20.32	20.14	128.18	28.35	99.21
04/04/2023 13:15:00	0.55	0.00	0.00	20.32	20.10	160.22	28.40	99.21
04/04/2023 13:20:00	0.41	0.00	0.00	20.33	20.70	192.26	28.10	99.20
04/04/2023 13:25:00	0.55	0.00	0.00	20.32	32.75	160.22	28.24	99.19
04/04/2023 13:30:00	0.41	0.00	0.00	20.31	22.85	192.26	28.40	99.16
04/04/2023 13:35:00	0.41	0.00	0.00	20.31	20.70	160.22	27.66	99.15
04/04/2023 13:40:00	0.55	0.00	0.00	20.32	19.93	192.26	27.47	99.15
04/04/2023 13:45:00	0.41	0.00	0.00	20.32	19.91	192.26	28.40	99.15
04/04/2023 13:50:00	0.41	0.00	0.00	20.32	20.90	192.26	28.08	99.15
04/04/2023 13:55:00	0.41	0.00	0.00	20.32	20.42	160.22	27.80	99.11
04/04/2023 14:00:00	0.55	0.00	0.00	20.32	22.20	160.22	27.94	99.11
04/04/2023 14:05:00	0.55	0.00	0.00	20.32	22.64	224.31	28.40	99.11
04/04/2023 14:10:00	0.27	0.00	0.00	20.32	24.59	160.22	27.92	99.10
04/04/2023 14:15:00	0.55	0.00	0.00	20.32	24.70	192.26	27.87	99.10
04/04/2023 14:20:00	0.55	0.00	0.00	20.32	24.73	192.26	28.59	99.11
04/04/2023 14:25:00	0.41	0.00	0.00	20.32	21.11	160.22	28.24	99.09
04/04/2023 14:30:00	0.41	0.00	0.00	20.32	22.55	160.22	27.78	99.09
04/04/2023 14:35:00	0.27	0.00	0.00	20.32	23.92	0.00	28.40	99.07
04/04/2023 14:40:00	0.41	0.00	0.00	20.31	21.13	224.31	28.56	99.07
04/04/2023 14:45:00	0.41	0.00	0.00	20.31	21.95	224.31	28.70	99.06
04/04/2023 14:50:00	0.41	0.00	0.00	20.32	22.02	192.26	28.54	99.06
04/04/2023 14:55:00	0.55	0.00	0.00	20.32	23.18	192.26	28.42	99.04
04/04/2023 15:00:00	0.41	0.00	0.00	20.32	20.79	192.26	28.40	99.05
04/04/2023 15:05:00	0.55	0.00	0.00	20.30	21.85	160.22	28.40	99.05
04/04/2023 15:10:00	0.41	0.00	0.00	20.30	23.01	160.22	27.78	99.04
04/04/2023 15:15:00	0.41	0.00	0.00	20.30	22.02	160.22	27.96	99.05

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NOx (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
04/04/2023 15:20:00	0.41	0.00	0.00	20.30	22.74	160.22	28.10	99.04
04/04/2023 15:25:00	0.27	0.00	0.00	20.31	22.58	160.22	27.78	99.05
04/04/2023 15:30:00	0.41	0.00	0.00	20.31	21.46	192.26	28.70	99.03
04/04/2023 15:35:00	0.41	0.00	0.00	20.29	21.53	160.22	28.40	99.03
04/04/2023 15:40:00	0.55	0.00	0.00	20.30	22.11	192.26	28.08	99.04
04/04/2023 15:45:00	0.41	0.00	0.00	20.30	20.39	192.26	27.92	99.04
04/04/2023 15:50:00	1.24	0.00	0.00	20.31	20.65	160.22	28.56	99.03
04/04/2023 15:55:00	0.27	0.00	0.00	20.28	21.53	160.22	28.08	99.03
04/04/2023 16:00:00	0.41	0.00	0.00	20.29	24.08	160.22	28.54	99.01
04/04/2023 16:05:00	0.41	0.00	0.00	20.28	23.43	160.22	28.37	99.01
04/04/2023 16:10:00	0.55	0.00	0.00	20.29	20.23	192.26	28.15	99.01
04/04/2023 16:15:00	0.41	0.00	0.00	20.29	22.25	160.22	28.70	99.02
04/04/2023 16:20:00	0.41	0.00	0.00	20.30	23.43	0.00	27.80	99.02
04/04/2023 16:25:00	0.41	0.00	0.00	20.29	21.42	192.26	27.94	99.03
04/04/2023 16:30:00	0.41	0.00	0.00	20.30	20.88	224.31	28.10	99.05
04/04/2023 16:35:00	0.55	0.00	0.00	20.29	20.97	160.22	28.10	99.04
04/04/2023 16:40:00	0.41	0.00	0.00	20.30	20.07	224.31	28.12	99.01
04/04/2023 16:45:00	0.55	0.00	0.00	20.29	20.97	192.26	28.10	99.01
04/04/2023 16:50:00	0.41	0.00	0.00	20.29	19.95	160.22	28.54	99.03
04/04/2023 16:55:00	0.55	0.00	0.00	20.29	19.81	192.26	28.56	99.03
04/04/2023 17:00:00	0.41	0.00	0.00	20.29	67.93	192.26	27.94	99.06
04/04/2023 17:05:00	0.41	0.00	0.00	20.29	35.37	192.26	28.42	99.04
04/04/2023 17:10:00	0.41	0.00	0.00	20.29	29.39	192.26	28.12	99.06
04/04/2023 17:15:00	0.41	0.00	0.00	20.28	26.40	192.26	27.96	99.05
04/04/2023 17:20:00	0.55	0.00	0.00	20.28	22.20	160.22	28.40	99.06
04/04/2023 17:25:00	0.27	0.00	0.00	20.29	22.55	192.26	28.24	99.05
04/04/2023 17:30:00	0.41	0.00	0.00	20.29	21.48	192.26	28.10	99.09
04/04/2023 17:35:00	0.55	0.00	0.00	20.29	20.72	224.31	28.12	99.09
04/04/2023 17:40:00	0.41	0.00	0.00	20.28	20.95	192.26	27.80	99.07
04/04/2023 17:45:00	0.55	0.00	0.00	20.29	21.76	224.31	28.12	99.09
04/04/2023 17:50:00	0.55	0.00	0.00	20.28	20.14	192.26	27.96	99.09
04/04/2023 17:55:00	0.55	0.00	0.00	20.29	21.58	224.31	28.12	99.09
04/04/2023 18:00:00	0.55	0.00	0.00	20.29	21.95	192.26	28.15	99.09

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
04/04/2023 18:05:00	0.69	0.00	0.00	20.29	22.90	0.00	28.12	99.09
04/04/2023 18:10:00	0.69	0.00	0.00	20.29	25.31	224.31	28.28	99.10
04/04/2023 18:15:00	0.69	0.00	0.00	20.29	23.20	192.26	28.15	99.10
04/04/2023 18:20:00	0.69	0.00	0.00	20.29	21.64	224.31	28.12	99.12
04/04/2023 18:25:00	0.55	0.00	0.00	20.29	19.95	224.31	27.82	99.12
04/04/2023 18:30:00	0.55	0.00	0.00	20.29	19.47	224.31	28.28	99.13
04/04/2023 18:35:00	0.55	0.00	0.00	20.29	19.81	224.31	27.82	99.12
04/04/2023 18:40:00	0.41	0.00	0.00	20.29	19.75	224.31	27.63	99.13
04/04/2023 18:45:00	0.55	0.00	0.00	20.29	18.91	224.31	27.68	99.14
04/04/2023 18:50:00	0.55	0.00	0.00	20.29	18.59	256.35	27.82	99.15
04/04/2023 18:55:00	0.41	0.00	0.00	20.30	19.49	192.26	27.99	99.15
04/04/2023 19:00:00	0.41	0.00	0.00	20.29	19.97	256.35	28.12	99.16
04/04/2023 19:05:00	0.69	0.00	0.00	20.29	39.24	224.31	27.99	99.16
04/04/2023 19:10:00	0.41	0.00	0.00	20.29	23.66	224.31	27.80	99.16
04/04/2023 19:15:00	0.55	0.00	0.00	20.30	20.02	224.31	28.28	99.19
04/04/2023 19:20:00	0.41	0.00	0.00	20.30	20.60	192.26	27.96	99.17
04/04/2023 19:25:00	0.55	0.00	0.00	20.29	20.02	224.31	27.96	99.19
04/04/2023 19:30:00	0.55	0.00	0.00	20.30	17.04	256.35	27.99	99.21
04/04/2023 19:35:00	0.55	0.00	0.00	20.30	18.98	224.31	28.15	99.21
04/04/2023 19:40:00	0.55	0.00	0.00	20.30	19.70	224.31	28.01	99.21
04/04/2023 19:45:00	0.41	0.00	0.00	20.30	18.72	192.26	27.96	99.21
04/04/2023 19:50:00	0.69	0.00	0.00	20.30	18.65	0.00	28.31	99.21
04/04/2023 19:55:00	0.41	0.00	0.00	20.30	19.01	192.26	27.66	99.22
04/04/2023 20:00:00	0.55	0.00	0.00	20.30	18.45	192.26	28.44	99.22
04/04/2023 20:05:00	0.55	0.00	0.00	20.30	18.61	192.26	27.63	99.23
04/04/2023 20:10:00	0.55	0.00	0.00	20.30	19.17	256.35	27.52	99.25
04/04/2023 20:15:00	0.55	0.00	0.00	20.30	18.91	224.31	27.82	99.26
04/04/2023 20:20:00	0.55	0.00	0.00	20.30	19.84	256.35	27.52	99.26
04/04/2023 20:25:00	0.55	0.00	0.00	20.30	20.44	224.31	27.68	99.27
04/04/2023 20:30:00	0.41	0.00	0.00	20.30	18.10	224.31	27.66	99.28
04/04/2023 20:35:00	0.41	0.00	0.00	20.30	17.29	192.26	27.80	99.29
04/04/2023 20:40:00	0.55	0.00	0.00	20.30	21.58	256.35	28.31	99.28
04/04/2023 20:45:00	0.55	0.00	0.00	20.30	20.30	224.31	28.15	99.30



Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NOx (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
04/04/2023 20:50:00	0.55	0.00	0.00	20.30	21.27	256.35	27.82	99.31
04/04/2023 20:55:00	0.55	0.00	0.00	20.29	19.35	192.26	27.20	99.30
04/04/2023 21:00:00	0.55	0.00	0.00	20.29	20.00	224.31	27.36	99.31
04/04/2023 21:05:00	0.55	0.00	0.00	20.29	19.47	256.35	27.99	99.33
04/04/2023 21:10:00	0.69	0.00	0.00	20.29	20.19	224.31	27.52	99.32
04/04/2023 21:15:00	0.41	0.00	0.00	20.29	19.65	192.26	27.80	99.32
04/04/2023 21:20:00	0.41	0.00	0.00	20.29	18.81	224.31	27.99	99.32
04/04/2023 21:25:00	0.55	0.00	0.00	20.30	30.62	224.31	27.66	99.34
04/04/2023 21:30:00	0.55	0.00	0.00	20.30	19.39	224.31	27.82	99.33
04/04/2023 21:35:00	0.55	0.00	0.00	20.30	31.08	0.00	27.36	99.35
04/04/2023 21:40:00	0.55	0.00	0.00	20.30	26.05	256.35	27.41	99.34
04/04/2023 21:45:00	0.55	0.00	0.00	20.30	22.13	224.31	27.52	99.35
04/04/2023 21:50:00	0.55	0.00	0.00	20.30	21.42	224.31	27.52	99.34
04/04/2023 21:55:00	0.41	0.00	0.00	20.30	18.87	224.31	27.20	99.33
04/04/2023 22:00:00	0.00	0.00	0.00	20.30	19.61	256.35	27.36	99.32
04/04/2023 22:05:00	0.41	0.00	0.00	20.29	18.68	256.35	27.05	99.35
04/04/2023 22:10:00	0.55	0.00	0.00	20.30	19.37	256.35	27.05	99.35
04/04/2023 22:15:00	0.55	0.00	0.00	20.30	19.12	224.31	27.08	99.35
04/04/2023 22:20:00	0.41	0.00	0.00	20.30	20.12	256.35	26.92	99.36
04/04/2023 22:25:00	0.55	0.00	0.00	20.30	68.07	224.31	27.05	99.36
04/04/2023 22:30:00	0.41	0.00	0.00	20.29	32.49	224.31	27.36	99.37
04/04/2023 22:35:00	0.55	0.00	0.00	20.30	25.68	256.35	26.89	99.37
04/04/2023 22:40:00	0.55	0.00	0.00	20.29	22.85	224.31	27.54	99.36
04/04/2023 22:45:00	0.55	0.00	0.00	20.29	20.28	256.35	26.92	99.38
04/04/2023 22:50:00	0.55	0.00	0.00	20.29	20.12	224.31	26.92	99.38
04/04/2023 22:55:00	0.55	0.00	0.00	20.30	19.88	224.31	27.22	99.38
04/04/2023 23:00:00	0.69	0.00	0.00	20.30	19.14	224.31	27.08	99.37
04/04/2023 23:05:00	0.55	0.00	0.00	20.29	18.33	256.35	27.05	99.38
04/04/2023 23:10:00	0.55	0.00	0.00	20.30	19.54	256.35	27.38	99.38
04/04/2023 23:15:00	0.55	0.00	0.00	20.29	18.01	224.31	27.22	99.37
04/04/2023 23:20:00	0.55	0.00	0.00	20.30	18.96	0.00	26.78	99.38
04/04/2023 23:25:00	0.69	0.00	0.00	20.30	19.88	256.35	27.11	99.37
04/04/2023 23:30:00	0.55	0.00	0.00	20.29	18.19	256.35	27.52	99.38

Thời gian	NỒNG ĐỘ CHO PHÉP THEO QCVN 23: 2009/BTNMT							
	≤ 700 mg/Nm <sup>3</sup>	≤ 700 mg/Nm <sup>3</sup>	≤ 1400 mg/Nm <sup>3</sup>	(-)	≤ 140 mg/Nm <sup>3</sup>	(-)	(-)	(-)
	CO (mg/Nm <sup>3</sup> )	SO <sub>2</sub> (mg/Nm <sup>3</sup> )	NO <sub>x</sub> (mg/Nm <sup>3</sup> )	O <sub>2</sub> (%V)	PM (mg/Nm <sup>3</sup> )	Flow (m <sup>3</sup> /h)	Temp (°C)	P (kPa)
04/04/2023 23:35:00	0.55	0.00	0.00	20.29	18.49	224.31	27.05	99.35
04/04/2023 23:40:00	0.55	0.00	0.00	20.30	19.01	224.31	27.68	99.37
04/04/2023 23:45:00	0.55	0.00	0.00	20.30	18.63	256.35	27.57	99.37
04/04/2023 23:50:00	0.55	0.00	0.00	20.30	18.14	256.35	27.85	99.34
04/04/2023 23:55:00	0.41	0.00	0.00	20.30	20.00	224.31	27.68	99.35